

NEEDS PERMIT External Identifier

Qty. 1

NO Existing Sign

- location 2 in packet, across street from Main Entrance at the corner
- requires footings, and posts









PROOF: Compass Minerals, Ogden, Utah




NEEDS PERMIT External Identifier

Qty. 1

Existing Sign

- remove old sign;
- new sign on new posts











NEEDS PERMIT External Identifier

Qty. 1

Existing Sign 3

- remove old sign; use old posts
- mount sign to existing steel posts



Existing Sign 4

- remove old sign & wood posts
- no new sign here

Sign 3 & 4 Combined:

NOTICE: Area Closed



48"

PRIVATE PROPERTY

NO TRESPASSING VIOLATORS WILL BE PROSECUTED

THE ILLEGAL USE OF DRUGS, ALCOHOL, FIREARMS OR OTHER WEAPONS IS PROHIBITED.

ALL PERSONS AND VEHICLES ENTERING OR LEAVING THIS PROPERTY ARE SUBJECT TO SEARCH AT ANY TIME.

For Customer Service, please proceed to Main Entrance.









NEEDS PERMIT External Identifier Qty. 1

Existing Sign

- remove old sign; use old posts
- mount sign to NEW steel posts

NOTICE: Area Closed



48"

PRIVATE PROPERTY

NO TRESPASSING VIOLATORS WILL BE PROSECUTED

THE ILLEGAL USE OF DRUGS, ALCOHOL, FIREARMS OR OTHER WEAPONS IS PROHIBITED.

ALL PERSONS AND VEHICLES ENTERING OR LEAVING THIS PROPERTY ARE SUBJECT TO SEARCH AT ANY TIME.

For Customer Service, please proceed to Main Entrance.









External Identifier

Qty. 1

Existing Sign

- Use exisitng posts, replace sign face





24"

Turn your CB to CHANNEL 2

Contact Logistics Building Personnel before entering the site









Existing Sign
- west of road
- new posts and footings

NEEDS PERMIT Area Identifier

Verify Utilities before digging

Qty. 1



Ogden Site

South Entrance

Authorized Personnel Only









Existing Sign

- install location to be yet determined
- new posts and footings



Ogden Site

SOP Ponds & Harvest

Authorized Personnel Only










- REMOVE existing sign faces
- replace with new sign face (A)
- B & C to be two new separate post & panels signs

Qty. 1 each total: 3



- 3" numbers to side into clear railings

24"

(3) sets of 1-10

- 3 sets of numbers to be supplied

C B 72"

ONE MILLION

Man Hours Without a Lost - Time - Injury October 2007 - March 2009

ONE MILLION

72"


Man Hours Without a Lost - Time - Injury December 2010 – May 2012







Qty. 1





Existing Sign - KEEP AS IS









Area Identifier Qty. 1

Existing Sign

- remove old sign; install new posts with new panel



SOP STOCKPILE AREA

Yield to Haul Trucks & Equipment

Authorized Personnel Only











- -Existing Sign
- remove old sign; install new posts with new panel



SOP

STOCKPILE & TRUCK CHECKOUT AREA


36"

Authorized Personnel Only









- -Existing Sign
- remove old sign; install new posts with new panel



72"







Authorized Personnel Only



- -Existing Sign
- remove old sign; install new posts with new panel



Ogden Site

36"

SOP STOCKPILE AREA

Authorized Personnel Only









Existing Sign

- KEEP AS IS











Safety / PPE Entrance Qty. 1

Existing Sign

- remove old sign screw to wall

SALT PLANT



- PPE Requirement Area Hardhat, hearing protection, safety glasses and metboots.
- Smoking is prohibited in all enclosed buildings and offices. UC 26-38-3(1)
- First aid, automated external defibrillator and SDS data are located in the supervisor's office.
- All visitors must be escorted.
- Only authorized personnel are allowed on the manlift.
- In an emergency, call supervisor or use radio channel 6 (accident, fire, disaster) call 3333 cellular phone 801-732-3333.

























Safety / PPE Entrance Qty. 1

Existing Sign

- remove old sign screw to wall

SOP COMPACTION PLANT



• PPE Requirement Area – Hardhat, hearing protection, safety glasses and metboots.

- Smoking is prohibited in all enclosed buildings and offices. UC 26-38-3(1)
- First aid, automated external defibrillator and SDS data are located in the supervisor's office.
- All visitors must be escorted.
- Only authorized personnel are allowed on the manlift.
- In an emergency, call supervisor or use radio channel 6 (accident, fire, disaster) call 3333 cellular phone 801-732-3333.























Safety / PPE Entrance Qty. 1

Existing Sign

- remove old sign screw to wall

SOP PLANT



- PPE Requirement Area Hardhat, hearing protection, safety glasses and metboots.
- Smoking is prohibited in all enclosed buildings and offices. UC 26-38-3(1)
- First aid, automated external defibrillator and SDS data are located in the supervisor's office.
- All visitors must be escorted.
- Only authorized personnel are allowed on the manlift.
- In an emergency, call supervisor or use radio channel 6 (accident, fire, disaster) call 3333 cellular phone 801-732-3333.

























Safety / PPE Entrance Qty. 1

Existing Sign

- remove old sign screw to wall

SOP FLOTATION PLANT



- PPE Requirement Area Hardhat, hearing protection, safety glasses and metboots.
- Smoking is prohibited in all enclosed buildings and offices. UC 26-38-3(1)
- First aid, automated external defibrillator and SDS data are located in the supervisor's office.
- All visitors must be escorted.
- Only authorized personnel are allowed on the manlift.
- In an emergency, call supervisor or use radio channel 6 (accident, fire, disaster) call 3333 cellular phone 801-732-3333.

























Safety / PPE Entrance Qty. 1

Existing Sign

- remove old sign screw to wall

BOILER PLANT



- PPE Requirement Area Hardhat, hearing protection, safety glasses and metboots.
- Smoking is prohibited in all enclosed buildings and offices. UC 26-38-3(1)
- First aid, automated external defibrillator and SDS data are located in the supervisor's office.
- All visitors must be escorted.
- Only authorized personnel are allowed on the manlift.
- In an emergency, call supervisor or use radio channel 6 (accident, fire, disaster) call 3333 cellular phone 801-732-3333.























Safety / PPE Entrance Qty. 1

Existing Sign

- remove old sign screw to wall

SOP LOADOUT



- PPE Requirement Area Hardhat, hearing protection, safety glasses and metboots.
- Smoking is prohibited in all enclosed buildings and offices. UC 26-38-3(1)
- First aid, automated external defibrillator and SDS data are located in the supervisor's office.
- All visitors must be escorted.
- Only authorized personnel are allowed on the manlift.
- In an emergency, call supervisor or use radio channel 6 (accident, fire, disaster) call 3333 cellular phone 801-732-3333.





















Safety / PPE Entrance Qty. 1

Existing Sign -remove old sign, screw to wall

MAG CHLORIDE PLANT



- PPE Requirement Area Hardhat, hearing protection, safety glasses and metboots.
- Smoking is prohibited in all enclosed buildings and offices. UC 26-38-3(1)
- First aid, automated external defibrillator and the SDS documents are available in the supervisor's office and the control room electronically.
- Chlorine personal monitors and designated respirator use areas.
- All visitors must be escorted.























KEEP AS IS Qty. 1

Existing Sign
- KEEP AS IS










Internal Directional Qty. 1

Existing Sign

- remove old: screw to wall
- needs ladder or bucket truck











Existing Sign (8' x 20')

- Same location
- new posts
- will need square tube on back

External Directional Qty. 1

NEEDS PERMIT



Ogden Site
765 North 10500 West











External Directional Qty. 1

Needs Permit

Existing Sign (8' x 16')

- Same location
- new posts
- will need square tube on back











Internal Directional Qty. 1

Existing Sign (8' x 16')

- Location: right when entering the gate
- -post and panel



Salt Plant

- Administration
- **←** Warehouse / Receving
- **SOP Plant**
- Boiler Plant
- Magnesium Chloride Plant

72""










Internal Directional Qty. 1

Existing Sign

- Location: replace existing
- NEW POSTS; REMOVE OLD SIGN
- -asphalt cutting is required











Existing Sign

- replace existing
- remove old sign and structure; supply new angle iron frame to mount to roof



Logistics Building









No Existing Sign

- On South wall above garage
 - -Post and Panel sign
 - -asphalt cutting is required



Salt Warehouse Building 2









NO existing sign

- on south wall
- screw to corrugate material
- needs bucket truck



24"

Salt Warehouse Building 1









- On west elevation
- mount with tube frame to I beam structure
- needs bucket truck



Ogden Site

Tarping Station









Existing Sign

- Remove 2 signs: install 1 same location
- screw to corrugate material
- needs truck



Ogden Site

Salt Plant & Administration









Existing Sign

- Remove 1 sign; install new same location
- screw to corrugate material
- needs truck



24"

Lunch Room









NO existing

- install above garage doorway
- screw to corrugate material
- needs bucket truck



Salt Bulk Loadout









NO existing sign

- Post & panel sign
- asphalt cutting needed



Ogden Site

Salt Warehouse Building 3

Authorized Personnel Only

96"









- -Remove old; same location for new sign
- -screw to wall



24"

Salt Maintenance Shop









-no old sign; tbd

-needs square tube stringers the width of the sign



Ogden Site

Salt Warehouse Building 4

96"









Building/Area Identifier Qty. 1

NO Existing Sign

- no old sign; install on north wall
- Requires long reach, see photos for location for truck parking. Verify reach potential.



SOP Wet Plant

240"

letter height approx. 20" at this size









Building/Area Identifier Qty. 1

NO Existing Sign

- no old sign; install above garage door
- screw to wall



24"

SOP Pump House

96""









NO existing sign

- location tbd
- screw to wall



Z-Building









NO existing sign

- exact install spot tbd
- screw to wall



Lube Building

96"









NO existing sign

- install above garage door
- needs square tube stringers
- needs bucket truck



Ogden Site

Mobile Shop









Existing sign

- remove exisiting sign; install same location
- screw to wall



Mobile Shop









NO existing sign - screw to wall

Compass Minerals

Ogden Site

RCRA Waste Building










NO existing sign

DISCONTINUED SIGN











NO existing sign

- install above garage door
- screw to wall



Ogden Site

SOP Maintenance

96"









NO existing sign

- install on wall
- screw to wall
- needs bucket truck



Main Administration

96"









- remove existing sign; install new in same place
- screw to wall
- needs ladder or bucket truck



Warehouse Receiving

96"









No existing sign

- install on fence
- -provide attachment to chain linkfence



Ogden Site

North Yard









NO existing Sign

- no old sign; install above doors
- screw to wall



24'

Project Staging Yard









NO Existing Sign

- screw to corrugated wall
- truck needed



Reservoir Pump House

96"










NO Existing Sign

Building/Area Identifier Qty. 1

NO SIGN NEEDED











24"

Building/Area Identifier Qty. 1

NO Existing Sign

- no old sign
- screw to wall
- applied to building
- Ground level



Ogden Site

SOP Compaction









NO exisitng sign

- install location exact tbd
- screw to corrugated wall



Ogden Site

KCL Unloading Area

96"









Existing sign

- remove old sign; install new in same place
- screw to corrugated wall



24"

SOP Loadout Office









NO Existing Sign

- no old sign
- screw to wall
- Place up high

Building/Area Identifier Qty. 1



24"

Ogden Site

SOP Loadout

96"

letter height approx. 8" at this size









NO exisitng sign

- install location suggested below green band on wall to right of door
- screw to corrugate wall



24"

Ogden Site

Loadout Warehouse









NO existing sign

- install over door to the left?
- screw to corrugate wall
- truck needed



Boiler Plant

96"









NO Existing sign

- exact installation of new sign tbd, would recommend right of door?
- screw to exisitng corrugate material
- truck needed if sign is going high



Flotation Plant

96"









Existing sign

- screw to exisitng corrugate material
- truck needed



Ogden Plant

Magnesium Chloride Packaged Loading

96"









NO existing sign

- exact install location tbd
- screw to exisitng corrugate material
- truck needed



24"


Ogden Site

Magnesium Chloride Brine De-Sulfating











Existing Sign

- install new in same place
- screw to corrugate material
- truck needed



24"

Magnesium Chloride Plant









Building/Area Identifier Qty. 1

Existing Sign

- remove old sign; install new in same place
- screw to wall; verify space again available



BRINE TRUCK LOADING AREA

Self loading instructions and CMO contact information are located next to loading computer

48"

At the completion of loading:

- 1) Close valve on end of loading hose
- 2) Disconnect loading hose from truck
- 3) Move hose completely away from trailor

Attention

Drivers must notify the magnesium chloride plant control room All loading activities are recorded

Failing to notify will be reported









NO existing sign

- new posts & footings
- location tbd, recommend post & panel, not on building
- cut asphalt



Silo # 14

Authorized Personnel Only

96"









NO existing sign

- new posts & footings
- location tbd, recommend post & panel, not on building
- asphalt cutting is required



24"

Silo # 13

Authorized Personnel Only









NO existing sign

- new posts & footings
- location tbd, recommend post & panel, not on building
- asphalt cutting is required



24"

Ogden Site

Silo # 12

Authorized Personnel Only









NO existing sign

- new posts & footings
- location tbd, on building or post & panel?



24"

Ogden Site

Pump Station #112









NO existing sign

- new posts & footings
- location tbd, on building or post & panel?



24"

Ogden Site

Pump Station #113









NO existing sign

- new posts & footings
- location tbd, on building or post & panel?



Ogden Site

Pump Station #114

96"









NO existing sign

- new posts & footings
- location tbd, on building or post & panel?



West Desert Operations

96"









NO existing sign

- new posts & footings
- location tbd, on building or post & panel?



Ogden Site

West Desert Operations









24"

PS-001









PS-002









24"

PS-003









24"

PS-004









24"

PS-005









24"

PS-006









24"

PS-008









24"

PS-009









24"

PS-010









24"

PS-011









24"

PS-013









24"

PS-014







No Photo Available

24"



Pond Control









24"

PS-016





