



Legend

 Project Location



SPK-2025-00316: Project Location

0 2.25 4.5 9
mi

Map Center: 112.111421°W 41.248432°N

Map Created by: Alyssa Schaff

Date: 7/28/2025


Coordinate System: WGS 1984 Web Mercator Auxiliary
Sphere

Enclosure 1




Wetland Impacts

SECTION A-A (RETENTION BASIN)
~16,115 S.F. EXCAVATION/EXPANSION
198.48 S.F. IMPACTED
SECTION B-B - 2607 S.F. (FILL)



Section A-A (Above)

Horizontal Scale: 1" = 20'
Vertical Scale: 1" = 2'



Section B-B

Horizontal Scale: 1" = 20'
Vertical Scale: 1" = 2'

Engineer's Notice To Contractors.

THE EXISTENCE AND LOCATION OF ANY UNDERGROUND UTILITY PIPES OR STRUCTURES SHOWN ON THESE PLANS WERE OBTAINED FROM AVAILABLE INFORMATION PROVIDED BY OTHERS. THE LOCATIONS SHOWN ARE APPROXIMATE AND SHALL BE CONFIRMED IN THE FIELD BY THE CONTRACTOR, SO THAT ANY NECESSARY ADJUSTMENT CAN BE MADE IN ALIGNMENT AND/OR GRADE OF THE PROPOSED IMPROVEMENT. THE CONTRACTOR IS REQUIRED TO CONTACT THE UTILITY COMPANIES AND TAKE DUE PRECAUTIONARY MEASURE TO PROTECT ANY UTILITY LINES SHOWN, AND ANY OTHER LINES OBTAINED BY THE CONTRACTOR'S RESEARCH, AND OTHERS NOT OF RECORD OR NOT SHOWN ON THESE PLANS.


Project Contact:
Jeremy Draper
Reeve & Associates, Inc.
5160 South 1500 West
Riverdale, Utah, 84405
PH:(801) 621-3100



REVISIONS	DATE	DESCRIPTION
05-02-25	CK	Retention Basin

Scott Wynn
PART OF THE SOUTHWEST QUARTER OF SECTION 27, TOWNSHIP 6 NORTH,
RANGE 2 WEST, STALKE BASE AND MERIDIAN, U.S. SURVEY
WEBER COUNTY, UTAH

Wetlands Exhibit



Project Info.
Engineer:
JEREMY A. DRAPER, P.E.
Drafter:
C. KINGSLEY
Begin Date:
April 2024
Name:
Bailey Property
Number: 2280-18

1
Total Sheets



U S Army Corps of
Engineers
Sacramento District

2021 Nationwide Permit Summary

33 CFR Part 330; Issuance of Nationwide
Permits – March 15, 2021

29. Residential Developments. Discharges of dredged or fill material into non-tidal waters of the United States for the construction or expansion of a single residence, a multiple unit residential development, or a residential subdivision. This NWP authorizes the construction of building foundations and building pads and attendant features that are necessary for the use of the residence or residential development. Attendant features may include but are not limited to roads, parking lots, garages, yards, utility lines, storm water management facilities, septic fields, and recreation facilities such as playgrounds, playing fields, and golf courses (provided the golf course is an integral part of the residential development).

The discharge must not cause the loss of greater than 1/2-acre of non-tidal waters of the United States. This NWP does not authorize discharges of dredged or fill material into non-tidal wetlands adjacent to tidal waters.

Subdivisions: For residential subdivisions, the aggregate total loss of waters of United States authorized by this NWP cannot exceed 1/2-acre. This includes any loss of waters of the United States associated with development of individual subdivision lots.

Notification: The permittee must submit a pre-construction notification to the district engineer prior to commencing the activity. (See general condition 32.) (Authorities: Sections 10 and 404)

A. 2021 Regional Conditions

1. [Regional Conditions for California](#)
2. [Regional Conditions for Nevada and Utah](#)

B. 2021 Nationwide Permit General Conditions

Note: To qualify for NWP authorization, the prospective permittee must comply with the following general conditions, as applicable, in addition to any regional or case-specific conditions imposed by the division engineer or district engineer.

Prospective permittees should contact the appropriate Corps district office to determine if regional conditions have been imposed on an NWP. Prospective permittees should also contact the appropriate Corps district office to determine the status of Clean Water Act Section 401 water quality certification and/or Coastal Zone Management Act consistency for an NWP. Every

person who may wish to obtain permit authorization under one or more NWPs, or who is currently relying on an existing or prior permit authorization under one or more NWPs, has been and is on notice that all of the provisions of 33 CFR 330.1 through 330.6 apply to every NWP authorization. Note especially 33 CFR 330.5 relating to the modification, suspension, or revocation of any NWP authorization.

☐ 1. Navigation.

- ☐ (a) No activity may cause more than a minimal adverse effect on navigation.
- ☐ (b) Any safety lights and signals prescribed by the U.S. Coast Guard, through regulations or otherwise, must be installed and maintained at the permittee's expense on authorized facilities in navigable waters of the United States.
- ☐ (c) The permittee understands and agrees that, if future operations by the United States require the removal, relocation, or other alteration, of the structure or work herein authorized, or if, in the opinion of the Secretary of the Army or his or her authorized representative, said structure or work shall cause unreasonable obstruction to the free navigation of the navigable waters, the permittee will be required, upon due notice from the Corps of Engineers, to remove, relocate, or alter the structural work or obstructions caused thereby, without expense to the United States. No claim shall be made against the United States on account of any such removal or alteration.

☐ 2. **Aquatic Life Movements.** No activity may substantially disrupt the necessary life cycle movements of those species of aquatic life indigenous to the waterbody, including those species that normally migrate through the area, unless the activity's primary purpose is to impound water. All permanent and temporary crossings of waterbodies shall be suitably culverted, bridged, or otherwise designed and constructed to maintain low flows to sustain the movement of those aquatic species. If a bottomless culvert cannot be used, then the crossing should be designed and constructed to minimize adverse effects to aquatic life movements.

☐ 3. **Spawning Areas.** Activities in spawning areas during spawning seasons must be avoided to the maximum extent practicable. Activities that result in the physical destruction (e.g., through excavation, fill, or downstream smothering by substantial turbidity) of an important spawning area are not authorized.

☐ 4. **Migratory Bird Breeding Areas.** Activities in waters of the United States that serve as breeding areas for migratory birds must be avoided to the maximum extent practicable.

BUILDING STRONG®

U.S. ARMY CORPS OF ENGINEERS – SACRAMENTO DISTRICT

1325 J ST. – SACRAMENTO, CA 95814

www.spk.usace.army.mil

www.facebook.com/sacramentodistrict

www.youtube.com/sacramentodistrict

www.twitter.com/USACESacramento

www.flickr.com/photos/sacramentodistrict

Enclosure 3

☐ 5. **Shellfish Beds.** No activity may occur in areas of concentrated shellfish populations, unless the activity is directly related to a shellfish harvesting activity authorized by NWP 4 and 48, or is a shellfish seeding or habitat restoration activity authorized by NWP 27.

☐ 6. **Suitable Material.** No activity may use unsuitable material (e.g., trash, debris, car bodies, asphalt, etc.). Material used for construction or discharged must be free from toxic pollutants in toxic amounts (see section 307 of the Clean Water Act).

☐ 7. **Water Supply Intakes.** No activity may occur in the proximity of a public water supply intake, except where the activity is for the repair or improvement of public water supply intake structures or adjacent bank stabilization.

☐ 8. **Adverse Effects From Impoundments.** If the activity creates an impoundment of water, adverse effects to the aquatic system due to accelerating the passage of water, and/or restricting its flow must be minimized to the maximum extent practicable.

☐ 9. **Management of Water Flows.** To the maximum extent practicable, the pre-construction course, condition, capacity, and location of open waters must be maintained for each activity, including stream channelization, storm water management activities, and temporary and permanent road crossings, except as provided below. The activity must be constructed to withstand expected high flows. The activity must not restrict or impede the passage of normal or high flows, unless the primary purpose of the activity is to impound water or manage high flows. The activity may alter the pre-construction course, condition, capacity, and location of open waters if it benefits the aquatic environment (e.g., stream restoration or relocation activities).

☐ 10. **Fills Within 100-Year Floodplains.** The activity must comply with applicable FEMA-approved state or local floodplain management requirements.

☐ 11. **Equipment.** Heavy equipment working in wetlands or mudflats must be placed on mats, or other measures must be taken to minimize soil disturbance.

☐ 12. **Soil Erosion and Sediment Controls.** Appropriate soil erosion and sediment controls must be used and maintained in effective operating condition during construction, and all exposed soil and other fills, as well as any work below the ordinary high water mark or high tide line, must be permanently stabilized at the earliest practicable date. Permittees are encouraged to perform work within waters of the United States during periods of low-flow or no-flow, or during low tides.

☐ 13. **Removal of Temporary Fills.** Temporary structures must be removed, to the maximum extent practicable, after their use has been discontinued. Temporary fills must be removed in their entirety and the affected areas returned to pre-construction elevations. The affected areas must be revegetated, as appropriate.

☐ 14. **Proper Maintenance.** Any authorized structure or fill shall be properly maintained, including maintenance to ensure public safety and compliance with applicable NWP general conditions, as well as any activity-specific conditions added by the district engineer to an NWP authorization.

☐ 15. **Single and Complete Project.** The activity must be a single and complete project. The same NWP cannot be used more than once for the same single and complete project.

☐ 16. **Wild and Scenic Rivers.**

☐ (a) No NWP activity may occur in a component of the National Wild and Scenic River System, or in a river officially designated by Congress as a “study river” for possible inclusion in the system while the river is in an official study status, unless the appropriate Federal agency with direct management responsibility for such river, has determined in writing that the proposed activity will not adversely affect the Wild and Scenic River designation or study status.

☐ (b) If a proposed NWP activity will occur in a component of the National Wild and Scenic River System, or in a river officially designated by Congress as a “study river” for possible inclusion in the system while the river is in an official study status, the permittee must submit a pre-construction notification (see general condition 32). The district engineer will coordinate the PCN with the Federal agency with direct management responsibility for that river. Permittees shall not begin the NWP activity until notified by the district engineer that the Federal agency with direct management responsibility for that river has determined in writing that the proposed NWP activity will not adversely affect the Wild and Scenic River designation or study status.

☐ (c) Information on Wild and Scenic Rivers may be obtained from the appropriate Federal land management agency responsible for the designated Wild and Scenic River or study river (e.g., National Park Service, U.S. Forest Service, Bureau of Land Management, U.S. Fish and Wildlife Service). Information on these rivers is also available at: <https://www.rivers.gov/>.

☐ 17. **Tribal Rights.** No activity or its operation may impair reserved tribal rights, including, but not limited to, reserved water rights and treaty fishing and hunting rights.

☐ 18. **Endangered Species.**

☐ (a) No activity is authorized under any NWP which is likely to directly or indirectly jeopardize the continued existence of a threatened or endangered species or a species proposed for such designation, as identified under the Federal Endangered Species Act (ESA), or which will directly or indirectly destroy or adversely modify designated critical habitat or critical habitat proposed for such designation. No activity is authorized under any NWP which “may affect” a listed species or critical habitat, unless ESA section 7 consultation addressing the consequences of the proposed activity on listed species or critical habitat has been completed. See 50 CFR 402.02 for the definition of “effects of the action” for the purposes of ESA section 7 consultation, as well as 50 CFR 402.17, which provides further explanation under ESA section 7 regarding “activities that are reasonably certain to occur” and “consequences caused by the proposed action.”

☐ (b) Federal agencies should follow their own procedures for complying with the requirements of the ESA (see 33 CFR 330.4(f)(1)). If pre-construction notification is required for the proposed activity, the Federal permittee must provide the district engineer with the appropriate documentation to demonstrate compliance with those requirements. The district engineer will verify that the appropriate documentation has been submitted. If the appropriate documentation has not been submitted, additional ESA section 7 consultation may be necessary for the activity and the respective federal agency would be responsible for fulfilling its obligation under section 7 of the ESA.

☐ (c) Non-federal permittees must submit a pre-construction notification to the district engineer if any listed species (or species proposed for listing) or designated critical habitat (or critical habitat proposed for such designation) might be affected or is in the vicinity of the activity, or if the activity is located in designated critical habitat or critical habitat proposed for such designation, and shall not begin work on the activity until notified by the district engineer that the requirements of the ESA have been satisfied and that the activity is authorized. For activities that might affect Federally-listed endangered or threatened species (or species proposed for listing) or designated critical habitat (or critical habitat proposed for such designation), the pre-construction notification must include the name(s) of the endangered or threatened species (or species proposed for listing) that might be affected by the proposed activity or that utilize the designated critical habitat (or critical habitat proposed for such designation) that might be affected by the proposed activity. The district engineer will determine whether the proposed activity “may affect” or will have “no effect” to listed species and designated critical habitat and will notify the non-Federal applicant of the Corps’ determination within 45 days of receipt of a complete pre-construction notification. For activities where the non-Federal applicant has identified listed species (or species proposed for listing) or designated critical habitat (or critical habitat proposed for such designation) that might be affected or is in the vicinity of the activity, and has so notified the Corps, the applicant shall not begin work until the Corps has provided notification that the proposed activity will have “no effect” on listed species (or species proposed for listing or designated critical habitat (or critical habitat proposed for such designation), or until ESA section 7 consultation or conference has been completed. If the non-Federal applicant has not heard back from the Corps within 45 days, the applicant must still wait for notification from the Corps.

☐ (d) As a result of formal or informal consultation or conference with the FWS or NMFS the district engineer may add species-specific permit conditions to the NWP.

☐ (e) Authorization of an activity by an NWP does not authorize the “take” of a threatened or endangered species as defined under the ESA. In the absence of separate authorization (e.g., an ESA Section 10 Permit, a Biological Opinion with “incidental take” provisions, etc.) from the FWS or the NMFS, the Endangered Species Act prohibits any person subject to the jurisdiction of the

United States to take a listed species, where “take” means to harass, harm, pursue, hunt, shoot, wound, kill, trap, capture, or collect, or to attempt to engage in any such conduct. The word “harm” in the definition of “take” means an act which actually kills or injures wildlife. Such an act may include significant habitat modification or degradation where it actually kills or injures wildlife by significantly impairing essential behavioral patterns, including breeding, feeding or sheltering.

☐ (f) If the non-federal permittee has a valid ESA section 10(a)(1)(B) incidental take permit with an approved Habitat Conservation Plan for a project or a group of projects that includes the proposed NWP activity, the non-federal applicant should provide a copy of that ESA section 10(a)(1)(B) permit with the PCN required by paragraph (c) of this general condition. The district engineer will coordinate with the agency that issued the ESA section 10(a)(1)(B) permit to determine whether the proposed NWP activity and the associated incidental take were considered in the internal ESA section 7 consultation conducted for the ESA section 10(a)(1)(B) permit. If that coordination results in concurrence from the agency that the proposed NWP activity and the associated incidental take were considered in the internal ESA section 7 consultation for the ESA section 10(a)(1)(B) permit, the district engineer does not need to conduct a separate ESA section 7 consultation for the proposed NWP activity. The district engineer will notify the non-federal applicant within 45 days of receipt of a complete pre-construction notification whether the ESA section 10(a)(1)(B) permit covers the proposed NWP activity or whether additional ESA section 7 consultation is required.

☐ (g) Information on the location of threatened and endangered species and their critical habitat can be obtained directly from the offices of the FWS and NMFS or their world wide web pages at <https://www.fws.gov/> or <https://www.fws.gov/ipac/> and <https://www.fisheries.noaa.gov/topic/endangered-species-conservation> respectively.

☐ 19. **Migratory Birds and Bald and Golden Eagles.** The permittee is responsible for ensuring that an action authorized by an NWP complies with the Migratory Bird Treaty Act and the Bald and Golden Eagle Protection Act. The permittee is responsible for contacting the appropriate local office of the U.S. Fish and Wildlife Service to determine what measures, if any, are necessary or appropriate to reduce adverse effects to migratory birds or eagles, including whether “incidental take” permits are necessary and available under the Migratory Bird Treaty Act or Bald and Golden Eagle Protection Act for a particular activity.

☐ 20. **Historic Properties.**

☐ (a) No activity is authorized under any NWP which may have the potential to cause effects to properties listed, or eligible for listing, in the National Register of Historic Places until the requirements of Section 106 of the National Historic Preservation Act (NHPA) have been satisfied.

☐ (b) Federal permittees should follow their own procedures for complying with the requirements of section 106 of the National Historic Preservation Act (see 33 CFR 330.4(g)(1)). If pre-construction notification is required for the proposed NWP activity, the Federal permittee must provide the district engineer with the appropriate documentation to demonstrate compliance with those requirements. The district engineer will verify that the appropriate documentation has been submitted. If the appropriate documentation is not submitted, then additional consultation under section 106 may be necessary. The respective federal agency is responsible for fulfilling its obligation to comply with section 106.

☐ (c) Non-federal permittees must submit a pre-construction notification to the district engineer if the NWP activity might have the potential to cause effects to any historic properties listed on, determined to be eligible for listing on, or potentially eligible for listing on the National Register of Historic Places, including previously unidentified properties. For such activities, the pre-construction notification must state which historic properties might have the potential to be affected by the proposed NWP activity or include a vicinity map indicating the location of the historic properties or the potential for the presence of historic properties. Assistance regarding information on the location of, or potential for, the presence of historic properties can be sought from the State Historic Preservation Officer, Tribal Historic Preservation Officer, or designated tribal representative, as appropriate, and the National Register of Historic Places (see 33 CFR 330.4(g)). When reviewing pre-construction notifications, district engineers will comply with the current procedures for addressing the requirements of section 106 of the National Historic Preservation Act. The district engineer shall make a reasonable and good faith effort to carry out appropriate identification efforts commensurate with potential impacts, which may include background research, consultation, oral history interviews, sample field investigation, and/or field survey. Based on the information submitted in the PCN and these identification efforts, the district engineer shall determine whether the proposed NWP activity has the potential to cause effects on the historic properties. Section 106 consultation is not required when the district engineer determines that the activity does not have the potential to cause effects on historic properties (see 36 CFR 800.3(a)). Section 106 consultation is required when the district engineer determines that the activity has the potential to cause effects on historic properties. The district engineer will conduct consultation with consulting parties identified under 36 CFR 800.2(c) when he or she makes any of the following effect determinations for the purposes of section 106 of the NHPA: no historic properties affected, no adverse effect, or adverse effect.

☐ (d) Where the non-Federal applicant has identified historic properties on which the proposed NWP activity might have the potential to cause effects and has so notified the Corps, the non-Federal applicant shall not begin the activity until notified by the district engineer either that the activity has no potential to cause effects to

historic properties or that NHPA section 106 consultation has been completed. For non-federal permittees, the district engineer will notify the prospective permittee within 45 days of receipt of a complete pre-construction notification whether NHPA section 106 consultation is required. If NHPA section 106 consultation is required, the district engineer will notify the non-Federal applicant that he or she cannot begin the activity until section 106 consultation is completed. If the non-Federal applicant has not heard back from the Corps within 45 days, the applicant must still wait for notification from the Corps.

☐ (e) Prospective permittees should be aware that section 110(k) of the NHPA (54 U.S.C. 306113) prevents the Corps from granting a permit or other assistance to an applicant who, with intent to avoid the requirements of section 106 of the NHPA, has intentionally significantly adversely affected a historic property to which the permit would relate, or having legal power to prevent it, allowed such significant adverse effect to occur, unless the Corps, after consultation with the Advisory Council on Historic Preservation (ACHP), determines that circumstances justify granting such assistance despite the adverse effect created or permitted by the applicant. If circumstances justify granting the assistance, the Corps is required to notify the ACHP and provide documentation specifying the circumstances, the degree of damage to the integrity of any historic properties affected, and proposed mitigation. This documentation must include any views obtained from the applicant, SHPO/THPO, appropriate Indian tribes if the undertaking occurs on or affects historic properties on tribal lands or affects properties of interest to those tribes, and other parties known to have a legitimate interest in the impacts to the permitted activity on historic properties.

☐ **21. Discovery of Previously Unknown Remains and Artifacts.** Permittees that discover any previously unknown historic, cultural or archeological remains and artifacts while accomplishing the activity authorized by an NWP, they must immediately notify the district engineer of what they have found, and to the maximum extent practicable, avoid construction activities that may affect the remains and artifacts until the required coordination has been completed. The district engineer will initiate the Federal, Tribal, and state coordination required to determine if the items or remains warrant a recovery effort or if the site is eligible for listing in the National Register of Historic Places.

☐ **22. Designated Critical Resource Waters.** Critical resource waters include, NOAA-managed marine sanctuaries and marine monuments, and National Estuarine Research Reserves. The district engineer may designate, after notice and opportunity for public comment, additional waters officially designated by a state as having particular environmental or ecological significance, such as outstanding national resource waters or state natural heritage sites. The district engineer may also designate additional critical resource waters after notice and opportunity for public comment.

☐ (a) Discharges of dredged or fill material into waters of the United States are not authorized by NWP 7, 12, 14, 16, 17, 21, 29, 31, 35, 39, 40, 42, 43, 44, 49, 50, 51, 52, 57 and 58 for any activity within, or directly affecting, critical resource waters, including wetlands adjacent to such waters.

☐ (b) For NWPs 3, 8, 10, 13, 15, 18, 19, 22, 23, 25, 27, 28, 30, 33, 34, 36, 37, 38, and 54, notification is required in accordance with general condition 32, for any activity proposed by permittees in the designated critical resource waters including wetlands adjacent to those waters. The district engineer may authorize activities under these NWPs only after she or he determines that the impacts to the critical resource waters will be no more than minimal.

☐ 23. **Mitigation.** The district engineer will consider the following factors when determining appropriate and practicable mitigation necessary to ensure that the individual and cumulative adverse environmental effects are no more than minimal:

☐ (a) The activity must be designed and constructed to avoid and minimize adverse effects, both temporary and permanent, to waters of the United States to the maximum extent practicable at the project site (i.e., on site).

☐ (b) Mitigation in all its forms (avoiding, minimizing, rectifying, reducing, or compensating for resource losses) will be required to the extent necessary to ensure that the individual and cumulative adverse environmental effects are no more than minimal.

☐ (c) Compensatory mitigation at a minimum one-for-one ratio will be required for all wetland losses that exceed 1/10-acre and require pre-construction notification, unless the district engineer determines in writing that either some other form of mitigation would be more environmentally appropriate or the adverse environmental effects of the proposed activity are no more than minimal, and provides an activity-specific waiver of this requirement. For wetland losses of 1/10-acre or less that require pre-construction notification, the district engineer may determine on a case-by-case basis that compensatory mitigation is required to ensure that the activity results in only minimal adverse environmental effects.

☐ (d) Compensatory mitigation at a minimum one-for-one ratio will be required for all losses of stream bed that exceed 3/100-acre and require pre-construction notification, unless the district engineer determines in writing that either some other form of mitigation would be more environmentally appropriate or the adverse environmental effects of the proposed activity are no more than minimal, and provides an activity-specific waiver of this requirement. This compensatory mitigation requirement may be satisfied through the restoration or enhancement of riparian areas next to streams in accordance with paragraph (e) of this general condition. For losses of stream bed of 3/100-acre or less that require pre-construction notification, the district engineer may determine on a case-by-case basis that compensatory mitigation is required to ensure that the activity results in only minimal adverse environmental effects. Compensatory mitigation for losses of streams should be

provided, if practicable, through stream rehabilitation, enhancement, or preservation, since streams are difficult-to-replace resources (see 33 CFR 332.3(e)(3)).

☐ (e) Compensatory mitigation plans for NWP activities in or near streams or other open waters will normally include a requirement for the restoration or enhancement, maintenance, and legal protection (e.g., conservation easements) of riparian areas next to open waters. In some cases, the restoration or maintenance/protection of riparian areas may be the only compensatory mitigation required. If restoring riparian areas involves planting vegetation, only native species should be planted. The width of the required riparian area will address documented water quality or aquatic habitat loss concerns. Normally, the riparian area will be 25 to 50 feet wide on each side of the stream, but the district engineer may require slightly wider riparian areas to address documented water quality or habitat loss concerns. If it is not possible to restore or maintain/protect a riparian area on both sides of a stream, or if the waterbody is a lake or coastal waters, then restoring or maintaining/protecting a riparian area along a single bank or shoreline may be sufficient. Where both wetlands and open waters exist on the project site, the district engineer will determine the appropriate compensatory mitigation (e.g., riparian areas and/or wetlands compensation) based on what is best for the aquatic environment on a watershed basis. In cases where riparian areas are determined to be the most appropriate form of minimization or compensatory mitigation, the district engineer may waive or reduce the requirement to provide wetland compensatory mitigation for wetland losses.

☐ (f) Compensatory mitigation projects provided to offset losses of aquatic resources must comply with the applicable provisions of 33 CFR part 332.

☐ (1) The prospective permittee is responsible for proposing an appropriate compensatory mitigation option if compensatory mitigation is necessary to ensure that the activity results in no more than minimal adverse environmental effects. For the NWPs, the preferred mechanism for providing compensatory mitigation is mitigation bank credits or in-lieu fee program credits (see 33 CFR 332.3(b)(2) and (3)). However, if an appropriate number and type of mitigation bank or in-lieu credits are not available at the time the PCN is submitted to the district engineer, the district engineer may approve the use of permittee-responsible mitigation.

☐ (2) The amount of compensatory mitigation required by the district engineer must be sufficient to ensure that the authorized activity results in no more than minimal individual and cumulative adverse environmental effects (see 33 CFR 330.1(e)(3)). (See also 33 CFR 332.3(f).)

☐ (3) Since the likelihood of success is greater and the impacts to potentially valuable uplands are reduced, aquatic resource restoration should be the first compensatory mitigation option considered for permittee-responsible mitigation.

- ☐ (4) If permittee-responsible mitigation is the proposed option, the prospective permittee is responsible for submitting a mitigation plan. A conceptual or detailed mitigation plan may be used by the district engineer to make the decision on the NWP verification request, but a final mitigation plan that addresses the applicable requirements of 33 CFR 332.4(c)(2) through (14) must be approved by the district engineer before the permittee begins work in waters of the United States, unless the district engineer determines that prior approval of the final mitigation plan is not practicable or not necessary to ensure timely completion of the required compensatory mitigation (see 33 CFR 332.3(k)(3)). If permittee-responsible mitigation is the proposed option, and the proposed compensatory mitigation site is located on land in which another federal agency holds an easement, the district engineer will coordinate with that federal agency to determine if proposed compensatory mitigation project is compatible with the terms of the easement.
- ☐ (5) If mitigation bank or in-lieu fee program credits are the proposed option, the mitigation plan needs to address only the baseline conditions at the impact site and the number of credits to be provided (see 33 CFR 332.4(c)(1)(ii)).
- ☐ (6) Compensatory mitigation requirements (e.g., resource type and amount to be provided as compensatory mitigation, site protection, ecological performance standards, monitoring requirements) may be addressed through conditions added to the NWP authorization, instead of components of a compensatory mitigation plan (see 33 CFR 332.4(c)(1)(ii)).
- ☐ (g) Compensatory mitigation will not be used to increase the acreage losses allowed by the acreage limits of the NWPs. For example, if an NWP has an acreage limit of 1/2-acre, it cannot be used to authorize any NWP activity resulting in the loss of greater than 1/2-acre of waters of the United States, even if compensatory mitigation is provided that replaces or restores some of the lost waters. However, compensatory mitigation can and should be used, as necessary, to ensure that an NWP activity already meeting the established acreage limits also satisfies the no more than minimal impact requirement for the NWPs.
- ☐ (h) Permittees may propose the use of mitigation banks, in-lieu fee programs, or permittee-responsible mitigation. When developing a compensatory mitigation proposal, the permittee must consider appropriate and practicable options consistent with the framework at 33 CFR 332.3(b). For activities resulting in the loss of marine or estuarine resources, permittee-responsible mitigation may be environmentally preferable if there are no mitigation banks or in-lieu fee programs in the area that have marine or estuarine credits available for sale or transfer to the permittee. For permittee-responsible mitigation, the special conditions of the NWP verification must clearly indicate the party or parties responsible for the implementation and performance of the compensatory mitigation project, and, if required, its long-term management.
- ☐ (i) Where certain functions and services of waters of the United States are permanently adversely affected by a regulated activity, such as discharges of dredged or fill material into waters of the United States that will convert a forested or scrub-shrub wetland to a herbaceous wetland in a permanently maintained utility line right-of-way, mitigation may be required to reduce the adverse environmental effects of the activity to the no more than minimal level.
- ☐ 24. **Safety of Impoundment Structures.** To ensure that all impoundment structures are safely designed, the district engineer may require non-Federal applicants to demonstrate that the structures comply with established state or federal, dam safety criteria or have been designed by qualified persons. The district engineer may also require documentation that the design has been independently reviewed by similarly qualified persons, and appropriate modifications made to ensure safety.
- ☐ 25. **Water Quality.**
 - ☐ (a) Where the certifying authority (state, authorized tribe, or EPA, as appropriate) has not previously certified compliance of an NWP with CWA section 401, a CWA section 401 water quality certification for the proposed discharge must be obtained or waived (see 33 CFR 330.4(c)). If the permittee cannot comply with all of the conditions of a water quality certification previously issued by certifying authority for the issuance of the NWP, then the permittee must obtain a water quality certification or waiver for the proposed discharge in order for the activity to be authorized by an NWP.
 - ☐ (b) If the NWP activity requires pre-construction notification and the certifying authority has not previously certified compliance of an NWP with CWA section 401, the proposed discharge is not authorized by an NWP until water quality certification is obtained or waived. If the certifying authority issues a water quality certification for the proposed discharge, the permittee must submit a copy of the certification to the district engineer. The discharge is not authorized by an NWP until the district engineer has notified the permittee that the water quality certification requirement has been satisfied by the issuance of a water quality certification or a waiver.
 - ☐ (c) The district engineer or certifying authority may require additional water quality management measures to ensure that the authorized activity does not result in more than minimal degradation of water quality.
- ☐ 26. **Coastal Zone Management.** In coastal states where an NWP has not previously received a state coastal zone management consistency concurrence, an individual state coastal zone management consistency concurrence must be obtained, or a presumption of concurrence must occur (see 33 CFR 330.4(d)). If the permittee cannot comply with all of the conditions of a coastal zone management consistency concurrence previously issued by the state, then the permittee must obtain an individual coastal zone management consistency concurrence or presumption of concurrence in order for the activity to be authorized by an NWP. The district engineer or a state may require additional measures to ensure that the authorized activity is consistent with state coastal zone management requirements.

☐ **27. Regional and Case-By-Case Conditions.** The activity must comply with any regional conditions that may have been added by the Division Engineer (see 33 CFR 330.4(e)) and with any case specific conditions added by the Corps or by the state, Indian Tribe, or U.S. EPA in its CWA section 401 Water Quality Certification, or by the state in its Coastal Zone Management Act consistency determination.

☐ **28. Use of Multiple Nationwide Permits.** The use of more than one NWP for a single and complete project is authorized, subject to the following restrictions:

☐ (a) If only one of the NWPs used to authorize the single and complete project has a specified acreage limit, the acreage loss of waters of the United States cannot exceed the acreage limit of the NWP with the highest specified acreage limit. For example, if a road crossing over tidal waters is constructed under NWP 14, with associated bank stabilization authorized by NWP 13, the maximum acreage loss of waters of the United States for the total project cannot exceed 1/3-acre.

☐ (b) If one or more of the NWPs used to authorize the single and complete project has specified acreage limits, the acreage loss of waters of the United States authorized by those NWPs cannot exceed their respective specified acreage limits. For example, if a commercial development is constructed under NWP 39, and the single and complete project includes the filling of an upland ditch authorized by NWP 46, the maximum acreage loss of waters of the United States for the commercial development under NWP 39 cannot exceed 1/2-acre, and the total acreage loss of waters of United States due to the NWP 39 and 46 activities cannot exceed 1 acre.

☐ **29. Transfer of Nationwide Permit Verifications.** If the permittee sells the property associated with a nationwide permit verification, the permittee may transfer the nationwide permit verification to the new owner by submitting a letter to the appropriate Corps district office to validate the transfer. A copy of the nationwide permit verification must be attached to the letter, and the letter must contain the following statement and signature:

“When the structures or work authorized by this nationwide permit are still in existence at the time the property is transferred, the terms and conditions of this nationwide permit, including any special conditions, will continue to be binding on the new owner(s) of the property. To validate the transfer of this nationwide permit and the associated liabilities associated with compliance with its terms and conditions, have the transferee sign and date below.”

(Transferee)

(Date)

☐ **30. Compliance Certification.** Each permittee who receives an NWP verification letter from the Corps must provide a signed certification documenting completion of the authorized activity and implementation of any required compensatory mitigation. The success of any required permittee-responsible mitigation, including the achievement of ecological performance standards, will be addressed separately by the district engineer. The Corps will provide the permittee the certification document

with the NWP verification letter. The certification document will include:

☐ (a) A statement that the authorized activity was done in accordance with the NWP authorization, including any general, regional, or activity-specific conditions;

☐ (b) A statement that the implementation of any required compensatory mitigation was completed in accordance with the permit conditions. If credits from a mitigation bank or in-lieu fee program are used to satisfy the compensatory mitigation requirements, the certification must include the documentation required by 33 CFR 332.3(l)(3) to confirm that the permittee secured the appropriate number and resource type of credits; and

☐ (c) The signature of the permittee certifying the completion of the activity and mitigation.

The completed certification document must be submitted to the district engineer within 30 days of completion of the authorized activity or the implementation of any required compensatory mitigation, whichever occurs later.

☐ **31. Activities Affecting Structures or Works Built by the United States.** If an NWP activity also requires review by, or permission from, the Corps pursuant to 33 U.S.C. 408 because it will alter or temporarily or permanently occupy or use a U.S. Army Corps of Engineers (USACE) federally authorized Civil Works project (a “USACE project”), the prospective permittee must submit a pre-construction notification. See paragraph (b)(10) of general condition 32. An activity that requires section 408 permission and/or review is not authorized by an NWP until the appropriate Corps office issues the section 408 permission or completes its review to alter, occupy, or use the USACE project, and the district engineer issues a written NWP verification.

☐ **32. Pre-Construction Notification.**

☐ (a) Timing. Where required by the terms of the NWP, the prospective permittee must notify the district engineer by submitting a pre-construction notification (PCN) as early as possible. The district engineer must determine if the PCN is complete within 30 calendar days of the date of receipt and, if the PCN is determined to be incomplete, notify the prospective permittee within that 30 day period to request the additional information necessary to make the PCN complete. The request must specify the information needed to make the PCN complete. As a general rule, district engineers will request additional information necessary to make the PCN complete only once. However, if the prospective permittee does not provide all of the requested information, then the district engineer will notify the prospective permittee that the PCN is still incomplete and the PCN review process will not commence until all of the requested information has been received by the district engineer. The prospective permittee shall not begin the activity until either:

☐ (1) He or she is notified in writing by the district engineer that the activity may proceed under the NWP with any special conditions imposed by the district or division engineer; or

☐ (2) 45 calendar days have passed from the district engineer's receipt of the complete PCN and the prospective permittee has not received written notice from the district or division engineer. However, if the permittee was required to notify the Corps pursuant to general condition 18 that listed species or critical habitat might be affected or are in the vicinity of the activity, or to notify the Corps pursuant to general condition 20 that the activity might have the potential to cause effects to historic properties, the permittee cannot begin the activity until receiving written notification from the Corps that there is "no effect" on listed species or "no potential to cause effects" on historic properties, or that any consultation required under Section 7 of the Endangered Species Act (see 33 CFR 330.4(f)) and/or section 106 of the National Historic Preservation Act (see 33 CFR 330.4(g)) has been completed. If the proposed activity requires a written waiver to exceed specified limits of an NWP, the permittee may not begin the activity until the district engineer issues the waiver. If the district or division engineer notifies the permittee in writing that an individual permit is required within 45 calendar days of receipt of a complete PCN, the permittee cannot begin the activity until an individual permit has been obtained. Subsequently, the permittee's right to proceed under the NWP may be modified, suspended, or revoked only in accordance with the procedure set forth in 33 CFR 330.5(d)(2).

☐ (b) Contents of Pre-Construction Notification: The PCN must be in writing and include the following information:

- ☐ (1) Name, address and telephone numbers of the prospective permittee;
- ☐ (2) Location of the proposed activity;
- ☐ (3) Identify the specific NWP or NWP(s) the prospective permittee wants to use to authorize the proposed activity;
- ☐ (4)
 - ☐ (i) A description of the proposed activity; the activity's purpose; direct and indirect adverse environmental effects the activity would cause, including the anticipated amount of loss of wetlands, other special aquatic sites, and other waters expected to result from the NWP activity, in acres, linear feet, or other appropriate unit of measure; a description of any proposed mitigation measures intended to reduce the adverse environmental effects caused by the proposed activity; and any other NWP(s), regional general permit(s), or individual permit(s) used or intended to be used to authorize any part of the proposed project or any related activity, including other separate and distant crossings for linear projects that require Department of the Army authorization but do not require pre-construction notification. The description of the proposed activity and any proposed mitigation measures should be sufficiently detailed to allow the district engineer to determine that the

adverse environmental effects of the activity will be no more than minimal and to determine the need for compensatory mitigation or other mitigation measures.

☐ (ii) For linear projects where one or more single and complete crossings require pre-construction notification, the PCN must include the quantity of anticipated losses of wetlands, other special aquatic sites, and other waters for each single and complete crossing of those wetlands, other special aquatic sites, and other waters (including those single and complete crossings authorized by an NWP but do not require PCNs). This information will be used by the district engineer to evaluate the cumulative adverse environmental effects of the proposed linear project, and does not change those non-PCN NWP activities into NWP PCNs.

☐ (iii) Sketches should be provided when necessary to show that the activity complies with the terms of the NWP. (Sketches usually clarify the activity and when provided results in a quicker decision. Sketches should contain sufficient detail to provide an illustrative description of the proposed activity (e.g., a conceptual plan), but do not need to be detailed engineering plans);

☐ (5) The PCN must include a delineation of wetlands, other special aquatic sites, and other waters, such as lakes and ponds, and perennial and intermittent streams, on the project site. Wetland delineations must be prepared in accordance with the current method required by the Corps. The permittee may ask the Corps to delineate the special aquatic sites and other waters on the project site, but there may be a delay if the Corps does the delineation, especially if the project site is large or contains many wetlands, other special aquatic sites, and other waters. Furthermore, the 45-day period will not start until the delineation has been submitted to or completed by the Corps, as appropriate;

☐ (6) If the proposed activity will result in the loss of greater than 1/10-acre of wetlands or 3/100-acre of stream bed and a PCN is required, the prospective permittee must submit a statement describing how the mitigation requirement will be satisfied, or explaining why the adverse environmental effects are no more than minimal and why compensatory mitigation should not be required. As an alternative, the prospective permittee may submit a conceptual or detailed mitigation plan.

☐ (7) For non-federal permittees, if any listed species (or species proposed for listing) or designated critical habitat (or critical habitat proposed for such designation) might be affected or is in the vicinity of the activity, or if the activity is located in designated critical habitat (or critical habitat proposed for such designation), the PCN must include the name(s) of those endangered or threatened species (or species proposed for listing) that might be affected by the proposed activity or utilize the designated critical habitat (or critical habitat proposed for such

designation) that might be affected by the proposed activity. For NWP activities that require pre-construction notification, Federal permittees must provide documentation demonstrating compliance with the Endangered Species Act;

☐ (8) For non-federal permittees, if the NWP activity might have the potential to cause effects to a historic property listed on, determined to be eligible for listing on, or potentially eligible for listing on, the National Register of Historic Places, the PCN must state which historic property might have the potential to be affected by the proposed activity or include a vicinity map indicating the location of the historic property. For NWP activities that require pre-construction notification, Federal permittees must provide documentation demonstrating compliance with section 106 of the National Historic Preservation Act;

☐ (9) For an activity that will occur in a component of the National Wild and Scenic River System, or in a river officially designated by Congress as a “study river” for possible inclusion in the system while the river is in an official study status, the PCN must identify the Wild and Scenic River or the “study river” (see general condition 16); and

☐ (10) For an NWP activity that requires permission from, or review by, the Corps pursuant to 33 U.S.C. 408 because it will alter or temporarily or permanently occupy or use a U.S. Army Corps of Engineers federally authorized civil works project, the pre-construction notification must include a statement confirming that the project proponent has submitted a written request for section 408 permission from, or review by, the Corps office having jurisdiction over that USACE project.

☐ (c) Form of Pre-Construction Notification: The nationwide permit pre-construction notification form (Form ENG 6082) should be used for NWP PCNs. A letter containing the required information may also be used. Applicants may provide electronic files of PCNs and supporting materials if the district engineer has established tools and procedures for electronic submittals.

☐ (d) Agency Coordination:

☐ (1) The district engineer will consider any comments from Federal and state agencies concerning the proposed activity’s compliance with the terms and conditions of the NWPs and the need for mitigation to reduce the activity’s adverse environmental effects so that they are no more than minimal.

☐ (2) Agency coordination is required for: (i) all NWP activities that require pre-construction notification and result in the loss of greater than 1/2-acre of waters of the United States; (ii) NWP 13 activities in excess of 500 linear feet, fills greater than one cubic yard per running foot, or involve discharges of dredged or fill material into special

aquatic sites; and (iii) NWP 54 activities in excess of 500 linear feet, or that extend into the waterbody more than 30 feet from the mean low water line in tidal waters or the ordinary high water mark in the Great Lakes.

☐ (3) When agency coordination is required, the district engineer will immediately provide (e.g., via e-mail, facsimile transmission, overnight mail, or other expeditious manner) a copy of the complete PCN to the appropriate Federal or state offices (FWS, state natural resource or water quality agency, EPA, and, if appropriate, the NMFS). With the exception of NWP 37, these agencies will have 10 calendar days from the date the material is transmitted to notify the district engineer via telephone, facsimile transmission, or e-mail that they intend to provide substantive, site-specific comments. The comments must explain why the agency believes the adverse environmental effects will be more than minimal. If so contacted by an agency, the district engineer will wait an additional 15 calendar days before making a decision on the pre-construction notification. The district engineer will fully consider agency comments received within the specified time frame concerning the proposed activity’s compliance with the terms and conditions of the NWPs, including the need for mitigation to ensure that the net adverse environmental effects of the proposed activity are no more than minimal. The district engineer will provide no response to the resource agency, except as provided below. The district engineer will indicate in the administrative record associated with each pre-construction notification that the resource agencies’ concerns were considered. For NWP 37, the emergency watershed protection and rehabilitation activity may proceed immediately in cases where there is an unacceptable hazard to life or a significant loss of property or economic hardship will occur. The district engineer will consider any comments received to decide whether the NWP 37 authorization should be modified, suspended, or revoked in accordance with the procedures at 33 CFR 330.5.

☐ (4) In cases of where the prospective permittee is not a Federal agency, the district engineer will provide a response to NMFS within 30 calendar days of receipt of any Essential Fish Habitat conservation recommendations, as required by section 305(b)(4)(B) of the Magnuson-Stevens Fishery Conservation and Management Act.

☐ (5) Applicants are encouraged to provide the Corps with either electronic files or multiple copies of pre-construction notifications to expedite agency coordination.

C. 2021 District Engineer’s Decision

☐ 1. In reviewing the PCN for the proposed activity, the district engineer will determine whether the activity authorized by the NWP will result in more than minimal individual or cumulative adverse environmental effects or may be contrary to the public interest. If a project proponent requests authorization by a specific NWP, the district engineer should issue the NWP

verification for that activity if it meets the terms and conditions of that NWP, unless he or she determines, after considering mitigation, that the proposed activity will result in more than minimal individual and cumulative adverse effects on the aquatic environment and other aspects of the public interest and exercises discretionary authority to require an individual permit for the proposed activity. For a linear project, this determination will include an evaluation of the single and complete crossings of waters of the United States that require PCNs to determine whether they individually satisfy the terms and conditions of the NWP(s), as well as the cumulative effects caused by all of the crossings of waters of the United States authorized by an NWP. If an applicant requests a waiver of an applicable limit, as provided for in NWPs 13, 36, or 54, the district engineer will only grant the waiver upon a written determination that the NWP activity will result in only minimal individual and cumulative adverse environmental effects.

□ 2. When making minimal adverse environmental effects determinations the district engineer will consider the direct and indirect effects caused by the NWP activity. He or she will also consider the cumulative adverse environmental effects caused by activities authorized by an NWP and whether those cumulative adverse environmental effects are no more than minimal. The district engineer will also consider site specific factors, such as the environmental setting in the vicinity of the NWP activity, the type of resource that will be affected by the NWP activity, the functions provided by the aquatic resources that will be affected by the NWP activity, the degree or magnitude to which the aquatic resources perform those functions, the extent that aquatic resource functions will be lost as a result of the NWP activity (e.g., partial or complete loss), the duration of the adverse effects (temporary or permanent), the importance of the aquatic resource functions to the region (e.g., watershed or ecoregion), and mitigation required by the district engineer. If an appropriate functional or condition assessment method is available and practicable to use, that assessment method may be used by the district engineer to assist in the minimal adverse environmental effects determination. The district engineer may add case-specific special conditions to the NWP authorization to address site-specific environmental concerns.

□ 3. If the proposed activity requires a PCN and will result in a loss of greater than 1/10-acre of wetlands or 3/100-acre of stream bed, the prospective permittee should submit a mitigation proposal with the PCN. Applicants may also propose compensatory mitigation for NWP activities with smaller impacts, or for impacts to other types of waters. The district engineer will consider any proposed compensatory mitigation or other mitigation measures the applicant has included in the proposal in determining whether the net adverse environmental effects of the proposed activity are no more than minimal. The compensatory mitigation proposal may be either conceptual or detailed. If the district engineer determines that the activity complies with the terms and conditions of the NWP and that the adverse environmental effects are no more than minimal, after considering mitigation, the district engineer will notify the permittee and include any activity-specific conditions in the NWP verification the district engineer deems necessary. Conditions for compensatory mitigation requirements must comply with the appropriate provisions at 33 CFR 332.3(k). The district engineer must approve the final mitigation plan before the permittee commences work in waters of the United States,

unless the district engineer determines that prior approval of the final mitigation plan is not practicable or not necessary to ensure timely completion of the required compensatory mitigation. If the prospective permittee elects to submit a compensatory mitigation plan with the PCN, the district engineer will expeditiously review the proposed compensatory mitigation plan. The district engineer must review the proposed compensatory mitigation plan within 45 calendar days of receiving a complete PCN and determine whether the proposed mitigation would ensure that the NWP activity results in no more than minimal adverse environmental effects. If the net adverse environmental effects of the NWP activity (after consideration of the mitigation proposal) are determined by the district engineer to be no more than minimal, the district engineer will provide a timely written response to the applicant. The response will state that the NWP activity can proceed under the terms and conditions of the NWP, including any activity-specific conditions added to the NWP authorization by the district engineer.

□ 4. If the district engineer determines that the adverse environmental effects of the proposed activity are more than minimal, then the district engineer will notify the applicant either: (a) that the activity does not qualify for authorization under the NWP and instruct the applicant on the procedures to seek authorization under an individual permit; (b) that the activity is authorized under the NWP subject to the applicant's submission of a mitigation plan that would reduce the adverse environmental effects so that they are no more than minimal; or (c) that the activity is authorized under the NWP with specific modifications or conditions. Where the district engineer determines that mitigation is required to ensure no more than minimal adverse environmental effects, the activity will be authorized within the 45-day PCN period (unless additional time is required to comply with general conditions 18, 20, and/or 31), with activity-specific conditions that state the mitigation requirements. The authorization will include the necessary conceptual or detailed mitigation plan or a requirement that the applicant submit a mitigation plan that would reduce the adverse environmental effects so that they are no more than minimal. When compensatory mitigation is required, no work in waters of the United States may occur until the district engineer has approved a specific mitigation plan or has determined that prior approval of a final mitigation plan is not practicable or not necessary to ensure timely completion of the required compensatory mitigation.

D. 2021 Further Information

1. District engineers have authority to determine if an activity complies with the terms and conditions of an NWP.
2. NWPs do not obviate the need to obtain other federal, state, or local permits, approvals, or authorizations required by law.
3. NWPs do not grant any property rights or exclusive privileges.
4. NWPs do not authorize any injury to the property or rights of others.
5. NWPs do not authorize interference with any existing or proposed Federal project (see general condition 31).

E. 2021 Nationwide Permit Definitions

Best management practices (BMPs): Policies, practices, procedures, or structures implemented to mitigate the adverse environmental effects on surface water quality resulting from development. BMPs are categorized as structural or non-structural.

Compensatory mitigation: The restoration (re-establishment or rehabilitation), establishment (creation), enhancement, and/or in certain circumstances preservation of aquatic resources for the purposes of offsetting unavoidable adverse impacts which remain after all appropriate and practicable avoidance and minimization has been achieved.

Currently serviceable: Useable as is or with some maintenance, but not so degraded as to essentially require reconstruction.

Direct effects: Effects that are caused by the activity and occur at the same time and place.

Discharge: The term “discharge” means any discharge of dredged or fill material into waters of the United States.

Ecological reference: A model used to plan and design an aquatic habitat and riparian area restoration, enhancement, or establishment activity under NWP 27. An ecological reference may be based on the structure, functions, and dynamics of an aquatic habitat type or a riparian area type that currently exists in the region where the proposed NWP 27 activity is located. Alternatively, an ecological reference may be based on a conceptual model for the aquatic habitat type or riparian area type to be restored, enhanced, or established as a result of the proposed NWP 27 activity. An ecological reference takes into account the range of variation of the aquatic habitat type or riparian area type in the region.

Enhancement: The manipulation of the physical, chemical, or biological characteristics of an aquatic resource to heighten, intensify, or improve a specific aquatic resource function(s). Enhancement results in the gain of selected aquatic resource function(s) but may also lead to a decline in other aquatic resource function(s). Enhancement does not result in a gain in aquatic resource area.

Establishment (creation): The manipulation of the physical, chemical, or biological characteristics present to develop an aquatic resource that did not previously exist at an upland site. Establishment results in a gain in aquatic resource area.

High Tide Line: The line of intersection of the land with the water's surface at the maximum height reached by a rising tide. The high tide line may be determined, in the absence of actual data, by a line of oil or scum along shore objects, a more or less continuous deposit of fine shell or debris on the foreshore or berm, other physical markings or characteristics, vegetation lines, tidal gages, or other suitable means that delineate the general height reached by a rising tide. The line encompasses spring high tides and other high tides that occur with periodic frequency but does not include storm surges in which there is a departure from the normal or predicted reach of the tide due to the piling up of water against a coast by strong winds such as those accompanying a hurricane or other intense storm.

Historic Property: Any prehistoric or historic district, site (including archaeological site), building, structure, or other object included in, or eligible for inclusion in, the National Register of Historic Places maintained by the Secretary of the

Interior. This term includes artifacts, records, and remains that are related to and located within such properties. The term includes properties of traditional religious and cultural importance to an Indian tribe or Native Hawaiian organization and that meet the National Register criteria (36 CFR part 60).

Independent utility: A test to determine what constitutes a single and complete non-linear project in the Corps Regulatory Program. A project is considered to have independent utility if it would be constructed absent the construction of other projects in the project area. Portions of a multi-phase project that depend upon other phases of the project do not have independent utility. Phases of a project that would be constructed even if the other phases were not built can be considered as separate single and complete projects with independent utility.

Indirect effects: Effects that are caused by the activity and are later in time or farther removed in distance but are still reasonably foreseeable.

Loss of waters of the United States: Waters of the United States that are permanently adversely affected by filling, flooding, excavation, or drainage because of the regulated activity. The loss of stream bed includes the acres of stream bed that are permanently adversely affected by filling or excavation because of the regulated activity. Permanent adverse effects include permanent discharges of dredged or fill material that change an aquatic area to dry land, increase the bottom elevation of a waterbody, or change the use of a waterbody. The acreage of loss of waters of the United States is a threshold measurement of the impact to jurisdictional waters or wetlands for determining whether a project may qualify for an NWP; it is not a net threshold that is calculated after considering compensatory mitigation that may be used to offset losses of aquatic functions and services. Waters of the United States temporarily filled, flooded, excavated, or drained, but restored to pre-construction contours and elevations after construction, are not included in the measurement of loss of waters of the United States. Impacts resulting from activities that do not require Department of the Army authorization, such as activities eligible for exemptions under section 404(f) of the Clean Water Act, are not considered when calculating the loss of waters of the United States.

Navigable waters: Waters subject to section 10 of the Rivers and Harbors Act of 1899. These waters are defined at 33 CFR part 329.

Non-tidal wetland: A non-tidal wetland is a wetland that is not subject to the ebb and flow of tidal waters. Non-tidal wetlands contiguous to tidal waters are located landward of the high tide line (i.e., spring high tide line).

Open water: For purposes of the NWPs, an open water is any area that in a year with normal patterns of precipitation has water flowing or standing above ground to the extent that an ordinary high-water mark can be determined. Aquatic vegetation within the area of flowing or standing water is either non-emergent, sparse, or absent. Vegetated shallows are considered to be open waters. Examples of “open waters” include rivers, streams, lakes, and ponds.

Ordinary High Water Mark: The term ordinary high water mark means that line on the shore established by the fluctuations of water and indicated by physical characteristics such as a clear, natural line impressed on the bank, shelving, changes in the

character of soil, destruction of terrestrial vegetation, the presence of litter and debris, or other appropriate means that consider the characteristics of the surrounding areas.

Perennial stream: A perennial stream has surface water flowing continuously year-round during a typical year.

Practicable: Available and capable of being done after taking into consideration cost, existing technology, and logistics in light of overall project purposes.

Pre-construction notification: A request submitted by the project proponent to the Corps for confirmation that a particular activity is authorized by nationwide permit. The request may be a permit application, letter, or similar document that includes information about the proposed work and its anticipated environmental effects. Pre-construction notification may be required by the terms and conditions of a nationwide permit, or by regional conditions. A pre-construction notification may be voluntarily submitted in cases where pre-construction notification is not required, and the project proponent wants confirmation that the activity is authorized by nationwide permit.

Preservation: The removal of a threat to, or preventing the decline of, aquatic resources by an action in or near those aquatic resources. This term includes activities commonly associated with the protection and maintenance of aquatic resources through the implementation of appropriate legal and physical mechanisms. Preservation does not result in a gain of aquatic resource area or functions.

Re-establishment: The manipulation of the physical, chemical, or biological characteristics of a site with the goal of returning natural/historic functions to a former aquatic resource. Re-establishment results in rebuilding a former aquatic resource and results in a gain in aquatic resource area and functions.

Rehabilitation: The manipulation of the physical, chemical, or biological characteristics of a site with the goal of repairing natural/historic functions to a degraded aquatic resource. Rehabilitation results in a gain in aquatic resource function but does not result in a gain in aquatic resource area.

Restoration: The manipulation of the physical, chemical, or biological characteristics of a site with the goal of returning natural/historic functions to a former or degraded aquatic resource. For the purpose of tracking net gains in aquatic resource area, restoration is divided into two categories: re-establishment and rehabilitation.

Riffle and pool complex: Riffle and pool complexes are special aquatic sites under the 404(b)(1) Guidelines. Riffle and pool complexes sometimes characterize steep gradient sections of streams. Such stream sections are recognizable by their hydraulic characteristics. The rapid movement of water over a coarse substrate in riffles results in a rough flow, a turbulent surface, and high dissolved oxygen levels in the water. Pools are deeper areas associated with riffles. A slower stream velocity, a streaming flow, a smooth surface, and a finer substrate characterize pools.

Riparian areas: Riparian areas are lands next to streams, lakes, and estuarine-marine shorelines. Riparian areas are transitional between terrestrial and aquatic ecosystems, through which surface and subsurface hydrology connects riverine, lacustrine, estuarine, and marine waters with their adjacent wetlands, non-

wetland waters, or uplands. Riparian areas provide a variety of ecological functions and services and help improve or maintain local water quality. (See general condition 23).

Shellfish seeding: The placement of shellfish seed and/or suitable substrate to increase shellfish production. Shellfish seed consists of immature individual shellfish or individual shellfish attached to shells or shell fragments (i.e., spat on shell). Suitable substrate may consist of shellfish shells, shell fragments, or other appropriate materials placed into waters for shellfish habitat.

Single and complete linear project: A linear project is a project constructed for the purpose of getting people, goods, or services from a point of origin to a terminal point, which often involves multiple crossings of one or more waterbodies at separate and distant locations. The term “single and complete project” is defined as that portion of the total linear project proposed or accomplished by one owner/developer or partnership or other association of owners/developers that includes all crossings of a single water of the United States (i.e., a single waterbody) at a specific location. For linear projects crossing a single or multiple waterbodies several times at separate and distant locations, each crossing is considered a single and complete project for purposes of NWP authorization. However, individual channels in a braided stream or river, or individual arms of a large, irregularly shaped wetland or lake, etc., are not separate waterbodies, and crossings of such features cannot be considered separately.

Single and complete non-linear project: For non-linear projects, the term “single and complete project” is defined at 33 CFR 330.2(i) as the total project proposed or accomplished by one owner/developer or partnership or other association of owners/developers. A single and complete non-linear project must have independent utility (see definition of “independent utility”). Single and complete non-linear projects may not be “piecemealed” to avoid the limits in an NWP authorization.

Stormwater management: Stormwater management is the mechanism for controlling stormwater runoff for the purposes of reducing downstream erosion, water quality degradation, and flooding and mitigating the adverse effects of changes in land use on the aquatic environment.

Stormwater management facilities: Stormwater management facilities are those facilities, including but not limited to, stormwater retention and detention ponds and best management practices, which retain water for a period of time to control runoff and/or improve the quality (i.e., by reducing the concentration of nutrients, sediments, hazardous substances and other pollutants) of stormwater runoff.

Stream bed: The substrate of the stream channel between the ordinary high-water marks. The substrate may be bedrock or inorganic particles that range in size from clay to boulders. Wetlands contiguous to the stream bed, but outside of the ordinary high-water marks, are not considered part of the stream bed.

Stream channelization: The manipulation of a stream’s course, condition, capacity, or location that causes more than minimal interruption of normal stream processes. A channelized jurisdictional stream remains a water of the United States.

Structure: An object that is arranged in a definite pattern of organization. Examples of structures include, without limitation,

any pier, boat dock, boat ramp, wharf, dolphin, weir, boom, breakwater, bulkhead, revetment, riprap, jetty, artificial island, artificial reef, permanent mooring structure, power transmission line, permanently moored floating vessel, piling, aid to navigation, or any other manmade obstacle or obstruction.

Tidal wetland: A tidal wetland is a jurisdictional wetland that is inundated by tidal waters. Tidal waters rise and fall in a predictable and measurable rhythm or cycle due to the gravitational pulls of the moon and sun. Tidal waters end where the rise and fall of the water surface can no longer be practically measured in a predictable rhythm due to masking by other waters, wind, or other effects. Tidal wetlands are located channel ward of the high tide line.

Tribal lands: Any lands title to which is either: 1) held in trust by the United States for the benefit of any Indian tribe or individual; or 2) held by any Indian tribe or individual subject to restrictions by the United States against alienation.

Tribal rights: Those rights legally accruing to a tribe or tribes by virtue of inherent sovereign authority, unextinguished aboriginal title, treaty, statute, judicial decisions, executive order or agreement, and that give rise to legally enforceable remedies.

Vegetated shallows: Vegetated shallows are special aquatic sites under the 404(b)(1) Guidelines. They are areas that are permanently inundated and under normal circumstances have rooted aquatic vegetation, such as seagrasses in marine and estuarine systems and a variety of vascular rooted plants in freshwater systems.

Waterbody: For purposes of the NWP, a waterbody is a “water of the United States.” If a wetland is adjacent to a waterbody determined to be a water of the United States, that waterbody and any adjacent wetlands are considered together as a single aquatic unit (see 33 CFR 328.4(c)(2)).

**Final 2021 Nationwide Permit (NWP) Regional Conditions
for the States of Nevada and Utah**

*(NWPs 12, 21, 29, 39, 40, 42-44, 48, 50-52, and 55-58,
Effective March 15, 2021 until March 15, 2026)*

A. Regional Conditions for the States of Nevada and Utah:

1. The permittee shall submit a pre-construction notification (PCN) for all 2021 NWPs, in accordance with General Condition 32, in the following circumstances:

a. Activities involving new bank stabilization that do not incorporate bioengineering techniques. Bioengineering techniques include using live plants alone or in combination with dead or inorganic materials, including rock, sand, or gravel;

b. Activities resulting in a discharge of dredged or fill material in waters of the U.S. (WOTUS) on Tribal Lands; and,

c. Activities involving the permanent channelization, realignment, or relocation of streams.

2. The use of any 2021 NWP is prohibited for the following:

a. Activities in peatlands¹ containing histosols, including bogs and fens; and,

b. Discharges of dredged and/or fill material below the ordinary high water mark of the Great Salt Lake containing bioherms (microbialites).

B. 401 Water Quality Certification (401 WQC) Regional Conditions for Nevada:

1. The following conditions from the attached December 11, 2020, 401 WQC granted by the U.S. Environmental Protection Agency (EPA), shall apply to NWP 43 on tribal lands within U.S. EPA Region 9² boundaries in the State of Nevada:

a. All applicants must provide notice to EPA Region 9 prior to commencing construction to provide EPA Region 9 with the opportunity to inspect the activity for the purposes of determining whether any discharge from the proposed project will violate this water quality

¹A peatland is defined as a wetland with saturated organic soil (greater than or equal to 16 inches in thickness) that is classified as a histosol in the Natural Resources Conservation Service (NRCS) Field Indicators of Hydric Soils in the United States (Version 8.0, 2016). A copy of the document can be obtained from the NRCS at:
http://www.nrcs.usda.gov/Internet/DOCUMENTS/nrcs142p2_053171.pdf

²The EPA 401 WQC does not apply to activities proceeding in the territories of the 23 tribes in Region 9 that have been approved as Section 401 certifying authorities —the Navajo Nation, Hualapai Tribe, Paiute-Shoshone of the Bishop Community, Big Pine Paiute-Shoshone Tribe, Twenty-Nine Palms Band of Mission Indians, Hoopa Valley Tribe, Hopi Tribe, Pyramid Lake Paiute Tribe, Dry Creek Rancheria of Pomo Indians, Pala Band of Mission Indians, Cortina Band of Wintun Indians, Walker River Paiute Tribe, Yerington Paiute, Duck Valley, Confederated Tribes of the Goshute Reservation, Gila River Indian Community, San Carlos Apache, Morongo Band of Mission Indians, Big Pine Paiute Tribe of the Owen Valley, Rincon Band of Luiseno Indians, Cabazon, Quartz Valley, Karuk and White Mountain Apache Tribe. In limited circumstances some lands within tribal boundaries fall outside a tribe's Section 401 certifying authority and are subject to this certification.

certification. Where the Corps requires a PCN for the applicable NWP, the applicant should also provide the PCN to Region 9. Within 30 days, EPA Region 9 will provide written verification to the applicant that the proposed project will not violate the water quality certification of the NWP.

b. Projects or activities are not authorized under the NWP if the project will involve point source discharge into an active channel of a WOTUS identified as a section 303(d) or Total Maximum Daily Load (TMDL) listed impaired waterbody and the discharge may result in further exceedance of a specific parameter (e.g. total suspended solids, dissolved oxygen, temperature) for which the waterbody is listed. The current lists of 303(d) and TMDL listed waterbodies are available on EPA Region 9's web site at: <https://www.epa.gov/tmdl/impaired-waters-and-tmdls-pacific-southwest-region-9>.

C. 401 Water Quality Certification (401 WQC) Regional Conditions for Utah:

1. The following conditions from the attached December 8, 2020, 401 WQC granted by the State of Utah, Department of Environmental Quality, shall apply to all 2021 NWPs on non-tribal land in the State of Utah:

a. The Project Proponent shall provide Director Notification and Review for the following projects in order to protect designated beneficial uses and assure that Utah Water Quality Standards (WQS) are not violated:

i. Any project proposed under Nationwide Permits 3 (Maintenance) and 37 (Emergency Watershed Protection and Rehabilitation) and any project proposed under NWP 27 (Aquatic Habitat Restoration, Enhancement, and Establishment Activities) where PCN is required;

ii. Any proposed project that will be within 500 feet of the existing waters' edge of the Great Salt Lake, Utah Lake, and Bear Lake;

iii. Any project with a potential discharge into an impaired waterbody with an approved TMDL, where the project has the potential to discharge a pollutant identified/addressed by the TMDL;

iv. Any project with a potential discharge to Category 1 or Category 2 waters;
and,

v. Any project with a potential discharge where federal agencies are exempted from PCN normally required under the general permit in question.

b. All activities with a potential discharge to WOTUS must implement and maintain best management practices (BMPs) to fully protect the waterbodies assigned beneficial use(s).

c. All activities shall not cause further degradation of impaired waterbodies- as defined in the State of Utah, Division of Water Quality's most recent 303(d) list, regardless of

whether a TMDL has been completed. The project proponent must review impairments on the waterbodies where the projects have potential to discharge and is responsible for ensuring that WQS are not exceeded and designated beneficial uses are not impaired.

d. Hazardous and otherwise deleterious materials (e.g. oil, gasoline, chemicals, trash, sawdust, etc.) shall not be stored, disposed of, or accumulated or conveyed through adjacent to, or in immediate vicinity of, WOTUS unless adequate measures and controls are provided to ensure those materials will not enter WOTUS in the State of Utah. Any spill or discharge of oil or other substance which may cause pollution to WOTUS in the State of Utah, including wetlands, must be immediately reported to the Utah DEQ Hotline at (801) 536-4123, a 24-hour phone number.

e. All project proponents conducting activities in, or immediately adjacent to, WOTUS in the State of Utah with assigned class 1C (domestic drinking water) that are upstream 2 miles or less from any intake supply must notify the water supply operator and the local health department prior to commencement of work. If the water supply operator or the local health department recommends additional BMPs or monitoring, the project proponent must consider those recommendations in their project design.

f. All activities conducted in, or immediately adjacent to, WOTUS in the State of Utah with assigned beneficial use class 3A (cold water fishery) or has blue ribbon fishery designation must avoid removal of native riparian vegetation that provides stream shading to the maximum extent practicable. Any projects that approve removal of riparian vegetation that provides shade must require reestablishment of native vegetation that provides equal or greater shade. The project proponent shall provide successful reestablishment of native vegetation.

g. All activities conducted in WOTUS in the State of Utah shall be conducted in the "dry" to the maximum extent practicable, by diverting flow utilizing cofferdams, berms constructed of sandbags, clean rock (containing no fine sediment) or other non-erodible, non-toxic material. All diversion materials shall be removed at the completion of the work. Project proponent shall consider conducting instream work during low flow conditions and work shall not be conducted during spawning season. Additionally, construction machinery shall not be operated within WOTUS in the State of Utah unless it is unavoidable, in which case it shall be conducted in the "dry" as stated above. The work shall be conducted in a manner to minimize the duration of the disturbance, turbidity increases, substrate disturbance, and minimize the removal of riparian vegetation. Construction machinery shall be clean to prevent the transfer of aquatic invasive species.

2. The following conditions from the attached December 11, 2020, 401 WQC granted by Ute Mountain Ute Tribe (UMUT) shall apply to NWP's 43, 57, and 58, on the Ute Mountain Ute Reservation in the State of Utah:

a. All applicants, including federal agencies, must notify UMUT's Tribal Environmental Department of the use of all NWP's for which certification has been granted prior to commencing work on the project. Notification must include:

- i. project location (lat. and long., exact point on map);
- ii. NWP that will be used and the specific activity that will be authorized under the NWP;
- iii. amount of permanent and temporary fills;
- iv. a short summary of the proposed activity, and all other federal, state, tribal or local permits or licenses required for the project;
- v. complete contact information of both the applicant and contractor (name, name of the company or property if applicable, telephone, mobile, and email);
- vi. summary of best management practices that will be use; and,
- vii. notify UMUT at least 7 days before the completion of construction and operations begin.

b. Point source discharges may not occur: (1) in fens, bogs or other peatlands; (2) within 100 feet of the point of discharge of a known natural spring source; (3) hanging gardens; or (4) culturally sensitive waters.

c. Except as specified in the application, no debris, silt, sand, cement, concrete, oil or petroleum, organic material, or other construction related materials or wastes shall be allowed to enter into or be stored where it may enter into WOTUS.

d. Silt fences, straw wattles, and other techniques shall be employed as appropriate to protect WOTUS from sedimentation and other pollutants.

e. Water used in dust suppression shall not contain contaminants that could violate water quality standards.

f. Erosion control matting that is either biodegradable blankets or loose-weave mesh must be used to the maximum extent practicable.

g. All equipment used in WOTUS must be inspected for fluid leaks and invasive species prior to use on a project. All fluid leaks shall be repaired and cleaned prior to use or when discovered, or if the fluid leak can't be repaired, the equipment shall not be used on site. Equipment used in waters with the possibility of aquatic nuisance species infestation must be thoroughly cleaned before they are used on the project.

h. Vegetation should be protected except where its removal is necessary for completion of the work. Locations disturbed by construction activities should be revegetated with appropriate native vegetation in a manner that optimizes plant establishment for the specific site. Revegetation may include topsoil replacement, planting, seeding fertilization, liming, and weed-free mulching, as necessary. Where practical, stockpile weed-seed-free topsoil and replace it on disturbed areas. All revegetation materials, including plants and plant seed shall be on site or scheduled for delivery prior to or upon completion of the earth moving activities.

i. Activities may not result in any unconfined discharge of liquid cement into WOTUS. Grouting riprap must occur under dry conditions with no exposure of wet concrete to the waterbody.

j. Activities that may result in a point source discharge shall occur during seasonal low flow or no flow periods to the extent practicable.

k. The placement of material (discharge) for the construction of new dams is not certified, except for stream restoration projects.

l. For NWP 43, *Stormwater Management Facilities*, certification is granted with conditions only for replacement and repair activities that impact (e.g., fill, relocate, realign or straighten) no more than 300 linear feet (lf) of stream or 1/10 acre of WOTUS.

m. For NWP 57, *Electric Utility Line and Telecommunications Activities*, construction activities shall not impact (e.g., fill, relocate, realign, or straighten) more than 300 lf of stream for a single and complete project.

n. For NWP 58, *Utility Line Activities for Water and Other Substances*, activities shall not impact (e.g., fill, relocate, realign, or straighten) more than 300 lf of stream channel for a single and complete project.

**STATE OF UTAH
DIVISION OF WATER QUALITY
DEPARTMENT OF ENVIRONMENTAL QUALITY
SALT LAKE CITY, UTAH**

§401 Water Quality Certification No. DWQ-2020-10001

Applicant: US Army Corps of Engineers
Michael Jewell, Chief Regulatory Division
Sacramento District
1325 J Street
Sacramento, CA 95814

Project: **On September 15, 2020**, the U.S. Army Corps of Engineers issued **85 FR 57298 Proposal to Reissue and Modify Nationwide Permits** proposing to reissue 52 existing nationwide permits (NWP) and issue five new NWP. NWP are general permits issued by the U.S. Army Corps of Engineers on a nationwide basis to streamline the authorization of certain activities under Section 404 of the Clean Water Act that result in no more than minimal individual and cumulative adverse environmental effects. Many of the proposed NWP require notification to the district engineer before commencing activities to ensure that the activities authorized by those NWP cause no more than minimal individual and cumulative adverse environmental effects.

Location: State of Utah

Watercourse(s): Waters of the United States (WOTUS)

Request Date: October 13, 2020

Effective Date: December 8, 2020

DWQ-2020-024910

Table of Contents

I. Definitions	3
II. Acronyms	4
III. Executive Summary	4
IV. Background	5
V. Certification Conditions	5
VI. Condition Justification and Citations	7
VII. Denials	16
VIII. Disclaimers	17
IX. Public Notice and Comments	17
X. Water Quality Certification	18
XI. References	19

Attachment 1: Applicant/Project Proponent Resources

I. Definitions

- 1.) **Blue Ribbon Fishery:** status administered by the Utah Division of Wildlife Resources and the Blue Ribbon Advisory Council that indicates the waterbody has high quality in the following attributes: fishing, outdoor experience, fish habitat, and economic benefits.
- 2.) **Category 1 Waters** are *"Waters which have been determined by the Board to be of exceptional recreational or ecological significance or have been determined to be a State or National resource requiring protection, shall be maintained at existing high quality through designation, by the Board after public hearing, as Category 1 Waters."* UAC R317-2-3.2
- 3.) **Category 2 Waters** *"are designated surface water segments which are treated as Category 1 Waters except that a point source discharge may be permitted provided that the discharge does not degrade existing water quality."* UAC R317-2-3.3
- 4.) **Designated Beneficial Uses:** means a water's present most reasonable uses, grouped by use classes to protect the uses against controllable pollution. Beneficial uses designated within each class are described in Utah Administrative Code (UAC) R317-2-6 and waterbodies beneficial uses can be found in UAC R317-2-13. For the purposes of this document, the term "designated beneficial uses" will be used to describe all uses required to be protected by Utah Water Quality Standards and Antidegradation Policy.
- 5.) **Director Notification and Review** means submittal of the U.S. Army Corps of Engineers (USACE) application and any supplemental attachments to the Utah Department of Environmental Quality (DEQ), Director of the Utah Division of Water Quality (DWQ) for review.
- 6.) **Existing Uses** *"means those uses actually attained in a water body on or after November 28, 1975, whether or not they are included in the water quality standards."* UAC R317-1-1. *"If a situation is found where there is an existing use which is a higher use (i.e., more stringent protection requirements) than that current designated use, the Director will apply the water quality standards and anti-degradation policy to protect the existing use."* UAC R317-2-3.
- 7.) **Project Proponent** *"means the applicant for license or permit or entity seeking certification."* 40 CFR §121.1
- 8.) **Total Maximum Daily Load (TMDL):** *"means the maximum amount of a particular pollutant that a waterbody can receive and still meet state water quality standards, and an allocation of that amount to the pollutant's sources."* UAC R317-1-1
- 9.) **Waters of the United States (WOTUS)** means waterbodies subject to the provisions of the Clean Water Act.
- 10.) **303(d) list** is a state's list of impaired and threatened waters, including but not limited to; streams, lakes, and reservoirs adopted to implement the Clean Water Act Section 303(d).

II. Acronyms

BMPs- Best Management Practices
CWA- Clean Water Act
DEQ- Utah Department of Environmental Quality
DWQ – Utah Division of Water Quality
NWP(s)- Nationwide Permit(s)
PCN- Preconstruction Notification
UAC- Utah Administrative Code
USACE - U.S. Army Corps of Engineers
TMDL – Total Maximum Daily Load
WQS- Utah Water Quality Standards
WOTUS- Waters of the United States

III. Executive Summary

Pursuant to Section 401 of the Clean Water Act (CWA) 33 U.S.C. Section 1251 et seq., DWQ grants water quality certification to all USACE nationwide permits (NWPs) proposed by 85 FR 57298 except those that involve dam maintenance/rehabilitation or reservoir dewatering. Certification is subject to the conditions outlined in this document, adherence to the Sacramento Districts Regional Conditions, and adherence to any conditions outlined in the proposed NWPs. The conditions outlined in this certification are necessary to assure compliance with effluent limitations, monitoring requirements, and other applicable laws and regulations adopted for state primacy of the CWA. Condition justification and appropriate citations of Federal and State laws that authorize the condition, as required by 30 CFR Part 121.7, can be found in the section immediately following the conditions. In order to further assure compliance, DWQ reserves the right to request an individual certification for any project that is determined to have potential for significant adverse effects on water quality, potential to cause a violation of Utah Water Quality Standards (WQS) under UAC R317-2 or potential to degrade Waters of the United States (WOTUS), causing a violation of Utah Antidegradation Policy in UAC 317-2-3 in the State of Utah.

DWQ's conditions are based on and are necessary to comply with applicable state rules. Specifically, the following Utah Rules represent overarching considerations that require the conditions outlined by this document to apply to the USACE NWPs: Utah's rules promulgating standards of quality for waters of the State affirm "it shall be unlawful and a violation of these rules for any person to discharge or place any wastes or other substances in such manner as may interfere with designated uses protected by assigned classes or to cause any of the applicable standards to be violated" UAC R317-2-7.1.a. Additionally, "All actions to control waste discharges under these rules shall be modified as necessary to protect downstream designated uses." UAC R317-2-8. As stated in UAC R317-15-6.1 the Director will

ordinarily consider whether the proposed discharge “impairs the designated beneficial use classifications (e.g., aquatic life, drinking water, recreation) in Section R317-2-6” UAC R317-15-6.1.A.1., “exceeds water quality criteria, either narrative or numeric, in Section R317-2-7” UAC R317-15-6.1.A.2. or “fails to meet the antidegradation (ADR) requirements of Section R317-2-7” UAC R317-15-6.1.A.3

The Utah DWQ participated in a pre-filing meeting with the USACE on September 16, 2020, and received a formal 401 Certification request on October 13, 2020 from the USACE for the reissuance of the USACE NWP. Utah DWQ was informed that the reasonable period of time to make a certification decision was 60 days, which requires the DWQ to act by December 12, 2020.

The Utah DWQ requested a 19 day extension of the 60 day deadline to make a certification decision on October 15, 2020. The extension was requested because on September 11, 2020, the EPA finalized the “Clean Water Act Section 401 Certification Rule”, which had significant impact on Utah DWQ’s certification program. The DWQ requested the additional time to ensure that the certification decision met the new requirements outlined in 40 CFR Part 121.

The USACE denied Utah’s request for extension on October 23, 2020 and the DWQ was advised to act on the request by December 12, 2020.

IV. Background

NWPs authorize certain activities under Section 404 of the Clean Water Act and Section 10 of the Rivers and Harbors Act of 1899. The USACE is proposing to reissue its existing NWPs and associated general conditions and definitions, with some modifications. The USACE are also proposing to issue five new NWPs. The USACE is proposing to divide the current NWP that authorizes utility line activities (NWP 12) into three separate NWPs that address the differences in how different linear projects are constructed, the substances they convey, and the different standards and best management practices that help ensure those NWPs authorize only those activities that have no more than minimal adverse environmental effects. Specifically, we are proposing to modify the current utility line NWP 12 to authorize only oil and natural gas pipeline activities. Two proposed new NWPs would authorize activities associated with the construction, maintenance, repair, and removal of electric utility lines/telecommunication lines and utility lines that convey water, sewage, and other substances with the potential to pollute. The fifth proposed new NWP would authorize discharges of dredged or fill material into jurisdictional waters for the construction, expansion, and maintenance of water reuse and reclamation facilities. NWPs authorize only activities with no more than minimal individual and cumulative adverse environmental effects.

V. Certification Conditions

- 1.) The Project Proponent shall provide Director Notification and Review for the following projects in order to protect designated beneficial uses and assure that WQS are not violated:

- (a) Any project proposed under Nationwide Permits 3 (Maintenance) and 37 (Emergency Watershed Protection and Rehabilitation) and any project proposed under NWP 27 (Aquatic Habitat Restoration, Enhancement, and Establishment Activities) where PCN is required;
 - (b) Any proposed project that will be within 500 feet of the existing waters' edge of the Great Salt Lake, Utah Lake, and Bear Lake;
 - (c) Any project with a potential discharge is to an impaired waterbody with an approved Total Maximum Daily Load (TMDL), where the project has the potential to discharge a pollutant identified/ addressed by the TMDL;
 - (d) Any project with a potential discharge to *Category 1* or *Category 2* waters;
 - (e) Any project with a potential discharge where federal agencies are exempted from PCN normally required under the general permit in question.
- 2.) All activities with a potential discharge to WOTUS must implement and maintain best management practices (BMPs) to fully protect the waterbodies assigned beneficial use(s).
 - 3.) All activities shall not cause further degradation of impaired waterbodies- as defined in DWQ's most recent 303(d) list, regardless of whether a TMDL has been completed. The project proponent must review impairments on the waterbodies where the projects have potential to discharge and is responsible for ensuring that WQS are not exceeded and designated beneficial uses are not impaired.
 - 4.) Hazardous and otherwise deleterious materials (e.g. oil, gasoline, chemicals, trash, sawdust, etc.) shall not be stored, disposed of, or accumulated or conveyed through adjacent to or in immediate vicinity WOTUS unless adequate measures and controls are provided to ensure those materials will not enter WOTUS in the State of Utah. **Any spill or discharge of oil or other substance which may cause pollution to WOTUS in the State of Utah, including wetlands, must be immediately reported to the Utah DEQ Hotline at (801) 536-4123, a 24-hour phone number.**
 - 5.) All project proponents conducting activities in or immediately adjacent to WOTUS in the State of Utah with assigned class 1C (domestic drinking water) that are upstream 2 miles or less from any intake supply must notify the water supply operator and the local health department prior to commencement of work. If the water supply operator or the local health department recommends additional BMPs or monitoring, the project proponent must consider those recommendations in their project design.
 - 6.) All activities conducted in or immediately adjacent to WOTUS in the State of Utah with assigned beneficial use class 3A (cold water fishery) or has blue ribbon fishery designation must avoid removal of native riparian vegetation that provides stream shading to the maximum extent practicable. Any projects that approve removal of riparian vegetation that provides shade must require reestablishment of native vegetation that provides equal or greater shade. The project proponent shall provide successful reestablishment of native vegetation.

- 7.) All activities conducted in WOTUS in the State of Utah shall be conducted in the “dry” to the maximum extent practicable, by diverting flow utilizing cofferdams, berms constructed of sandbags, clean rock (containing no fine sediment) or other non-erodible, non-toxic material. All diversion materials shall be removed at the completion of the work. Project proponent shall consider conducting instream work during low flow conditions and work shall not be conducted during spawning season. Additionally, construction machinery shall not be operated within WOTUS in the State of Utah unless it is unavoidable, in which case it shall be conducted in the “dry” as stated above. The work shall be conducted in a manner to minimize the duration of the disturbance, turbidity increases, substrate disturbance, and minimize the removal of riparian vegetation. Construction machinery shall be clean to prevent the transfer of aquatic invasive species.

VI. Condition Justification and Citations

- 1.) **Director Notification and Review** is a condition for projects identified in Part V(1) above which present an increased likelihood of jeopardizing designated beneficial uses or otherwise causing a violation of WQS, promulgated pursuant to Utah Code Sections 19-5-104, 19-5-110 and Section 303 of the Clean Water Act. Director Notification will allow the DWQ to consider water-body specific factors that are not otherwise considered by NWP. In support of cooperative federalism, the DWQ conditions approval of NWPs identified in Part V(1) above on Director notification, rather than denying all NWPs with potential adverse water quality impacts, to avoid unnecessary burden to applicants that would be associated with a blanket requirement for individual certification requests for all identified projects.

The opportunity to review specifically identified projects will allow the DWQ to assure that WQS will be met without automatically requiring a certification request to the Director directly from the project proponent. Director Notification would take substantially less time than requiring an individual certification request and associated pre-filing meeting. The Director will provide one of the following responses within two weeks;

- (i) The DWQ has determined the project will likely have minimal impact to water quality, pending the project proponent’s consideration of any written comments,

or in infrequent cases

- (ii) The DWQ has determined that the project requires individual certification to adequately protect designated beneficial uses, prevent violation of WQS, or prevent antidegradation. The DWQ reserves the right to require an individual 401 certification in rare circumstances where the DWQ determines there is a potential for adverse water quality impacts.

- (a) ***Projects Proposed Under Nationwide Permits 3, 27, and 37*** are conditioned on Director Notification and Review because they often involve removing built up debris and sediment or the release of sediment and as a result have the potential to result in discharges which threaten designated beneficial uses or may cause violation(s) of WQS for turbidity.

Projects issued under NWP 3 approve maintenance projects that often involve removal of sediment and debris which could then be released to WOTUS. Projects issued under NWP 27 approve projects that allow releasing sediment for Aquatic Habitat Restoration, Enhancement, and Establishment Activities.

Projects issued under NWP 37 approve projects for Emergency Watershed Protection and Rehabilitation and have potential for significant water quality impacts. In the past the DWQ reviewed these projects which often deal with rehabilitation of a waterbody after impacts from fire. These projects can often address increased sediment loads and debris in water channels because the riparian buffer is lost and there is increased runoff from the surrounding area. Projects issued under NWP 37 pose similar risks to those permitted under NWP 3 and 27.

Without proper precautions, projects under NWPs 3, 27 and 37 could result in significant increases in turbidity in the waterbody proposed for discharge. Numeric water quality criteria for turbidity in certain use designations could be violated if the project proponent does not take proper steps to minimize the increases. WQS for turbidity will be violated if there is an increase of 10 Nephelometric Turbidity Units (NTU) in waterbodies with designated beneficial uses related to recreation and if there is an increase of 10 NTUs (3A & 3B) or 15 NTUs (3C & 3D) in waterbodies with aquatic wildlife designated beneficial uses. UAC R317-2-14.1 and UAC R317-2-14.2.

In addition to violating numeric WQS, significant turbidity spikes or sediment deposits could cause a waterbody fail to meet all its designated beneficial uses or if large quantities of sediment are transported downstream, it could impact the downstream designated beneficial uses. The DWQ acknowledges that PCN is not always required under NWP 27, and only requests the requirement of Director Notification, when a PCN is required. As stated in UAC R317-15-6.1 the Director will ordinarily consider whether the proposed discharge *“impairs the designated beneficial use classifications (e.g., aquatic life, drinking water, recreation) in Section R317-2-6”* UAC R317-15-6.1.A.1., *“exceeds water quality criteria, either narrative or numeric, in Section R317-2-7”* UAC R317-15-6.1.A.2. or *“fails to meet the antidegradation (ADR) requirements of Section R317-2-7”* UAC R317-15-6.1.A.3

Citations: UAC R317-2-14.1, UAC R317-2-14.2., UAC R317-2-7.1.a., UAC R317-2-8. , UAC R317-15-6.1, UAC R317-15-6.1.A.1., UAC R317-15-6.1.A.2., UAC R317-15-6.1.A.3.

- (b) ***Projects within 500 feet of the Great Salt Lake, Utah Lake, and Bear Lake*** are conditioned on Director Notification and Review. The DWQ has determined that the Great Salt Lake, Utah Lake, and Bear Lake are unique waterbodies that require special attention and are at greater risk for potential adverse impacts when projects are within 500 feet of their existing water's edge. Utah Lake is the largest freshwater lake in Utah, the Great Salt Lake is the largest saline lake in the U.S. and provides habitat to migrating birds, and Bear Lake is well known for its recreation opportunities. When projects are being completed in close vicinity to these waterbodies, it poses increased risk of impacts to the designated uses for these waterbodies. Both Utah Lake and Bear lake have recreation designated use 2A (frequent primary contact recreation) and aquatic wildlife designated uses associated with either 3A cold water species of game fish (Bear Lake) or 3B warm water species of game fish. Both types of designated uses could be impacted by turbidity increases. Water quality criteria for turbidity will be violated if there is an increase of 10 NTUs in waterbodies with designated uses related to recreation and if there is an increase of 10 NTUs in aquatic wildlife designated use classes 3A and 3B. UAC R317-2-14.1 and UAC R317-2-14.2. Significant turbidity spikes or sediment deposits could cause a waterbody not to meet all its designated beneficial uses or if large quantities of sediment are transported downstream, it could impact the downstream beneficial uses. Utah's rules promulgating standards of quality for waters of the State affirm "it shall be unlawful and a violation of these rules for any person to discharge or place any wastes or other substances in such manner as may interfere with designated uses protected by assigned classes or to cause any of the applicable standards to be violated" UAC R317-2-7.1.a. As stated in UAC R317-15-6.1 the Director will ordinarily consider whether the proposed discharge "impairs the designated beneficial use classifications (e.g., aquatic life, drinking water, recreation) in Section R317-2-6" UAC R317-15-6.1.A.1., "exceeds water quality criteria, either narrative or numeric, in Section R317-2-7" UAC R317-15-6.1.A.2. or "fails to meet the antidegradation (ADR) requirements of Section R317-2-7" UAC R317-15-6.1.A.3. when making a certification decision.

Citation(s): UAC R317-2-14.1, UAC R317-2-14.2., UAC R317-2-7.1.a., UAC R317-15-6.1, UAC R317-15-6.1.A.1., UAC R317-15-6.1.A.2., UAC R317-15-6.1.A.3.

- (c) ***Projects with potential discharge to an impaired waterbody with an approved Total Maximum Daily Load (TMDL), where the project has the potential to discharge a pollutant identified/ addressed by the TMDL*** are conditioned on Director Notification and Review. A total maximum daily load or *TMDL* "means the maximum amount of a particular pollutant that a waterbody can receive and still meet WQS, and an allocation of that amount to the pollutant's sources." UAC R317-1-1. When a waterbody is impaired and listed on the 303(d) list, states are required to create and implement TMDLs for the specific waterbody to restore water quality. Waters on Utah's most up to date 303(d) list are not currently meeting their designated beneficial uses. According to Utah's Final 2016 Integrated Report¹ the waters identified as impaired are not meeting their designated beneficial uses because "the concentration of the pollutant- or several pollutants- exceeds numeric water quality criteria, or quantitative biological assessments indicate that the biological designated uses are not

¹ <https://documents.deq.utah.gov/water-quality/monitoring-reporting/integrated-report/DWQ-2017-004941.pdf>

supported (Narrative water quality standards are violated).” TMDLs are created to limit discharges to the waterbody with the goal of meeting designated beneficial uses. If project proponents do not adhere to the BMPs and pollutant reduction requirements identified in approved TMDLs (as applicable) then there may be a violation of WQS and designated beneficial uses could be further impacted. If the potential discharge contains pollutants/parameters that are included in an approved TMDL, the project proponent must take extra precautions, as identified in the TMDL, to minimize and prevent discharges that could further degrade the waterbodies, and prevent the waterbodies from meeting its designated beneficial and existing uses. Director notification and review of projects with the potential to discharge to impaired water bodies with approved TMDLs will ensure consistency with TMDL requirements and goals.

Citation(s): UAC R317-1, UAC R317-2-7.1.a., UAC R317-15-6.1, UAC R317-15-6.1.A.1., UAC R317-15-6.1.A.2., UAC R317-15-6.1.A.3.

- (d) ***Projects with potential discharges to Category 1 and Category 2 waters*** are conditioned on Director Notification and Review in order to ensure that the Utah DWQ’s Antidegradation Policies are being implemented effectively. Category 1 waters are “waters which have been determined by the Board to be of exceptional recreational or ecological significance or have been determined to be a State or National resource requiring protection, shall be maintained at existing high quality through designation, by the Board after public hearing, as Category 1 Waters.” UAC R317-2-3.2. Category 2 waters “are designated surface water segments which are treated as Category 1 Waters except that a point source discharge may be permitted provided that the discharge does not degrade existing water quality.” UAC R317-2-3.3. Discharges may be allowed in Category 1 and Category 2 waters “where pollution will be temporary and limited after consideration of the factors in UAC R317-2-.3.5.b.4., and where best management practices will be employed to minimize pollution effects.” UAC R317-2-3.2 and UAC R317-2-3.3.

Although NWP’s are typically issued for projects with minimal impacts to water quality, the NWP’s do not take into consideration the quality of the water affected. In order to comply with the Antidegradation Policy outlined by UAC R317-2-3.5.b.4, requiring that pollution to Category 1 and Category 2 waters be temporary and limited, the DWQ must review all projects with the potential to discharge to those waters. Without the ability to review the individual projects proposing to discharge to Category 1 and Category 2 waters, the DWQ cannot assure that they will meet the antidegradation policy or other applicable water quality requirements. As stated in UAC R317-15-6.1 the Director will ordinarily consider whether the proposed discharge “impairs the designated beneficial use classifications (e.g., aquatic life, drinking water, recreation) in Section R317-2-6” UAC R317-15-6.1.A.1., “exceeds water quality criteria, either narrative or numeric, in Section R317-2-7” UAC R317-15-6.1.A.2. or “fails to meet the antidegradation (ADR) requirements of Section R317-2-7” UAC R317-15-6.1.A.3 when making a certification decision.

Citation(s): UAC R317-2-3.2., UAC R317-2-3.3. , UAC R317-15-6.1, UAC R317-15-6.1.A.1., UAC R317-15-6.1.A.2., UAC R317-15-6.1.A.3.

- (e) *Projects that exempt federal agencies from providing PCN where PCN is required for other entities* are conditioned on Director Notice and Review. Federal agencies that are seeking NWP, should be held to the same standards as other project proponents. Not all federal agencies have staffs that are environmental experts when it comes to water quality. The DWQ is concerned that failure for federal agencies to submit PCNs and receive oversight from the USACE or DWQ, could result in greater than minimal impacts to water quality, exceedance of WQS, and/or violation of antidegradation requirements. Federal agencies are not exempt for meeting WQS and may not always be able to ensure that WQS are met without any oversight from an entity that can provide water quality expertise.

Citation(s): UAC R317-2-14.1, UAC R317-2-14.2., UAC R317-2-7.1.a., UAC R317-15-6.1, UAC R317-15-6.1.A.1., UAC R317-15-6.1.A.2., UAC R317-15-6.1.A.3.

- 2.) **Implementation of Best Management Practices.** Project approval is conditioned on implementation of BMPs, which are required to be implemented by the Antidegradation Policy in UAC R317-2-3, WQS may be violated unless appropriate best management practices (BMPs) are incorporated to minimize the erosion-sediment and nutrient load. Violations of WQS could cause a waterbody to fail to meet its designated beneficial uses. As required by Utah's Antidegradation policy UAC R317-2-3.1 "Existing instream water uses shall be maintained and protected. No water quality degradation is allowable which would interfere with or become injurious to existing instream water uses." As stated in UAC R317-15-6.1 the Director will ordinarily consider whether the proposed discharge "impairs the designated beneficial use classifications (e.g., aquatic life, drinking water, recreation) in Section R317-2-6" UAC R317-15-6.1.A.1., "exceeds water quality criteria, either narrative or numeric, in Section R317-2-7" UAC R317-15-6.1.A.2. or "fails to meet the antidegradation (ADR) requirements of Section R317-2-7" UAC R317-15-6.1.A.3 when making a certification decision. If appropriate BMPs are incorporated, there is assurance that the project will not violate WQS or impair a waterbody's beneficial use. See Attachment 1 for resources on identifying beneficial uses for WOTUS in the State of Utah and Construction Site BMPs.

Citation(s): UAC R317-2-3.1, UAC R317-15-6.1, UAC R317-15-6.1.A.1., UAC R317-15-6.1.A.2., UAC R317-15-6.1.A.3.

- 3.) **Protection of Impaired Waterbodies.** Waters that are impaired and conjunctively on Utah's most up to date 303(d) list are not currently meeting their designated beneficial uses. According to Utah's Final 2016 Integrated Report¹ the waters identified as impaired are not meeting their designated beneficial uses because "the concentration of the pollutant- or several pollutants-exceeds numeric water quality criteria, or quantitative biological assessments indicate that the biological designated uses are not supported (Narrative water quality standards are violated)." Utah's antidegradation policy states "existing instream water uses shall be maintained and protected. No water quality degradation is allowable which would interfere with or become injurious to existing instream water uses." UAC R317-2-3.1. In order to ensure that proposed activities meet Utah's antidegradation and that discharges do not further degrade water quality the project proponent needs to be aware of the waterbodies assessment, more specifically if the

¹ <https://documents.deq.utah.gov/water-quality/monitoring-reporting/integrated-report/DWQ-2017-004941.pdf>

waterbody is impaired and listed on Utah's most current 303(d) list. If the potential discharge contains pollutants/ parameters that the waterbody is listed as impaired for, the project proponent needs to take extra precautions to minimize and prevent discharges that could further degrade the waterbodies and prevent the waterbodies from meeting its beneficial and existing uses. Typical pollutants associated with USACE Section 404 permits (e.g. sediment), especially when a waterbodies proposed for discharge is impaired could cause applicable WQS to be violated, if appropriate measures are taken." As stated in UAC R317-15-6.1 the Director will ordinarily consider whether the proposed discharge "impairs the designated beneficial use classifications (e.g., aquatic life, drinking water, recreation) in Section R317-2-6" UAC R317-15-6.1.A.1., "exceeds water quality criteria, either narrative or numeric, in Section R317-2-7" UAC R317-15-6.1.A.2. or "fails to meet the antidegradation (ADR) requirements of Section R317-2-7" UAC R317-15-6.1.A.3. when making a certification decision.

Citation(s): UAC R317-2-3.1, UAC R317-2.1.a., UAC R317-15-6.1, UAC R317-15-6.1.A.1., UAC R317-15-6.1.A.2., UAC R317-15-6.1.A.3.

- 4.) **Proper Storage of Hazardous and Otherwise Deleterious Materials.** Project approval is conditioned on proper storage of hazardous and otherwise deleterious materials, and notification of any discharge of those materials, to assure that water quality and narrative standards are not violated. When projects are occurring in or around waterbodies, there is a chance for pollutants to inadvertently be spilled/discharged into waterbodies due to increased risk from project related activities (e.g. presence of machinery, onsite chemical and gas storage, improper waste storage, and failure to use proper BMPs). To prevent or reduce the possibility that hazardous and otherwise deleterious materials are inadvertently discharged into a waterbody, project proponents must not store, dispose of, or accumulated such materials adjacent to or in immediate vicinity of WOTUS unless adequate measures and controls are provided to ensure those materials will not enter waters of the state. If there is a discharge to WOTUS in the State of Utah, it must be immediately reported to the DEQ, as stated in Utah Code §19-5-114. An inadvertent discharge of pollutants can cause violations with Utah's Narrative Standards, which states "It shall be unlawful, and a violation of these rules, for any person to discharge or place any waste or other substance in such a way as will be or may become offensive such as unnatural deposits, floating debris, oil, scum or other nuisances such as color, odor or taste; or cause conditions which produce undesirable aquatic life or which produce objectionable tastes in edible aquatic organisms; or result in concentrations or combinations of substances which produce undesirable physiological responses in desirable resident fish, or other desirable aquatic life, or undesirable human health effects, as determined by bioassay or other tests performed in accordance with standard procedures; or determined by biological assessments in Subsection R317-2-7.3." UAC R317-3-7.2. Utah's rules promulgating standards of quality for waters of the State affirm "it shall be unlawful and a violation of these rules for any person to discharge or place any wastes or other substances in such manner as may interfere with designated uses protected by assigned classes or to cause any of the applicable standards to be violated." UAC R317-2-7.1.a. Discharges of pollutants, even inadvertently, could cause both a violation of applicable water quality standards and possibly interfere with a waterbodies designated uses.

Citation(s): Utah Code § 19-5-114, UAC R317-3-7.2, UAC R317-2-7.1.a, UAC R317-15-6.1., UAC R317-15-6.1.A.1., UAC R317-15-6.1A.2.

- 5.) **Notification to water supply operators and local health departments** is a condition of project approval for all projects in or immediately adjacent to WOTUS with assigned class 1C for domestic drinking water upstream two miles or less from any intake supply. NWP general permit condition 7 as described in 80 FR 57298, 57386 states "no activity may occur in the proximity of a public water supply intake, except where the activity is for the repair or improvement of public water supply intake structures or adjacent bank stabilization." The DWQ has determined that this condition is not specific enough to protect of beneficial use class 1C (Protected for domestic purposes with prior treatment by treatment processes as required by the Utah Division of Drinking Water) because it fails to provide an exact distance. As stated in Utah's Antidegradation Policy UAC R317-2-3.5.d "depending upon the locations of the discharge and its proximity to downstream drinking water diversions, additional treatment or more stringent effluent limits or additional monitoring, beyond that which may otherwise be required to meet minimum technology standards or in stream WQS, may be required by the Director in order to adequately protect public health and the environment." "The additional treatment/effluent limits/monitoring which may be required will be determined by the Director after consultation with the Division of Drinking Water and the downstream drinking water users." UAC R317-2-3.5.d. These additional requirements are necessary to ensure that beneficial use class 1C is maintained in the waterbody proposed for discharge or in some cases, protection of the downstream waterbodies designated beneficial use, when classified as 1C. Should the project proponent refuse to work with the local health department and water supply operators, the Director may request an individual certification request and issue additional requirements in consultation with the operator, the public health departments, and the Division of Drinking water in order to maintain the designated beneficial use.

Citation(s): UAC R317-2-3.5.d, UAC R317-2-7.1.a, UAC R317-2-8., UAC R317-15-6.1, UAC R317-15-6.1.A.1, UAC R317-15-6.1A.2., UAC R317-15-6.1.A.3

- 6.) **Vegetation Preservation and Reestablishment in fisheries.** Project approval is conditioned on avoiding vegetation removal to the maximum extent practicable in or immediately adjacent to WOTUS used as fisheries in order to maintain existing beneficial use. Waterbodies with beneficial use class 3A (cold water fishery) or waterbodies with a blue ribbon fishery designation rely heavily on the available stream cover/shade to maintain designated beneficial uses. Riparian vegetation supplies necessary shade to stabilize water temperatures in streams. Removal of riparian vegetation, without reestablishment could cause a waterbody not to maintain beneficial use 3A or its blue river fishery designation. Utah's antidegradation policy states "existing instream water uses shall be maintained and protected. No water quality degradation is allowable which would interfere with or become injurious to existing instream water uses." UAC R317-2-3.1. Failure to minimize riparian vegetation removal and failure to reestablish riparian vegetation which results in the failure to maintain beneficial use class 3A would be considered a violation of Utah's rules promulgating standards of quality for waters of the State, more specifically Utah's antidegradation policy found at UAC R317-2-3. Additionally, the loss of riparian vegetation

could cause a violation of the instream numeric criteria for temperature, which is listed as 20°C with a max temperature change of 2°C for beneficial use class 3A. UAC R317-2-14.2. If the temperature of the waterbody increases, there is a potential for instream water quality criteria for dissolved oxygen (DO) to be violated. Temperature and DO have an inverse relationship, where temperature increases then DO decreases, so an increase in temperature could cause a decrease in DO, and possibly a violation of the instream criteria for DO which for beneficial use class 3A is a minimum of 8.0 mg/L when early life stages are present and 4.0 mg/L when all other life stages are present. UAC R317-2-14.2. As stated in UAC R317-15-6.1 the Director will ordinarily consider whether the proposed discharge “impairs the designated beneficial use classifications (e.g., aquatic life, drinking water, recreation) in Section R317-2-6” UAC R317-15-6.1.A.1., “exceeds water quality criteria, either narrative or numeric, in Section R317-2-7” UAC R317-15-6.1.A.2. or “fails to meet the antidegradation (ADR) requirements of Section R317-2-7” UAC R317-15-6.1.A.3 when making a certification decision.

Citation(s): UAC R317-2-3.1., UAC R317-2-3., UAC R317-2-14.2., UAC R317-2-14.2., UAC R317-15-6.1, UAC R317-15-6.1.A.1, UAC R317-15-6.1.A.2., UAC R317-15-6.1.A.3.

- 7.) **Dry Conditions to the Maximum Extent Practicable.** Project approval is conditioned on conducting activities under dry conditions to the maximum extent practicable to assure that WQS are not exceeded. DWQ acknowledges that some of the NWP general permit conditions encourage activities to be conducted under dry conditions, but the conditions do not go far enough to provide reasonable assurance of compliance with applicable WQS, particularly in Utah where dry conditions can be reasonably achieved. NWP general permit conditions 3, 11, and 12 partially address concerns the DWQ has, but are ultimately insufficient. NWP general condition 3 as described in 80 FR 57298, 57385 states “*activities in spawning areas during spawning seasons must be avoided to the maximum extent practicable. Activities that result in the physical destruction (e.g., through excavation, fill, or downstream smothering by substantial turbidity) of an important spawning area are not authorized*”, condition 11 as described in 80 FR 57298, 57386 states “*heavy equipment working in wetlands or mudflats must be placed on mats, or other measures must be taken to minimize soil disturbance*” and condition 12 as described in 80 FR 57298, 57386 states “*appropriate soil erosion and sediment controls must be used and maintained in effective operating condition during construction, and all exposed soil and other fills, as well as any work below the ordinary high water mark or high tide line, must be permanently stabilized at the earliest practicable date. Permittees are encouraged to perform work within waters of the United States during periods of low-flow or no-flow, or during low tides.*”

General condition 3 as written does not adequately protect fish spawning, as required by Utah WQS and Antidegradation Policy. Certain activities/discharges (e.g. sediment discharges, streambed alteration, streambank alteration (fish habitat)) permitted through a USACE Section 404 permit to waterbodies during spawning season (in a waterbody where spawning may occur), will likely impact fish spawning. Activities/ discharges approved through a USACE Section 404 permit could have significant impacts to turbidity, DO, temperature, available substrate, and available habitat, which subsequently can have significant impacts to spawning. The impairment

of fish spawning is not considered a temporary and limited impact and therefore does not meet Utah's antidegradation policy found in UAC R317-2-3.5. An impairment of fish spawning may also impact whether the waterbody can maintain its designated beneficial uses, as it relates to aquatic wildlife use classes. Utah's rules promulgating standards of quality for waters of the State affirm "it shall be unlawful and a violation of these rules for any person to discharge or place any wastes or other substances in such manner as may interfere with designated uses protected by assigned classes or to cause any of the applicable standards to be violated" UAC R317-2-7.1.a.

General conditions 11 and 12, as stated above, do begin to address the use of machinery and timing of projects in WOTUS in the State of Utah, but additional conditions are necessary to meet Utah WQS. Condition 11 addresses work being conducted in wetlands that are considered WOTUS in the State of Utah, but does not address machinery use in open waterbodies or streams. Construction machinery used within a waterbody can cause significant impacts to water quality if adequate precautions are not taken. When it is unavoidable to operate construction machinery within the waterbody the project proponent should focus on minimizing the duration of the disturbance, turbidity increase, substrate disturbance, removal of riparian vegetation, and work shall be conducted in the "dry" to the maximum extent practicable. Minimizing the duration of impact reduces the chance that the impacts will accumulate and cause significant impacts to water quality. Minimizing turbidity increases is important because the State of Utah has numeric water quality criteria for turbidity in certain use designations, which could be violated if the project proponent does not take proper steps to minimize the increases. Water quality criteria for turbidity will be violated if there is an increase of 10 NTUs in waterbodies with designated uses related to recreation and if there is an increase of 10 NTUs (3A & 3B) or 15 NTUs (3C & 3D) in waterbodies with aquatic wildlife designated uses. UAC R317-2-14.1 and UAC R317-2-14.2. Conducting work in the "dry" to the maximum extent practicable will help reduce the risk of the numeric criteria for turbidity to be exceeded, as well as reduce the risk of a significant sediment load being transported downstream. Discharges of sediment can not only violate numeric criteria, but also, risk violating Utah's narrative standard "It shall be unlawful, and a violation of these rules, for any person to discharge or place any waste or other substance in such a way as will be or may become offensive such as unnatural deposits, floating debris, oil, scum or other nuisances such as color, odor or taste; or cause conditions which produce undesirable aquatic life or which produce objectionable tastes in edible aquatic organisms; or result in concentrations or combinations of substances which produce undesirable physiological responses in desirable resident fish, or other desirable aquatic life, or undesirable human health effects, as determined by bioassay or other tests performed in accordance with standard procedures; or determined by biological assessments in Subsection R317-2-7.3." UAC R317-2-7.2. Violations of numeric and narrative criteria could cause a waterbody not to meet its designated beneficial use and a transport of sediment downstream could prevent a downstream waterbody from meeting its designated beneficial uses. As required by Utah's Antidegradation policy UAC R317-2-3.1 "Existing instream water uses shall be maintained and protected. No water quality degradation is allowable which would interfere with or become injurious to existing instream water uses.". Additionally, "All actions to control waste discharges under these rules shall be modified as necessary to protect downstream designated uses." UAC R317-2-8. As stated in UAC R317-15-6.1 the Director will ordinarily consider whether the proposed discharge "impairs the designated

beneficial use classifications (e.g., aquatic life, drinking water, recreation) in Section R317-2-6” UAC R317-15-6.1.A.1., “exceeds water quality criteria, either narrative or numeric, in Section R317-2-7” UAC R317-15-6.1.A.2. or “fails to meet the antidegradation (ADR) requirements of Section R317-2-7” UAC R317-15-6.1.A.3 when making a certification decision.

Citation(s): UAC R317-2-3.5. , UAC R317-2-7.1.a., UAC R317-2-14.1, UAC R317-2-14.2., UAC R317-2-7.1.a., UAC R317-2-7.2. , UAC R317-2-3.1, UAC R317-2-8. , UAC R317-15-6.1, UAC R317-15-6.1.A.1, UAC R317-15-6.1.A.2., UAC R317-15-6.1.A.3.

VII. Denials

NWPs for Projects that involve dam maintenance/rehabilitation or reservoir dewatering are denied and must apply for individual certification from the Director because they have the potential to discharge massive amounts of sediment if not properly regulated and administered. As stated in justification1a, the DWQ has concerns with projects that have potential to discharge large quantities of sediment into waterbodies. Projects such as dam maintenance/rehabilitation or reservoir dewatering that involve potential release of large quantities of sediment, either as part of project activities or inadvertently, have potential for catastrophic impacts to water quality. For example, in August 2016, the Tibble Fork Dam had an unplanned release of approximately 8,700 cubic yards of sediment from the Tibble Fork Reservoir into the North Fork of the American Fork River, causing a fish kill of about 5,250 fish. Samples taken revealed sediment concentrations of heavy metals (arsenic, cadmium, lead, and Zinc) in excess of EPA Region 3 Freshwater Sediment Screening Values for aquatic life and human health-based concentration for lead. The project had been permitted under a USACE Section 404 NWP; but the DWQ was unaware of the project. If the DWQ had the opportunity to review the project prior to USACE NWP issuance, impacts may have been prevented or at least minimized by adding project-specific conditions or additional oversight to the project. To avoid future violations and catastrophic releases, the DWQ is requiring individual permits for these types of projects.

Citation(s): UAC R317-2-14.1, UAC R317-2-14.2., UAC R317-2-7.1.a., UAC R317-2-8. , UAC R317-15-6.1, UAC R317-15-6.1.A.1., UAC R317-15-6.1.A.2., UAC R317-15-6.1.A.3.

VIII. Disclaimers

- 1.) This Section 401 Certification does not preclude the applicant's responsibility to comply with all applicable Federal, State or local laws, regulations or ordinances, including WQS. Permit coverage does not release the applicant from any liability or penalty, should violations to the permit terms and conditions or Federal or State Laws occur.
- 2.) Applicants must acquire all necessary easements, access authorizations and permits to ensure they are able to implement the project. This Section 401 Certification does not convey any property rights or exclusive privileges, nor does it authorize access or injury to private property.

IX. Public Notice and Comments

- 1.) **Public Notice Dates:** November 5, 2020 – December 7, 2020
- 2.) **Public Notice Comments, Response, and Actions:** The NWP 401 Certification received one comment.
 - (a) Comment 1
 - Comment 1: The USACE requested that "USACE" be replaced with "prospective permittee" or "project proponent" when referring to condition requirements.
 - Comment 1 Response: The USACE was advised that the request was reasonable and would be considered during finalization of the Certification.
 - Comment 1 Action: The DWQ replaced "USACE" with "project proponent" in two locations at the request of the USACE. The changes were not significant and overall did not impact the conditions. Since this change was not considered major, the Certification will not be Public Noticed again.
- 3.) During finalization of the Certification certain dates, spelling edits, and minor language or formatting corrections may have been completed. Due to the nature of these changes they were not considered major and the Certification will not be Public Noticed again.

X. Water Quality Certification

The Utah Division of Water Quality Certifies that if projects issued under the USACE Nationwide Permits adhere to the conditions outlined in this certification, adhere to Sacramento Districts Regional Conditions, and adhere to any conditions outlined in the proposed NWP then the projects will comply with water quality requirements and applicable provisions of the Clean Water Act sections 301 (Effluent Limitations), 302 (Water Quality Related Effluent Limitations), 303(Water Quality Standards and Implementation Plans), 306(National Standards of Performance), and 307 (Toxic and Pretreatment Effluent Standards).



Erica Brown Gaddis PhD, Director

12/08/2020

Date

XI. References

Division of Water Quality. 2016. Utah's Final 2016 Integrated Report. Salt lake City, Utah. Utah Department of Environmental Quality.

Available at: <https://documents.deq.utah.gov/water-quality/monitoring-reporting/integrated-report/DWQ-2017-004941.pdf>

Proposal To Reissue and Modify Nationwide Permits, 85 FR 57298 (September 15, 2020).

Available at: <https://www.federalregister.gov/documents/2020/09/15/2020-17116/proposal-to-reissue-and-modify-nationwide-permits>