



POWDER MOUNTAIN MASTER SIGN PLAN

DRAWN BY: LA

DATE: 4/14/17


VERSION:


Sign Type / Copy / Quantities / Notes ~ Location GS.1

SIGN	TYPE	COPY	QTY	NOTES
1	Entry Identification / Monument	↔	(1)	This Powder Mountain Entry ID / Monument will be designed & completed this spring
2	Primary Vehicular Directional			LP.1 ~ Location Plan ~ Directionals / Guidance Signs ~ (2.1 - 3.2)
	2.1	\Leftrightarrow / Sundown / Timberline / Hidden Lake \wedge / (Sundown condos) \Rightarrow	(1)	NOTE: All vehicular directionals will be located & set back distances per
	2.2	♦ / SUNDOWN ← / TIMBERLINE / HIDDEN LAKE →	(1)	per UDOT & Weber County standards.
	2.3	♦ / TIMBRERLINE ↑ / HIDDEN LAKE → / (POWDER RIDGE)	(1)	Materials will be consistant with those that will withstand Powder Mountain
	2.4	♦ / HIDDEN LAKE ↑ / SUMMIT VILLAGE	(1)	conditions for durability and appearance. There may be or may not be copy on oppsite sides.
3	Secondary Vehicular Directional			
	3.1	♦ / SUNDOWN ← / TIMBERLINE → (Side A)	(1)	♦ / HIDDEN LAKE ↑ / SUNDOWN → (Side B)
	3.2	♦ / HIDDEN LAKE / SUMMIT VILLAGE ↑ / (POWDER RIDGE) ←	(1)	
4	Building Identification / Wall Signs			LP.2 ~ Location Plan ~ Building Identification / Wall Signs ~ (4.1 - 4.5)
	4.1.1 ~ 4.1.4	(und SED) / LUCKY SLICE	(4)	Lucky Slice Pizza to procure all required Building Permits / (2) @ 48" (2) @ 32"
	4.2.1	♦ / SNOW SPORT SCHOOL	(1) set	Wall Sign to be located on east elevation of Snow Sports School
	4.3.1	♦ / TIMBERLINE LODGE	(1) set	Wall Sign to be located on north elevation of Timberline Lodge
	4.3.2	♦ / TIMBERLINE SKI SHOP	(1) set	Wall Sign to be located on north elevation of Timberline Ski Shop
	4.4.1	♦ / HIDDEN LAKE LODGE	(1) set	Wall Sign to be located on south elevation of Timberline Lodge
	4.4.2	♦ / HIDDEN LAKE LODGE	(1) set	Wall Sign to be located on north elevation of Timberline Lodge
	4.5.1 ~ 4.5.?	SKYLODGE	(1) set	Wall Sign to be located on east elevation of Skylodge
5	Lift Identification			
	5.1	SUNDOWN	(2) sets	Vinyl applied graphics to be located on north & east elevations of "SUNDOWN" lift terminal
	5.2	VILLAGE	(3) sets	Vinyl applied graphics to be located on three elevations of "VILLAGE" lift terminal
	5.3	MARY'S	(3) sets	Vinyl applied graphics to be located on three elevations of "MARY'S" lift terminal


DRAWN BY: LA DATE:

4/14/17 VERSION:





Page 4



*ST ~ 2.1

ST ~ 2.2

approved master plan."



DATE: 4/14/17

Page 5

VERSION:

We have to have EXACT SCALE AND POSITION to allow the OVPC the ability to make the correct modifications.



ST ~ 2.1 / ELEVATION VIEW / 50'-0" SETBACK FROM CENTERLINE ON ST ROUTE 158.

This is an approximate scale & position, exact location will be will be determined and identified to UDOT & Weber County Planning Department prior to fabrication and installation.

ST ~ 2.2 / ELEVATION VIEW / 50 +0" SETBACK FROM CENTERLINE ON ST ROUTE 158.


This is an approximate scale & position, exact location will be will be determined and identified to Weber County Planning Department prior to fabrication and installation.

We have to have EXACT SCALE AND POSITION to allow the OVPC the ability to make the correct modifications.

elevations of at least 6,200 feet above sea level, where a master plan

approved master plan."

has been approved by the planning commission, the planning commission may modify any provision of this chapter by approving a sign plan created by the developer (as defined in the applicable zoning development agreement) if the planning commission determines that the plan is consistent with the




SUMMIT



ST ~ 2.3 / ELEVATION VIEW / 12'-0" SETBACK FROM ASPHALT OFF ST ROUTE 158 & SUMMIT PASS. This is an approximate scale & position exact location will be will be determined and identified to UDOT & Weber County Planning Department prior to fabrication and installation

> We have to have EXACT SCALE AND POSITION to allow the OVPC the ability to make the correct modifications.

Page 9





ST ~ 2.4

This sign will be be located in area between Hidden Lake road and Summit Pass going towards the Village, see page 10. Exact location will be determined and identified to Weber County Planning Department prior to fabrication and installation.



SUMMIT




ST ~ 2.4 / ELEVATION VIEW / 2.4 WILL BE PLACED IN ACCORDANCE WITH WEBER COUNTY SETBACK STANDARDS This is an approximate scale & position exact location will be will be determined and identified to Weber County Planning Department prior to fabrication and installation.

We have to have EXACT SCALE AND POSITION to allow the OVPC the ability to make the correct modifications.

4/17/17

VERSION: #1

Page 11






ST ~ 2.4

This sign will be be located in area between Hidden Lake road and Summit Pass going towards the Village, see page 10. Exact location will be determined and identified to Weber County Planning Department prior to fabrication and installation.



SUMMIT



private property)



ST ~ 3.1 Side A


NOTE: This sign to be located at a distance far enough away from Stop Sign not to obstruct visibility.


DRAWN BY: LA

DATE: 4/14/17

VERSION:







Side A


This sign will be single faced and be located 12'-0" from the edge of asphalt on Summit Pass. Exact location will be determined and identified to UDOT& Weber County Planning Department prior to fabrication and installation.

*NOTE:


We are requesting that our MSP plans have standards of the sign code modified per LUC§110-2-5(c)(3) which states: "


(3) Sign plan. Within any Ogden Valley recreation and resort zone, at elevations of at least 6,200 feet above sea level, where a master plan has been approved by the planning commission, the planning commission may modify any provision of this chapter by approving a sign plan created by the developer (as defined in the applicable zoning development agreement) if the planning commission determines that the plan is consistent with the approved master plan."


Primary Vehicular Directionals ~ Guidance Signs











Note: The lower copy "POWDER RIDGE" is not part of Powder Mountain, so it needs to be a seperate entity visually.

SUMMIT

FOWDER MOUNTAIN

SIGNS GUIDANCE DIRECTIONALS / PY TYPE DETAIL PRIMARY VEHICULAR CO


DRAWN BY: LA

DATE: 4/14/17

VERSION: #9

Primary Vehicular Directionals ~ Guidance Signs





height of metal/wood structure.

Aluminum sign panel will be

interhangeble.

Wintertime application for height of metal/wood structure.
Aluminum sign panel will be interhangeble.

TIMBERLINE

Note: We are recommending the potential use of a digital display for travel waring information throughout the Mountain. Coordintion with UDOT will be required.

We need to know the actual dimension from

EXISTING grade on

this plan.

ST ~ 2.3

BOARDS INSIDE OF EDGE BOARDS CAPTURED BY TOP WRAP PANELS -

SCALE: 3/4"=1'-0"

METAL SIGN PANEL T WRAPS TOP MATTHEWS PAINT

SIGN PANELS MAY VARY IN HEIGHT

TO ACCOMIDATE
ADDITIONAL COPY

RECLAIMED WOOD -SHEATHING BOTH SIDES

7'-0"

NOTE: BASE AND ATTACHMENT DETAIL SHALL BE COMPLIENT WITH UDOT BREAKAWAY STAMDARDS

> CONCRETE BASE WILL VARY DUE TO GRADE SIZE AS NECESSARY

EDGE BOARDS HAVE FASTENERS IN CENTER OF BOARD INTO METAL

STRUCTURE. SLOTTED HOLES

THROUGH BOARD FOR EXPANSION

AND CONTRACTION

FASTENERS EDGE BOARDS ONLY

ENGINEERED

AND FASTENERS

Need base dimension from Existing grades.



SIGNS GUIDANCE DIRECTIONALS RICATION DETAI PRIMARY VEHICULAR FABI

- 1/4" - 1/2" METAL SIGN PANEL WRAPS TOP MATTHEWS PAINT FINISH PANEL MAY VARY IN HEIGHT

WITH VARYING COPY

RECLAIMED WOOD

RECLAIMED WOOD SHEATHING CAPTURED BY SLOT AT BOTTOM

FORMED BY METAL STRUCTURE NO FASTENERS EXCEPT EDGE BOARDS

CHAMPHER AND SLIGHT SLOPE FOR DRAINAGE

CONCRERE BASE TO HAVE

SHEATHING BOTH SIDES

SIDE SECTION SCALE: 3/4"=1'-0"

3'-8"

1/4" - 1/2" METAL "TENT" STRUCTURE

PAINTED FINISH

DRAWN BY: LA DATE: 4/14 /17

VERSION: #9



CTIONALS E DETAIL Д SE T \overline{A} 亩Ζ $\geq \overline{S}$ β^Щ SECOND/ GUIDANC

DRAWN BY:

4/17/17 VERSION:

Page 16

 \bigcirc

HIDDEN LAKE

SUMMIT

VILLAGE

1


POWDER RIDGE


Summertime application for height of metal/wood structure.

Aluminum sign panel will be

interhangeble.

Secondary Vehicular Directional / Guidance Signs







DIRECTIC CATION I BRI \propto S D

DRAWN BY: LA

DATE: 4/14/17

VERSION:

BUILDING IDENTIFICATION SIGNAGE

VERSION: #9

DRAWN BY:

DATE: 4/14/17

Building Identification / Wall Signs ~ "Lucky Slice Pizza" Identification




General Description

Lucky Slice Pizza will have options for lighting and aestetics. They will be need to submit their requirements for fabrication and illumination for the 48" logos on the north & east elevations. The 32" logos on the north & west elevations will be Secondary Identification / Wall Signs at front entry and above deck facing Sundown Lift. We are recommending that these remain non-illuminated or external illumination with gooseneck lighting.

*Specifics to be submitted by "Lucky Slice Pizza". These concepts are soley to indicate concepts & intentions. Planning approval & Building Permits will be the responsibilty of Lucky Slice Pizza.





32" & 48" Diameter Brand Sign ~ Suggested Fabrication method would be a LED halo-lit CNC routed metal, see above examples

NORTH ELEVATION





SIGNS S

DRAWN BY: LA

DATE: 4/14/17

VERSION:

Building Identification / Wall Sign ~ Snow Sport School ~ Signtype 4.2.1



SNOW SPORT SCHOOL


EXPANDED VIEW

SOUTH ELEVATION

CALCULATIONS:

Building Square Footage \sim 18'-0" H x 17'-0" W +/- = 306 sq. ft.x *7% = 21.5 sq.ft. sign area allowed Logo = 4.5 sq. ft. +/- Copy = 17 sq. ft. +/- Total Sign Area = 21.5 sq. ft. +/-

* We would want to exceed the 5% allowed to 7% in this location to be consistant with other Building Identification / Wall Signs throughout the Mountain



FONT: NEXA SLAB REGULAR

SUMMIT
POWIDER MOUNTAIN

SNOW SPORT BUILDING IDENTIFICAT

DRAWN BY: LA

DATE: 4/14/17

VERSION: #9

SUMMIT POWDER MOUNTAIN

Building Identification / Wall Sign ~ Timberline Lodge ~ Signtype 4.2.1







EXPANDED VIEW

NORTH ELEVATION

CALCULATIONS:

Building Square Footage \sim 20'-0" H x 40'-0" W +/- = 800 sq. ft.x 5% = 40 sq.ft. sign area allowed Logo = 4 sq. ft. +/- Copy = 18 sq. ft. +/- Total Sign Area = 22 sq. ft. +/-





FONT: NEXA SLAB REGULAR

DRAWN BY: LA

DATE: 4/14/17

VERSION:


Building Identification / Wall Sign ~ Timberline Ski Shop ~ Signtype 4.2.2



TIMBERLINE SKI SHOP UILDING IDENTFICATION / WALL SIGN



EXPANDED VIEW





.75X (5.25")

NORTH ELEVATION

CALCULATIONS:

Building Square Footage \sim 13'-6" H x 32'-0" W +/- = 432 sq. ft.x 5% = 21.5 sq.ft. sign area allowed Logo = 2.25 sq. ft. +/- Copy = 8.5 sq. ft. +/- Total Sign Area = 10.75 sq. ft. +/-

TIMBERLINE SKI SHOP

FONT: NEXA SLAB REGULAR

DRAWN BY: LA

DATE: 4/14/17

VERSION:

Building Identification / Wall Sign ~ Hidden Lake Lodge ~ Signtype 4.3.1




SOUTH ELEVATION

CALCULATIONS:

Building Square Footage \sim 20'-0" H x 40'-0" W +/- = 800 sq. ft. x 5% = 40 sq.ft. sign area allowed Logo = 4 sq. ft. +/- Copy = 18 sq. ft. +/- Total Sign Area = 22 sq. ft. +/-



EXPANDED VIEW



FONT: NEXA SLAB REGULAR



BUILDING IDENTIFI

DRAWN BY: LA


DATE: 4/14/17

VERSION:

SUMMIT POWDER MOUNTAIN

IDENTIFI Z Ш

Building Identification / Wall Sign ~ Hidden Lake Lodge ~ Signtype 4.3.2






EXPANDED VIEW

NORTH ELEVATION

CALCULATIONS:

Building Square Footage $\sim 24'$ -0" H x 40'-0" W +/- = 960 sq. ft. x 5% = 48 sq.ft. sign area allowed Logo = 4.5 sq. ft. +/-Copy = 18 sq. ft. +/-Total Sign Area = 22.5 sq. ft. +/- You will need to request that the OVPC modifies the sign code to allow an additional wall sign on the side of the Hidden Lake Lodge. Per the ordinance only one wall sign is permitted.



HIDDEN LAKE LODGE

BUILDING IDENTIFICATION SIGNAGE

SCALE: 1"=1'-0'

DRAWN BY: LA

DATE: 4/14/17

VERSION:

Lift Identification / Wall Sign ~ Sundown ~ Signtype 5.1.1 & 5.1.2



8'-0" +/-

FONT: NEXA SLAB REGULAR

5.1.1

General Description~ Lift ID for lifts will be vinyl lettering applied to existing surfaces. Materials will be vinyl die cut lettering. Sundown, Hidden Lake, Village & Marry's Lift D's will be similar in layout. Vinyl will be "Gerber High Performance" 220 Cast Vinyl manufactured by 3M.

5.1.2

ON SITE MEASUREMENTS

*Sign Area Background ~ (21'-0" & 17'-0" x 40" +/-)

SUNDOWN

DRAWN BY:


DATE: 4/14/17

VERSION:

SUMMIT

Page 26

Lift Identification / Wall Sign ~ Hidden Lake ~ Signtype 5.2.1 - 5.2.2




HIDDEN LAKE

8'-0" +/-

FONT: NEXA SLAB REGULAR

40" +/-



5.2.1

General Description

surfaces. Materials will be vinyl die cut lettering. Sundown, Hidden Lake, Village & Marry's Lift D's will be similar in layout. Vinyl will be "Gerber High Performance" 220 Cast Vinyl manufactured by 3M.

ON SITE MEASUREMENTS
*Sign Area Background ~ (?" x 54" +/-)

5.2.2

DATE: 4/14/17

VERSION: