



POWDER MOUNTAIN MASTER SIGN PLAN

DRAWN BY: LA

DATE: 4/14/17

VERSION:


Sign Type / Copy / Quantities / Notes ~ Location GS.1


SIGN	TYPE	COPY	QTY	NOTES
1	Entry Identification / Monument	<b>↔</b>	(1)	This Powder Mountain Entry ID / Monument will be designed & completed this spring
2	Primary Vehicular Directional			LP.1 ~ Location Plan ~ Directionals / Guidance Signs ~ (2.1 - 3.2)
	2.1	$\Leftrightarrow$ / Sundown / Timberline / Hidden Lake $\wedge$ / (Sundown condos) $\Rightarrow$	(1)	NOTE: All vehicular directionals will be located & set back distances per
	2.2	♦ / SUNDOWN ← / TIMBERLINE / HIDDEN LAKE →	(1)	per UDOT & Weber County standards.
	2.3	♦ / TIMBRERLINE ↑ / HIDDEN LAKE → / (POWDER RIDGE)	(1)	Materials will be consistant with those that will withstand Powder Mountain
	2.4	♦ / HIDDEN LAKE ↑ / SUMMIT VILLAGE	(1)	conditions for durability and appearance. There may be or may not be copy on oppsite sides.
3	Secondary Vehicular Directional			
	3.1	♦ / SUNDOWN ← / TIMBERLINE → (Side A)	(1)	♦ / HIDDEN LAKE ↑ / SUNDOWN → (Side B)
	3.2	♦ / HIDDEN LAKE / SUMMIT VILLAGE ↑ / (POWDER RIDGE) ←	(1)	
4	Building Identification / Wall Signs			LP.2 ~ Location Plan ~ Building Identification / Wall Signs ~ (4.1 - 4.5)
	4.1.1 ~ 4.1.4	(und SED) / LUCKY SLICE	(4)	Lucky Slice Pizza to procure all required Building Permits / (2) @ 48" (2) @ 32"
	4.2.1	♦ / SNOW SPORT SCHOOL	(1) set	Wall Sign to be located on east elevation of Snow Sports School
	4.3.1	♦ / TIMBERLINE LODGE	(1) set	Wall Sign to be located on north elevation of Timberline Lodge
	4.3.2	♦ / TIMBERLINE SKI SHOP	(1) set	Wall Sign to be located on north elevation of Timberline Ski Shop
	4.4.1	♦ / HIDDEN LAKE LODGE	(1) set	Wall Sign to be located on south elevation of Timberline Lodge
	4.4.2	♦ / HIDDEN LAKE LODGE	(1) set	Wall Sign to be located on north elevation of Timberline Lodge
	4.5.1 ~ 4.5.?	SKYLODGE	(1) set	Wall Sign to be located on east elevation of Skylodge
5	Lift Identification			
	5.1	SUNDOWN	(2) sets	Vinyl applied graphics to be located on north & east elevations of "SUNDOWN" lift terminal
	5.2	VILLAGE	(3) sets	Vinyl applied graphics to be located on three elevations of "VILLAGE" lift terminal
	5.3	MARY'S	(3) sets	Vinyl applied graphics to be located on three elevations of "MARY'S" lift terminal

DRAWN BY: LA DATE:

4/14/17 VERSION:

VERSION:






SUMMIT POWDER MOUNTAIN

PRIMARY

VERSION:





DRAWN BY:

DATE: 4/14/17

VERSION:


Page 5



ST ~ 2.1 / ELEVATION VIEW / 50'-0" SETBACK FROM CENTERLINE ON ST ROUTE 158.

This is an approximate scale & position, exact location will be will be determined and identified to UDOT & Weber County Planning Department prior to fabrication and installation.

VERSION: #1



ST ~ 2.2 / ELEVATION VIEW / 50'-0" SETBACK FROM CENTERLINE ON ST ROUTE 158.


This is an approximate scale & position, exact location will be will be determined and identified to Weber County Planning Department prior to fabrication and installation.

VERSION:

elevations of at least 6,200 feet above sea level, where a master plan

approved master plan."

has been approved by the planning commission, the planning commission may modify any provision of this chapter by approving a sign plan created by the developer (as defined in the applicable zoning development agreement) if the planning commission determines that the plan is consistent with the



VERSION:

Page 8




ST ~ 2.3 / ELEVATION VIEW / 12'-0" SETBACK FROM ASPHALT OFF ST ROUTE 158 & SUMMIT PASS.

This is an approximate scale & position, exact location will be will be determined and identified to UDOT & Weber County Planning Department prior to fabrication and installation.

VERSION: #1

Page 9





ST ~ 2.4

This sign will be be located in area between Hidden Lake road and Summit Pass going towards the Village, see page 10. Exact location will be determined and identified to Weber County Planning Department prior to fabrication and installation.




VERSION: #1

ST ~ 2.4 / ELEVATION VIEW / 2.4 WILL BE PLACED IN ACCORDANCE WITH WEBER COUNTY SETBACK STANDARDS

This is an approximate scale & position, exact location will be will be determined and identified to Weber County Planning Department prior to fabrication and installation.

Page 11





## ST ~ 2.4


This sign will be be located in area between Hidden Lake road and Summit Pass going towards the Village, see page 10. Exact location will be determined and identified to Weber County Planning Department prior to fabrication and installation.





SUMMIT






EXCEPTION 34-APPROXIMATE LC FROM DEED EXHIBIT

ZIONS FIRST NATIONAL BANK AS INDENTURE TRUSTEE

> DATE: 4/14/17

DRAWN BY:

VERSION:





ST ~ 3.2 Side A

This sign will be single faced and be located 12'-0" from the edge of asphalt on Summit Pass. Exact location will be determined and identified to UDOT& Weber County Planning Department prior to fabrication and installation.

### \*NOTE:

We are requesting that our MSP plans have standards of the sign code modified per LUC§110-2-5(c)(3) which states: "

(3) Sign plan. Within any Ogden Valley recreation and resort zone, at elevations of at least 6,200 feet above sea level, where a master plan has been approved by the planning commission, the planning commission may modify any provision of this chapter by approving a sign plan created by the developer (as defined in the applicable zoning development agreement) if the planning commission determines that the plan is consistent with the approved master plan."




DRAWN BY: LA DATE: 4/17/17


VERSION:


## Primary Vehicular Directionals ~ Guidance Signs











Note: The lower copy "POWDER RIDGE" is not part of Powder Mountain, so it needs to be a seperate entity visually.

SUMMIT

SIGNS GUIDANCE DIRECTIONALS / PY TYPE DETAIL PRIMARY VEHICULAR CO

DRAWN BY: LA DATE: 4/14/17

VERSION:


## Primary Vehicular Directionals ~ Guidance Signs





Summertime application for height of metal/wood structure. Aluminum sign panel will be interhangeble.

Wintertime application for height of metal/wood structure. Aluminum sign panel will be interhangeble.



ST ~ 2.3

Note: We are recommending the potential use of a digital display for travel waring information throughout the Mountain. Coordintion with UDOT will be required.

VERSION:

# /





DRAWN BY:

SIG

DATE: 4/17/17 VERSION:

Page 16








ST~ 3.2 Side B


DD

interhangeble.

 $\bigcirc$ 

## Secondary Vehicular Directional / Guidance Signs







## DIRECTIC CATION I BRI $\propto$ S D

DRAWN BY: LA

DATE: 4/14/17

VERSION:

**BUILDING IDENTIFICATION SIGNAGE** 

VERSION: #9

DRAWN BY:

DATE: 4/14/17

## Building Identification / Wall Signs ~ "Lucky Slice Pizza" Identification




## **General Description**

Lucky Slice Pizza will have options for lighting and aestetics. They will be need to submit their requirements for fabrication and illumination for the 48" logos on the north & east elevations. The 32" logos on the north & west elevations will be Secondary Identification / Wall Signs at front entry and above deck facing Sundown Lift. We are recommending that these remain non-illuminated or external illumination with gooseneck lighting.

\*Specifics to be submitted by "Lucky Slice Pizza". These concepts are soley to indicate concepts & intentions. Planning approval & Building Permits will be the responsibilty of Lucky Slice Pizza.





32" & 48" Diameter Brand Sign ~ Suggested Fabrication method would be a LED halo-lit CNC routed metal, see above examples

## **NORTH ELEVATION**





SIGNS S

DRAWN BY: LA

DATE: 4/14/17

VERSION:

## Building Identification / Wall Sign ~ Snow Sport School ~ Signtype 4.2.1



## SNOW SPORT SCHOOL


**EXPANDED VIEW** 

## **SOUTH ELEVATION**

## **CALCULATIONS:**

Building Square Footage  $\sim$  18'-0" H x 17'-0" W +/- = 306 sq. ft.x \*7% = 21.5 sq.ft. sign area allowed Logo = 4.5 sq. ft. +/- Copy = 17 sq. ft. +/- Total Sign Area = 21.5 sq. ft. +/-

\* We would want to exceed the 5% allowed to 7% in this location to be consistant with other Building Identification / Wall Signs throughout the Mountain



**FONT: NEXA SLAB REGULAR** 

SUMMIT
POWIDER MOUNTAIN

SNOW SPORT BUILDING IDENTIFICAT

DRAWN BY: LA

DATE: 4/14/17

VERSION: #9

## SUMMIT POWDER MOUNTAIN

## Building Identification / Wall Sign ~ Timberline Lodge ~ Signtype 4.2.1







**EXPANDED VIEW** 

### NORTH ELEVATION

## **CALCULATIONS:**

Building Square Footage  $\sim$  20'-0" H x 40'-0" W +/- = 800 sq. ft.x 5% = 40 sq.ft. sign area allowed Logo = 4 sq. ft. +/- Copy = 18 sq. ft. +/- Total Sign Area = 22 sq. ft. +/-





**FONT: NEXA SLAB REGULAR** 

DRAWN BY: LA

DATE: 4/14/17

VERSION:


## Building Identification / Wall Sign ~ Timberline Ski Shop ~ Signtype 4.2.2



## TIMBERLINE SKI SHOP UILDING IDENTFICATION / WALL SIGN



**EXPANDED VIEW** 





.75X (5.25")

## **NORTH ELEVATION**

## **CALCULATIONS:**

Building Square Footage  $\sim$  13'-6" H x 32'-0" W +/- = 432 sq. ft.x 5% = 21.5 sq.ft. sign area allowed Logo = 2.25 sq. ft. +/- Copy = 8.5 sq. ft. +/- Total Sign Area = 10.75 sq. ft. +/-

## TIMBERLINE SKI SHOP

FONT: NEXA SLAB REGULAR

DRAWN BY: LA

DATE: 4/14/17

VERSION:

## Building Identification / Wall Sign ~ Hidden Lake Lodge ~ Signtype 4.3.1



## **SOUTH ELEVATION**

## **CALCULATIONS:**

Building Square Footage  $\sim$  20'-0" H x 40'-0" W +/- = 800 sq. ft. x 5% = 40 sq.ft. sign area allowed Logo = 4 sq. ft. +/- Copy = 18 sq. ft. +/- Total Sign Area = 22 sq. ft. +/-



**EXPANDED VIEW** 



**FONT: NEXA SLAB REGULAR** 



# BUILDING IDENTIFI

DRAWN BY: LA

DATE: 4/14/17

VERSION:

## SUMMIT

## Building Identification / Wall Sign ~ Hidden Lake Lodge ~ Signtype 4.3.2





**EXPANDED VIEW** 

## **NORTH ELEVATION**

## **CALCULATIONS:**

Building Square Footage ~ 24'-0" H x 40'-0" W +/- = 960 sq. ft.x 5% = 48 sq.ft. sign area allowed Logo = 4.5 sq. ft. +/-Copy = 18 sq. ft. +/-Total Sign Area = 22.5 sq. ft. +/-



**BUILDING IDENTIFICATION SIGNAGE** 

DRAWN BY:

IDENTIFI

DATE: 4/14/17

VERSION:

## Lift Identification / Wall Sign ~ Sundown ~ Signtype 5.1.1 & 5.1.2



8'-0" +/-

**FONT: NEXA SLAB REGULAR** 

5.1.1

**General Description**~ Lift ID for lifts will be vinyl lettering applied to existing surfaces. Materials will be vinyl die cut lettering. Sundown, Hidden Lake, Village & Marry's Lift D's will be similar in layout. Vinyl will be "Gerber High Performance" 220 Cast Vinyl manufactured by 3M.

5.1.2

ON SITE MEASUREMENTS

\*Sign Area Background ~ (21'-0" & 17'-0" x 40" +/-)

SUNDOWN

DRAWN BY:


DATE: 4/14/17

VERSION:

SUMMIT

Page 26

## Lift Identification / Wall Sign ~ Hidden Lake ~ Signtype 5.2.1 - 5.2.2




HIDDEN LAKE

8'-0" +/-

**FONT: NEXA SLAB REGULAR** 

40" +/-



5.2.1

## **General Description**

surfaces. Materials will be vinyl die cut lettering. Sundown, Hidden Lake, Village & Marry's Lift D's will be similar in layout. Vinyl will be "Gerber High Performance" 220 Cast Vinyl manufactured by 3M.

ON SITE MEASUREMENTS
\*Sign Area Background ~ (?" x 54" +/-)

5.2.2

DATE: 4/14/17

VERSION: