



KEYNOTES:

- 1 NEH REINFORCED CONCRETE FOUNDATION WALL. REFER TO DETAIL 1 - SHEET 101B.
- 2 NEH CONT. CONCRETE FOOTING. REFER TO DETAIL 5 - SHEET 101B.
- 3 NEH #4 REBAR @ 16" O.C. DOHEL & EPOXY INTO EXISTING CONCRETE FOUNDATION WALL.
- 4 EXISTING 8" CONCRETE FOUNDATION WALL & CONCRETE FOOTING.
- 5 NEH STONE VENEER ON NEH CONCRETE FOUNDATION WALL.
- 6 BOTTOM OF NEH CONCRETE FOOTING TO BE 18" BELOW FROST GRADE.
- 7 BOTTOM OF NEH CONCRETE FOOTING TO MATCH LEVEL OF EXISTING FOOTING.
- 8 LOCATION OF NEH ELEVATOR 12" THICK CONCRETE SLAB. PROVIDE #4 REBAR MATT. (4) #4 REBAR VERTICAL & (5) #4 REBAR VERTICAL. TIE REBAR INTO EXISTING CONCRETE FOUNDATION FOOTING.
- 9 LOCATION OF NEH CONCRETE STEPS UP TO FINISH GRADE.
- 10 TOP OF CONCRETE HALL TO BE +4'-0" ABOVE TOP STEP OF CONCRETE STEPS.
- 11 TOP OF CONCRETE HALL TO BE +3'-0" BELOW THE BOTTOM OF EXISTING GLU-LAM HOOD BEAM - SEE ELEVATION 3/A10B.
- 12 NEH (3) #4 REBAR DOHEL & EPOXY INTO EXISTING CONCRETE FOOTING.
- 13 TOP OF NEH CONCRETE WALL TO MATCH LEVEL OF EXISTING CONCRETE WALL.

moonlight drafting, llc
 COMPUTERIZED DRAFTING SERVICE
 (801) 631-7025
 175 North 600 East #40
 St. George, Utah 84770
 E-Mail: pmoss@moonlight.net

Date:
 11.03.2020

DATE/REVISION:
 06/25/2019 PROJECT 205-05



A New Cabin For
Mr. and Mrs. Dave Orchard
 Parcel # 00-015-0010
 5593 East Highway 89
 Ogden City, Utah 84401

1 LOWER FLOOR PLAN - CONCRETE RETAINING WALLS
 SCALE: 1/4" = 1'-0"



ADDENDUM #1

A 101A