



April 16, 2011

**Phone** 801.745.3420  
**Fax** 801.745.1792  
**Web** HuntsvilleTown.com

P.O. Box 267  
Huntsville, UT 84317

**Mayor**  
Jim A. Truett

**Town Council**  
Richard L. Sorensen  
Steve Johnson  
Max Ferre'  
Alan Clapperton

**Town Clerk/Recorder**  
Gail Ahlstrom

**Treasurer**  
Ramona Clapperton

Weber County Planning  
2380 Washington Blvd.  
Ogden, UT 84401

To whom it may concern,

Huntsville Town Water will provide a single culinary water connection To Mr. Craig Kaminski on property located on 1800 South in unincorporated Huntsville. This property is located just south of our water treatment plant.

Mr. Kaminski must comply with all requirements for connection to Huntsville Town Culinary Water. He has been made aware of these requirements.

Sincerely,

Tim Hansen

Water Manager

Huntsville Town Water



## WEBER-MORGAN HEALTH DEPARTMENT

GARY M. HOUSE, M.P.H.  
Health Officer / Director

May 11, 2011

Division Directors  
KAY LARRISON, Administration  
CLAUDIA PRICE, Nursing & Health Promotion  
LOUIS K. COOPER, Environmental Health  
COLLEEN JENSON, WIC

Weber County Planning Commission  
2380 Washington Blvd.  
Ogden, UT 84401

RE: Kaminski Property, 1 Lot  
9501 E. 1700 S. Huntsville  
Parcel #21-037-0020

Gentlemen:

The plans and supporting information for the above-referenced subdivision have been reviewed.

Culinary water will be provided by Huntsville City Water District, an extension of an existing approved community water system. A letter from the water provider must be submitted with the septic design plans. If the existing well on the property remains in use, a 100 foot radius protection zone must be maintained from the proposed and replacement drainfields.

Soil characteristics, percolation rates of 40 MPI, and anticipated ground water tables not to exceed 48 inches, fall within the range of acceptability for the utilization of a Conventional Wastewater Disposal System as a means of wastewater disposal. Maximum trench depth is limited to 18 inches.

Plans for the construction of any wastewater disposal system are to be prepared by a Utah State certified individual and submitted to this office for review prior to the issuance of a Wastewater Disposal permit.

All subdivision plats submitted for review are to show the location of exploration pits and percolation tests. Key number or letter designation will be provided by this office along with logs of soil horizons and final percolation rates. Mylars submitted for signature without this information will be returned.


Each on-site individual wastewater disposal system must be installed in accordance with R317-501 through R317-513, Utah Administrative Code, Individual Wastewater Disposal Systems and Weber-Morgan District Health Department Rules. Final approval will be given only after an on-site inspection of the completed project and prior to the accomplishment of any backfilling.

Please be advised that the conditions of this letter are valid for a period of 18 months. At that time the site will be re-evaluated in relation to rules in effect at that time.

Sincerely,

Michela Gladwell, LEHS  
Wastewater Program Office





## WEBER-MORGAN HEALTH DEPARTMENT

GARY M. HOUSE, M.P.H.  
Health Officer / Director

January 14, 2010

Division Directors  
KAY LARRISON, Administration  
CLAUDIA PRICE, Nursing & Health Promotion  
JOE DECARIA, Environmental Health  
COLLEEN JENSON, WIC

Weber County Planning Commission  
2380 Washington Blvd.  
Ogden, UT 84401

RE: Russell Property, 1 Lot  
9501 E. 1700 S., Huntsville  
Parcel #21-037-0020

Gentlemen:

The plans and supporting information for the above-referenced subdivision have been reviewed.

Culinary water will be provided by a private well. The placement of the well is critical so as to provide the required 100 foot protection zone around the well. The well will need to be dug, tested and the water supply approved prior to the issuance of a wastewater disposal permit.

Soil characteristics, percolation rates of 40 MPI, and anticipated ground water tables not to exceed 48 inches, fall within the range of acceptability for the utilization of a Conventional Wastewater Disposal System as a means of wastewater disposal. Maximum trench depth is limited to 18 inches.

Plans for the construction of any wastewater disposal system are to be prepared by a Utah State certified individual and submitted to this office for review prior to the issuance of a Wastewater Disposal permit.

All subdivision plats submitted for review are to show the location of exploration pits and percolation tests. Key number or letter designation will be provided by this office along with logs of soil horizons and final percolation rates. Mylars submitted for signature without this information will be returned.

Each on-site individual wastewater disposal system must be installed in accordance with R317-501 through R317-513, Utah Administrative Code, Individual Wastewater Disposal Systems and Weber-Morgan District Health Department Rules. Final approval will be given only after an on-site inspection of the completed project and prior to the accomplishment of any backfilling.

Please be advised that the conditions of this letter are valid for a period of 18 months. At that time the site will be re-evaluated in relation to rules in effect at that time.

Sincerely,

Michela Gladwell, LEHS  
Wastewater Program Office

*MichGladwell@CO-Weber.UT-US*