### **Mountain Sewer Corporation**

P.O. Box 314 Huntsville, UT 84317

November **4**, 2021

CW The Basin, LLC 1222 W. Legacy Crossing Blvd. Centerville, UT 84014 todd@cw.land and tony@cw.land

Applicant: CW The Basin, LLC

**Project**: The Basin

Project Location: Parcel # 20-036-0035, 3.22 acres, Hwy 39 & Old Basin Road Total Number of Units and Connections: 12 residential & 1 office/ HOA

Total Fixture Unit Count WSFU IPC Per unit/connection: 55

Contact Information for Applicant: Todd Meyers and Tony Hill 801-520-4072;

todd@cw.land and tony@cw.land

Authorized Contact(s): Todd Meyers and Tony Hill

To Weber County:

### Re: Will Serve Letter for Sewer Service

This letter will advise Weber County that Mountain Sewer Company, ("Company"), a regulated public utility, which operates the Mountain Sewer Sanitary Sewer System ("System"), has through its engineer Mark Babbitt, P.E., reviewed and approved the set of drawings from C.W. URBAN titled "The Redtail" consisting of Sheets A200, A201, A202, A101, A102, A103, with an issue date of 12.11.2020; the two (2) page unrecorded subdivision plat from Reeve & Associates, Inc. for "The Basin" with a beginning date of 6-29-2021 on the second sheet; and the set of improvement Plans for "The Basin" prepared by Reeve & Associates, Inc. containing 10 sheets, stamped and sign by Jeremy Draper (Sheets 1 through 9) on 9-9-21 and Nathan C. Peterson (sheet 10) stamped and signed on 9-9-21 (the "Plans") attached as Exhibit A, for the Project. The Applicant's full compliance with the Company Tariff, Federal, State, and County, laws, rules, and ordinances, and all of the specific "Project Conditions Precedent" set forth below, the Company is willing and able to provide sanitary sewer service ("Service") to this Project, which is located within the Company's service area.

The specific Project Conditions Precedent to Service are as follows:

- 1. Applicant is the owner of the real property where the Project is located.
- 2. To provide adequate sewer service to the Project, Project Specific Improvements ("PSI") are required. These PSI either solely serve and benefit the Project or primarily serve the Project. The specific PSI are:
  - A. Connect the sewer from the Project to an existing sewer line at Lakeside Village.
  - B. Install an 8,000 gallon emergency overflow tank at the Edgewater Beach Estates Lift Station.
  - C. Install a 2,000 gallon two-compartment pre-screening tank to screen out rags and debris at Lakeside Beach Pump Station.
  - D. Install a 2,000 gallon two-compartment pre-screening tank to screen out rags and debris at Edgewater Beach Estates Lift Station.

Applicant agrees to pay to the Company and Lakeview Water a total amount not to exceed \$40,000 ("Applicant Contribution") toward the cost of the PSI and shall make payment to the Company within five (5) business days of recordation of the plat with the County. Failure to timely make Applicant Contribution will cause this Will Serve Letter to become null and void.

- 3. The Plans are approved by the Company engineer ("Engineer") and comply with all requirements and rules of the Utah Division of Water Quality, ("Division Rules"). No changes or modifications may made to the approved Plans for the Project, without the express written consent of the Engineer, which shall not be unreasonably withheld. If the change or modification would increase the maximum fixture count withholding of the Engineer's consent is reasonable.
- 4. All infrastructure and improvements ("Improvements") shown on the approved Plans are constructed and installed by Applicant in compliance with the Plans, Division Rules, and Company specifications in effect as of the date of this letter.
- 5. All Improvements constructed and installed by Applicant are inspected and approved by the Company and are as applicable properly dedicated to the Company and are guaranteed for a minimum of one year after completion.
- 6. "As built" plans for all Improvements, satisfactory to the Company Engineer's reasonable judgment, are provided to the Company following construction and installation of Improvements.

- 7. The following fees, charges, and payments, have been paid in full by Applicant or its predecessor in interest, Pineview Waterside LLC, to the Company pursuant to that certain *Water and Sewer Connections Agreement*, dated September 6, 2019:
  - A. \$65,000 Sewer Connection Fee
  - B. \$8,500 Sewer Impact Fee
- 8. The 12 single-family residential units may each have no more than 60 Water Supply Fixture Units. See IPC.
- 9. Any permanent easements, rights-of-way, or ownership of property, required for the Company to provide the Service is obtained and granted to the Company, at no cost to the Company, by the Applicant, without liens or encumbrances.
- 10. The Applicant will provide financial guarantees to Weber County, for completion of all public Improvements, as part of Weber County's approval process.
- 11. Applicant qualifies for and receives service approval from Lakeview Water Company, a separate legal entity which shares offices and staff with the Company, for the Project.
- 12. Project obtains all necessary land use approvals from Weber County.
- 13. Applicant records "Restrictions," approved and enforceable by the Company, on Lots 13 and 14 in the Plans. Such Restrictions shall be recorded with the Weber County Recorder and shall run with the land, and jointly restrict Lots 13 and 14 combined to a single sanitary sewer connection for both lots. The maximum capacity of the single sewer connection shall not exceed that of the office use square footage shown on the Plans, or such other use permitted by the zoning ordinances as such may be amended, but in no event in excess of office commercial use.
- 14. Applicant enters into agreements with the Company or Weber County, as determined by the Company, to guaranty the Project's compliance with this letter.

This letter applies only to the Project as shown in the Plans provided to and approved by the Company, such approval not to be unreasonably withheld. Any changes to the Project will require submission and approval of revised plans. This letter is for Applicant and Weber County only. This letter does not create any contractual rights to service and expires one year from the date of this letter.

Yours Truly,

Ray Bowden, President Mountain Sewer Company

cc: Mark Babbitt, P.E. Company Engineer Clark Duellman, Company Counsel J. Craig Smith, Company Counsel Tyler LaMarr, Applicant Counsel Nate Reeve, Applicant Engineer Weber County Planning Department

4884-4934-2721, v. 1

### Exhibit A






SHEET:
A20

TITLE: Renderings PROJECT
The Redtail
Old Snow Basin Road



c.w. URBAN

CHORING TOM ROCCHOM REPORTS ON BRYCHES HE CHILDREN AND REAL PROPERTY OF SERVICES HE CHILDREN AND REAL PROPERTY OF



A201

SSUE DATE: 72,1,2200

Design Development


TITLE:
Exterior Elevations

PROJECT
The Redtail
Old Snow Basin Road



c.w. URBAN

WALENDRING TO YER CHEM COOPETY WILD SHAW OF SEX CHAMEN IN WHAT ANOTHER BLANDERS WERE SHAW OTHER BANDERS WAT THE COUNTY OF THE SEXTHAN



A202

SSUE DATE: '211,2000

Design Development

TITLE:
Exterior Elevations

PROJECT
The Redtail
Old Snow Basin Road



c.w. URBAN THE COMMISSION OF THE CONTRACT OF THE CONTRACT

1/4" = 1'-0" Patio TOTAL SQUARE FOOTAGE

SHEET:
A101

SIGNE NATE: 1211 2000

Design Development

тпсе: Floor Plan - Bsmt

PROJECT
The Redtail
Old Snow Basin Road



c.w. URBAN

OLOGINATION DE SECUENCIA DE PROCESSO DE CONTROL DE CONTROL DE CONTROL DE LA CONTROL DE




TITLE: Floor Plan - Level 1

Old Snow Basin Road



c.w. URBAN





TITLE: Floor Plan - Level 2

Old Snow Basin Road



c.w. URBAN



## THE BASIN

PART 윾 THE NORTHWEST QUARTER OF SECTION 24 TOWNSHIP 6 NORTH, RANGE 1 EAST, SALT LAKE WEBER COUNTY, UTAH AUGUST, 2021 BASE & MERIDIAN, U.S.



## **BASIS OF BEARINGS**

THE BASS OF BEARNISS IS BETWEEN THE MORTHWEST CORNER AND THE MORTHQUARTER CORNER OF SECTION 24, TOWNSHIP & NORTH, RANDE 1 LOST, SALT
LAKE BASE & MÉRIDIAN, U.S. SURREY, SHOWN HEREDM AS SUB'36-46-E.

### NARRATIVE

THE PREPARE OF THE PLAT IS TO LOVED THE DLOW PECKENED PROPERTY WID LOTS AND STREETS & SOOMM ALL RELIGIOUS CORRECT AND THE STREET AND PLATFIC DAY STANDED. THESE ASSOCIATES, THE BOUNDAMY SHARED WAS ASSOCIATES, THE BOUNDAMY CONTRIBUTED AND THE PLATFIC AND AND ADMITTANCE THE ADMITTANCE AND ADMI

## BOUNDARY DESCRIPTION PART OF THE NORTHWEST QUARTER OF SECTION 24, TOWNSHIP 5, NORTH, RANGE 1 EAST, SAT LAKE BASE & MERIDIAN, U.S. SLEWEY, DESCRIBED AS FOLLOWS:

BEZENNING AT A PORM DAI HE SCHINEGEY ORDIT OF WAY LIFE OF THAT HOMOWAY LIFE, A PORM TO A HE SCHINEGEY ORDIT OF THE HOMO STOTAL 'AN ACCOUNTY LIFE OF THE HOMO STOTAL 'AND ACCOUNTY LIFE OF THE HOMO STOTAL 'AND ACCOUNTY LIFE OF THE HOMO STOTAL 'AND ACCOUNTY LIFE OF THE HOMO STOTAL 'A CHORD BEARING OF STOTAL' HE AND A CHORD STOTAL 'A CHORD BEARING OF STOTAL' HE AND A CHORD STOTAL 'A CHORD BEARING OF STOTAL' HE AND A CHORD STOTAL 'A CHORD BEARING OF STOTAL' HE AND A CHORD STOTAL 'A CHORD STOTAL '

144,146 SQUARE FEET OR 3.309 ACRES MORE OR LESS.

NOTES

PARCE, A AND LOT 13 WILL BE OWNED AND MAINTAINED BY THE HOA FOR PARKING AND OPEN SPACE PURPOSES.

LOT 14 IS FOR COMMERCIAL USE AS REQUIRED BY THE CVR—1 ZONE.

-	RADIUS	ARC LENGTH	CHD LENGTH	TANGENT	CHD BEARING	DELTA
Cl	1959.86	254.84	254.56	127.60	S80'41'48 E	7'27'01
S	1134,18	117.20	117.15	58.65	S074 00 W	5'55 15
G	28,00	43.98	39.60	28.00	47 W	0.00
0	28.00	43.98	39.60	28.00	N32'56 13 =	90.00
CS	ĺα	43.98	39.60	28.00	47 E	90.00
CG	28.00	43.98	39.60	28.00	ш	90,99,00
67		43.98	39.60	28.00	S5703-47'W	90'00'0
CB	28.00	43.98	39.60	28.00	2'56 1	90.00.00
63	1134,18	9.39	9.39	4.69	5'02'3	0.28 27
C10	1134.18	107.81	107.77	53.35	S08'00'14 W	5' 6 47
011	1959.86	59.72	69.71	å	759 27	d
012	1959.86	55.43	55.43	d	9'49 1	1.37.14
C13	1959.86	55.51	55.50	27.75	u	1.37.22
24	38 0501	74 19	74 18	4	3	2710 08

JANETH FILE	100000	N12'0 147	N7756 13	N12'03 47	N12'03'47	N12'03 47	N12'03'47	H N 56 13	N12'03'47	6 N120347	L25 N12'03'47 E	4 N1Z0347	3 N1Z'03 47	2 N1Z03 47	1 5775513	0 5775513	9 N77'56 13	8 N7756 1	7 N12'03'4	6 N7756 B	5 N7756 1	4 512034	3 N77561	2 N7756 1	N7756 1	0 N775613	N12'03 4	N12'03'47	N7756 13	N7756 13	N12'03'47	N12'03	N12'03'47	N12'03 47	775613	地田が田
	2.0	20	8.7	2.0	2.0	54	ĕ	3.E	ä	5	22.52	띩	7.0	ÇA EB			4.6	N	8.0		2	8	42.00	90	낆	잂	2.0	겜		18.31	12.00	12.00	13.00	13.00	18.31	28/140
	173	172	171	L70	169	E89	167	66	L65	64	5	62	161	60	1.59	BC	57	56	55	154	53	152	15	60	49	48	7	46	4	44	G.	[42	21	40	65.1	2
	756	756	5754	8.14	8'44	10.6		0.37.55	5'30 14	5'29 30	N45'45 11 E	- 29 37	752 59	5'29 29	756 13	756'13"	2703	2.03	8	75	2.03	2703	756	2.03	203		칌		75613	756	75873	756	756'13	756 13	756 13	Ohear 39
j	2	9.2	8.0	6	ä		6.	9	2.6	2	36.06	2.6	a	2	2	7	0	7	9	9	껝	2	9	2	X	썱					씱		9	40.8	25.00	Obertiga

L38 S7756 13 E 38.72

## WEBER COUNTY COMMISSION ACCEPTANCE

THIS IS TO CERTIFY THAT THIS SUBDIVISION PLAT WAS DULY APPROVED BY THE WEBER COUNTY PLANNING COMMISSION. SIGNED THIS \_\_\_\_\_\_\_ DAY OF \_\_\_\_\_\_\_, ZO\_\_\_\_\_,

HEREBY CERTITY THAT THE REQUIRED PUBLIC IMPROVIDENT SHANDARDS AND DRAWNISS FOR THIS SUBDIVISION CONFORM WITH THE COUNTY STANDARDS AND THE BINANDLY QUARANTEE IS SUFFICIENT FOR THE HINANDLY QUARANTEE IS SUFFICIENT FOR THE INSTALLATION OF THESE IMPROVEMENTS.

WEBER COUNTY ENGINEER

WEBER COUNTY PLANNING COMMISSION APPROVAL

CHAIRMAN, WEBER COUNTY PLANNING COMMISSION

DEVELOPER: CW Land Co. 1222 W. Legacy Crossing Blvd, Sta. B Centerville, UT

CHAIRMAN, WEBER COUNTY COMMISSION

TITLE

SIGNED THIS DAY OF

WEBER COUNTY SURVEYOR

. 20\_

WEBER COUNTY SURVEYOR

## WEBER COUNTY ATTORNEY

WEBER COUNTY ATTOMAS

DIRECTOR, WEBER-MORGAN HEALTH DEPARTMENT

Recorded For:

SURVEYOR'S CERTIFICATE

I I IZANDAL JAMISLA ON HERIEN CERTIFY THAT I MA A PROFESSIONAL JAMO SUR-FORM IN THE STATE OF THAT A CONCENSION THAT IT SEE A CHAPTER ZEZ, PROTESSION IN THE STATE OF THAT IS A CHAPTER ZEZ, PROTESSION IN THE STATE OF THAT IS A CHAPTER ZEZ, PROTESSION IN THE STATE OF THAT IS A CHAPTER ZEZ, PROTESSION IN THE STATE OF THAT IS A CHAPTER ZEZ, PROTESSION IN THE STATE OF THE STATE OF THAT IS A CHAPTER ZEZ, PROTESSION IN THE STATE OF THE STATE OF THAT IS A CHAPTER ZEZ, PROTESSION IN THE STATE OF THE STATE OF THAT IS A CHAPTER ZEZ, PROTESSION IN THE STATE OF THE STATE OF THAT IS A CHAPTER ZEZ, PROTESSION IN THE STATE OF THE STATE OF THAT IS A CHAPTER ZEZ, PROTESSION IN THE STATE OF THAT IS A CHAPTER ZEZ, PROTESSION IN THE STATE OF THAT IS A CHAPTER ZEZ, PROTESSION IN THE STATE OF THAT IS A CHAPTER ZEZ, PROTESSION IN THE STATE OF THAT IS A CHAPTER ZEZ, PROTESSION IN THE STATE OF THAT IS A CHAPTER ZEZ, PROTESSION IN THE STATE OF THAT IS A CHAPTER ZEZ, PROTESSION IN THE STATE OF THAT IS A CHAPTER ZEZ, PROTESSION IN THE STATE OF TH

9031945 LICENSE NUMBER STEEDER ALL STEEDER DAY OF

HATU

DAY OF

ACKNOWLEDGMENT

STATE OF UTAH

COMMISSION EXPIRES NOTARY PUBLIC

ACKNOWLEDGMENT

COUNTY OF \_\_\_

ON THE DAY OF THE PROPERTY APPEARS BEFORE MET THE THE PROPERTY APPEARS BEFORE MET THE THE PROPERTY APPEARS AND MET APPEARS BEFORE THE APPEARS AND THE APPEARS


SITISTIA AZVION


COMMISSION EXPIRES

Receve Project Info. Surveyor: T HATCH

1"~30" 7562-02

Weber County Recorder





## General Notes

- THE CONTROL OF THE CO
- norma. Commons estre estre and eine Lip ant custings estretand, produit economics, ent histe face and stolendings and est eloquendentois sti romatie. Economics ent histe face and stolendings entre e
- The control of the co

- The contrast in constants with the contrast of the state of the state
- IN CONCILION RELIANT VIOLENT MIT CONTROLLEN AND THE OF THE CONTROLLEN AND THE CONTROLLEN
- And about the transfer of the state of the s

### Utility Notes:

- I. COMMENCIA SHALL CONTINUAL CONTINUAL CALLE THEM, THE WAS INTEREST ON THE ADMINISTRATION OF THE ADMINISTRATIO

- TO CONTROL OF A CO THE USES SHALL BE INSTALLED A MARKED OF MEDITAL PROBLED CHAPT.

  THE USES SHALL BE INSTALLED AND MEDITAL PROBLED OF THE LEGAL TO LARK LOOK OF THE MEDITAL PROBLED OF THE MEDITAL PROBLED OF THE WORLD AND MEDITAL PROBLED OF THE WORLD AND MEDITAL PROBLED OF THE MEDITAL PROBLED OF

CORPUT, RE-DOWN, OR 1922 ON HIT PRACES SPEE THAN THE PRACES SPEEDULF DESCRIPTION FROM MICHIGAN FROM REPORT AND ENGINE PRACES PRACES FOR DESCRIPTION FROM THE SPEEDULF DESCRIPTION FROM THE

ð

N 7562-03 rojest info.

C. KINGSLEY n Date: MAY 3521 THE BASIN

The state of the s

## Notice to Contractor

Sharring and statement and statement in Angalan Andalana, selecting and statement of statement o

SWIGHT EXSTING ASSIMIT MISDS FROM OUTER EDGE FROM EDGE OF ASSIMILY III. — OF CUTTER COMPACTION TO VEHICL 2X LINE MISD SX, MAX SLOPE FROM EDGE OF ASSIMILY III. — OF CUTTER

## Survey Control Note:

I (SER) AND ELL CARROTTO SOLL SE ESTENDANT PER TOLLINGA SE NOTONA, SOCIET OF PRINCESCHAL

SENSON AND ELL CARROTTO SE AN SOCIETA DE CONSTRUCTOR (SERVICE DE CONTROLLINGA SE AND SE CONTROLLINGA SE CONTROLLINGA SE AND SE CONTROLLINGA SE CONTROLLINGA SE CONTROLLINGA SE AND SE CONTROLLINGA SE CONTROL

## Erosion Control General Notes:

WHEN CRADING OPERATIONS ARE COMPLETED AND THE DISTURBED GROUND IS LEFT OPEN FOR 14 OAYS OR MINE, THE AREA SHALL BE FURROWED PROMILE TO THE CONTINUES. ALL ACCESS TO PROBERTY WILL BE FROM PUBLIC RIGHT—OF—MAYS.
THE COMPRACTION IS REQUARDED BY SHATE AND FECURAL RECULATIONS TO
PREPARE A STORM WHITER POLLUTION PREPARTION PLAN AND FILE A "NOTICE OF
WHICH!" WITH THE COMERNING ARRIVERS. CONTRACTOR SHALL MODIFY EROSIDA CONTROL MEASURES TO MANDONIE PROJECT PLANNING. TRACTOR SHALL KEEP THE SITE WATERD TO COMPROL DUST. CONTRACTOR LOCATE A NEAREY HYDRANT FOR USE, AND TO INSTALL TEMPORARY METER. STRUCTION WATER COST TO BE INCLUDED IN BID. COMPRECIDE TO LEE RETT MANAGEMENT PROCITEES FOR PROTOMES SON COMPRECIDE AND CONSTRUCTION OF THIS PROJECT, ALL MATERIAL AND TRANSPIRE SHALL CHRITICAN TO COMPRESA ASSOCIATION AND ALL LE SHARETT ON DEPOCROMENT FOR COMPRESA ASSO, RESPECTORS WALL C'THE TOMENT TO CHANGE THE FACURITIES AS MELTION. WDRX

### Maintenance

BUAL SECONDARY METER · PLUG & BLOCK ATK VAC ASSEMBLY **EXISTING GATE VALVE** - PROPOSED GATE VALVE PROPOSED SEWER CLEAN-OUT EXISTING MANHOLE

REINFORCED CONCRETE FIFE
 RIM OF MANHOLE

ALL BEST MANAGEMENT PRACTICES (BMP'S) SHOWN ON THIS FLAN MUST BE MANAGANED AT ALL TIMES UNTIL PROJECT CLOSE-QUIT. sedwoat deposis show, de reword atter each reneall they hust by Removed when the level of deposition reaches approximately one-half the height of barber. HTRACTIOR'S RESPONSIBILITY SHALL INCLIDE MAKING BI-WEEKLY CHECKS ERROSCH CONTROL HECKSURES 70 DETERMANE & REPAR OR SEDAJOH LIS MECESSARY, CHECKS SHALL BE DOCUMENTED AND COPIES OF THE ROMS KEPT ON STIE.

AFT EDVESTS SLOPE THAT WILL BLAUM JUNGUETED FOR LEAVINGT THAN 1 DATS WAST BE SLOWED BY ONE OF THE TOLLOWING METRODS: A SPECIME CONTINUED AFFEC WITHOUT OF THE NUMBERS OF THE TOLLOWING THE PROPERTY OF SLOWER THE TOLLOW CHITTEEN PROPERTY OF THE WASTERN CHITCHES BLAVETT OF METALLING A LIGHT-METERS.

MAPOT PREJECTO DATO PANCO RADAS MUST DE CLEARED UP AS SODIA ÁS CICLAL, BUT IN NO CASE LATER THAN THE DAD DE THE NORMAL MORN DAY CLEAR UP WILL INSLUDE (DRIEDENS DE THE TRACKED MATERIAL, PICKIND E AND DEPOSITING IT TO A CONTAINED AREA.

## Flood Information Data,

DETERMINED TO BE OUTSIDE THE 0.2% AVAILAL CHARGE YUM. F.E.M.A. FLOOD INSURANCE RATE 4905700478F DATED JUNE 6, 2015.

				EXSW = EXISTING SECONDARY WATER LINE	SWID STANDS AND SECOND STANDS IN SALES	P60 /0			SS LAT = FROPOSED SEWER LATERAL	W DU W PEOPOSED WATER LATERAL		IN TATE A PROPOSED I AND THE ATTEMPT AT		
BOS	BLDC	348	(	þ	ŀ	Ō	н	6				•	•	
BOTTOM OF STAIRS	* BUILDING	- BAZEMBNT FLOOR ELEVATION	# Maga Long	100000000000000000000000000000000000000	= SIGN	* STREET LIGHT	# FECO #2 Z BEOW-OFF	TOTAL SECTION	" EXISTING CATCH BASIN	= PROPOSED CATCH BASIN	The second second second	STREET TOTAL CHIPPING	= PROPOSED WATER METER	
		MM	W	WST	TOW	TOS	TOFF	TOC	TOA	TBC	25	SD	ROW	
BAIBANA LIVINGS UNILGIAS		* WATER METER	* CULINARY WATER	= TOP OF SIDEWALE	= TOP OF WALL	" TOP OF STAIRS	- TOP OF FINISHED FLOOR	" TOP OF CONCRETE	= TOP OF ASPHALT	- TOP BACK OF CURB	= SANITARY SEWER	= STORM DRAIN	* RIGHT-OF-WAY	

EXISTING STORM DRAIN LINE PROPOSED IRRIGATION LINE

-EX.IRR- - = EXISTING IRRIGATION LINE PRAINAGE SWALE

X -- X = FBNCE LINE

\* PROPOSED CONTOUR ORADE

PROPUSED FIRE HYDRANT

PROPOSED MANHOLE

SOUTH OF EARLY

SOUTH OF A SECURITY

COME SHAT PER SECOND


FRISE FLOOR


PROPOSED CONCRETE EXISTING CONTOUR GRADE PROPOSED GRAVEL


 PROPOSED ASPHALT PAVEMENT EXISTING ASPHALT PAVENENT Reeve & Associates, Inc. S160 SOCION 1500 YEST, RIVERCALL, UTAH BAACO TSL: (801) 821-3100 WWW.THYW-REDUCTION LAND PLINNINGS \* CIVIL DIGNOSES \* LAND SCHOOLS TOUTED BIOMESES \* STRUCTURAL ENGINEERS \* LANDSCAPE


The Basin


WEBER COUNTY, UTAH Notes/Legend














## Notes:

and contacts listed.

rounded with silt fence.

rated areas sway from arantoge, or berned areas sway from a rough, or being a reason and install in in a manner to ensure that any spills will be spills or looks when removing or changing fluids.

www.insticling etasion and sediment controls for the wash area, e designated, between wash areas to present waste water discharge state water todates.

surfaces, clean up using "dry" methods (i.e. absorbent

dike. Dig up and properly

likely to be controlled by an-site personnel. After actions should accur upon discovery of a minor a

streets and starm drain facilities shall be maintained free at building materials, mud and dabris y grading or construction operations. Roads will be swept within 1000° of construction entrence daily, if

winimum 15.2cm x 15.2cm h at the desired location, posts, or steel posts with fasten-ns, against the downstream wall h. Maximum post specing should b (B-10tt). Past specing

Silt Fence Detail

used for the project may not be removed without approval of the road for the potential of erasion without consulting to road of the three between the consulting the property of the property of the property of the property of other means acceptable to the angineer of infriend by survey or other means acceptable to the angineer of

within 24 hours after each rain or runoff event, moroble protective devices shown shall be in place of the end of a cifer system is opproved, all hazard to offsite property, shall be removed from the site as

basine may not be removed or made inoperable without the logency.

organcy.

ontrol devices will be modified as need as the project progrably the engineer of record and the governing agency. ble without the approval of the engineer of record and the





# Cross Section 50' x 20' Construction Entrance

THESS PLANS AND SHIPSTANDING AND THE MONTHLY OF REDIE & ASSOCIATIS, NR., 1610 SOUTH USB, INFORMAL, OTH MAND, AND SHALL WIT BE PAYDOUNDED, RE-SHAML ON INSECT OF THESE THEORY THE PRINCIPLY SECURITY OF THE PRINCIPLY SECURITY SECURITY OF THE PRINCIPLY SECURITY SECURITY OF THE PRINCIPLY SECURITY SE

Concrete Washout Area
w/ 10 mil Plastic Liner











ANCHOR .

## Perspective View

Section

than three (3) times


Inlet Box Protection

the ground until the require d/or anchorage depth is




### IMERCECTUS IN INTERCED TO A STATE OF THE ACT REMADULAL "SRI fence should not be removed until construction creases and the upslope area has been properly stabilized and/or revergetated. geofestile shall then be stopled or wired to posts. An extra 20-50cm (8-20°) of extile shall extend into the trench.





## **Drop Inlet Protection**



-2 TO 1 SLOPE



Project Info,
Engineer:
JERELYY A. DRAPER, P.E.
Drofter:
C. KINGSLEY

C. KINGSLEY THE BASIN

9 Total Sheets

mber: 7562-03

### The Basin

Storm Water Pollution Prevention Plan Details





BAGS

ANCHOR NETTING

