

SURVEYOR'S CERTIFICATE

I, NATHAN CHRISTENSEN, DO HEREBY CERTIFY THAT I AM A REGISTERED PROFESSIONAL LAND SURVEYOR AND HOLD A LICENSE IN THE STATE OF UTAH IN ACCORDANCE WITH TITLE 58, CHAPTER 22, PROFESSIONAL ENGINEERS AND PROFESSIONAL LAND SURVEYORS ACT, AND THAT I HAVE COMPLETED A SURVEY OF THE PROPERTY DESCRIBED ON THIS PLAT IN ACCORDANCE WITH SECTION 17-23-17 AND HAVE VERIFIED ALL MEASUREMENTS AND HAVE PLACED MONUMENTS AS REPRESENTED ON THIS PLAT, IN ACCORDANCE WITH STATE CODE AND COUNTY ORDINANCE WCO 106-1-8(C)(2), AND THAT THIS PLAT, POWDER POINT AT POWDER MOUNTAIN, IN WEBER COUNTY, UTAH, HAS BEEN DRAWN CORRECTLY TO THE DESIGNATED SCALE AND IS A TRUE AND CORRECT REPRESENTATION OF THE HEREON DESCRIBED LANDS, BASED UPON DATA COMPILED FROM RECORDS IN THE WEBER COUNTY RECORDER'S OFFICE AND FROM SAID SURVEY MADE ON THE GROUND. I FURTHER CERTIFY THAT THE REQUIREMENTS OF APPLICABLE STATUTES AND ORDINANCES OF WEBER COUNTY CONCERNING ZONING REQUIREMENTS REGARDING LOT MEASUREMENTS HAVE BEEN COMPLIED WITHH.

NATHAN CHRISTENSEN
PROFESSIONAL LAND SURVEYOR
UTAH CERTIFICATE NO. 10175991


PLAT NOTES:

- 1. This Plat is subject to the Neighborhood Declaration of Covenants, Conditions, Easements, and Restrictions for Mountain Homes at Powder Mountain...
2. Pursuant to the Master Declaration, Powder Haven (Owners Association, Inc.), a Utah nonprofit corporation...
3. Development within the project defined by this Plat (the @Project) is subject to and shall conform to the terms and provisions of the Weber County Zoning Development Agreement...
4. No improvements may be made to any Lot without review and approval of the Shelter Hill Developer LLC...
5. All Lots have a designated @Building Envelope...
6. Landscaping and irrigation on each Lot must comply with the Powder Haven Design Guidelines...
7. The Property as depicted on this Plat is subject to the rights of Shelter Hill Developer LLC...
8. The Lots are served by a water district and wastewater lateral lines...
9. All utilities within the Project shall be underground...
10. This Plat establishes Shelter Hill Road and Loop Road Parcels as legally recognized and properly subdivided separate Parcels of real property...
11. Declarant reserves the right to unilaterally amend the Plat without affected Owners' consent...
12. Declarant reserves for itself, its successors, assigns, Community Association, and Master Developer a blanket easement across all Lots and Parcels for constructing and maintaining hiking and biking trails...
13. Declarant reserves for itself, its successors, assigns, Community Association, and Master Developer a blanket easement across all Lots and Parcels for constructing and maintaining ski trails...
14. Declarant reserves for itself, its successors, assigns, and Master Developer a temporary blanket easement across all Lots adjacent to private roads...
15. The Lots are in a ski resort area...
16. All Lots depicted on this Plat are located in a semi-wilderness area...
17. Due to the topography, all Owners are responsible for managing stormwater runoff...
18. Restricted (R) Lots are subject to Weber County Land Use Code Section 10B-14...
19. Parking is prohibited on any streets and roads.

This is a partial review and is for boundary description and plat boundary only once boundary is correctly defined a full review can be done

SHELTER HILL AT POWDER MOUNTAIN

LOCATED IN THE EAST HALF OF SECTION 8, AND THE WEST HALF OF SECTION 9, TOWNSHIP 7 NORTH, RANGE 2 EAST, SALT LAKE BASE AND MERIDIAN, WEBER COUNTY, UTAH AUGUST 2024



VICINITY MAP

N.T.S.

OWNER'S DEDICATION:

SHELTER HILL DEVELOPER, LLC ("DECLARANT"), AS THE OWNER OF THE HEREIN DESCRIBED TRACT OF LAND, DOES HEREBY SET APART AND SUBDIVIDE THE SAME INTO LOTS AND PARCELS AS SHOWN HEREON, SUBJECT TO ALL OF THE RESTRICTIONS, RIGHTS AND LIMITATIONS SET FORTH IN THE PLAT NOTES, AND NAME SAID TRACT, TO BE KNOWN SHELTER HILL AT POWDER MOUNTAIN, AND DOES HEREBY:

- PRIVATE STREETS, ACCESS, RIGHTS-OF-WAY. DEDICATE AND RESERVE UNTO DECLARANT, ITS HEIRS, GRANTEES AND ASSIGNS, AND SUMMIT MOUNTAIN HOLDING GROUP, L.L.C. AS MASTER DEVELOPER A RIGHT-OF-WAY TO BE USED IN COMMON WITH ALL OTHERS WITHIN SAID SUBDIVISION...
PUBLIC UTILITY AND DRAINAGE EASEMENTS. GRANT AND DEDICATE A PERPETUAL RIGHT AND EASEMENT OVER, UPON AND UNDER THE LANDS DESIGNATED AS PUBLIC UTILITY, STORM WATER DETENTION PONDS AND DRAINAGE EASEMENTS...
PRIVATE EASEMENTS. GRANT AND DEDICATE THOSE CERTAIN EASEMENTS DESCRIBED IN NOTES 2, 13, 14, AND 23 OF THIS PLAT.

IN WITNESS WHEREOF, DECLARANT HAS EXECUTED THIS OWNER'S DEDICATION AS OF THE DAY OF 2023

Boundary Description does not close and does not match plat

ACKNOWLEDGEMENT:

IN WITNESS WHEREOF, DECLARANT HAS EXECUTED THIS OWNER'S DEDICATION AS OF THE DAY OF 2024 SHELTER HILL DEVELOPER, LLC

BY:
NAME:
TITLE:

STATE OF UTAH } S.S.
COUNTY OF WEBER

ON THIS DAY OF 2024 BEFORE ME, A NOTARY PUBLIC, PERSONALLY APPEARED AS THE AUTHORIZED SIGNATORY OF OVERLOOK POINT LLC, A UTAH LIMITED LIABILITY COMPANY, PROVED ON THE BASIS OF SATISFACTORY EVIDENCE TO BE THE PERSON WHOSE NAME IS SUBSCRIBED TO IN THIS INSTRUMENT, AND DULY ACKNOWLEDGED THAT HE/SHE EXECUTED THIS INSTRUMENT IN HIS/HER AUTHORIZED CAPACITY ON BEHALF OF SAID COMPANY, INTENDING TO BE LEGALLY BOUND. WITNESS MY HAND AND OFFICIAL SEAL.

NOTARY PUBLIC SIGNATURE:
RESIDING IN:
COMMISSION #:
MY COMMISSION EXPIRES:

LEGAL DESCRIPTION

LOCATED IN THE EAST HALF OF SECTION OF SECTION 8, TOWNSHIP 7 NORTH, RANGE 2 EAST, AND THE WEST HALF OF SECTION 9, TOWNSHIP 7 NORTH, RANGE 2 EAST, SALT LAKE BASE AND MERIDIAN,

BEGINNING AT A POINT BEING SOUTH 1231.91 FEET AND EAST 1322.14 FEET FROM THE NORTH QUARTER CORNER OF SECTION 8, TOWNSHIP 7 NORTH, RANGE 2 EAST, SALT LAKE BASE AND MERIDIAN (BASIS OF BEARINGS FOR THIS DESCRIPTION IS NORTH 89°55'51" WEST ALONG THE LINE BETWEEN THE NORTHWEST CORNER OF SECTION 6, TOWNSHIP 7 NORTH, RANGE 2 EAST, SALT LAKE BASE AND MERIDIAN AND THE MONUMENT AT THE INTERSECTION OF THE WEBER/CACHE COUNTY LINE, TIE FROM THE NORTHWEST CORNER OF SECTION 6, TO THE NORTH QUARTER CORNER OF SECTION 8 IS SOUTH 53°43'38" EAST 9312.68 FEET), AND RUNNING THENCE SOUTH 80°20'46" EAST, 66.00 FEET; THENCE SOUTHERLY ALONG A CURVE TO THE LEFT, HAVING A RADIUS OF 667.00 FEET, (CHORD BEARS SOUTH 08°26'18" WEST 28.30 FEET), THROUGH A CENTRAL ANGLE OF 02°25'52", FOR AN ARC DISTANCE OF 28.30 FEET; THENCE SOUTH 71°32'1" WEST, 126.48 FEET; THENCE SOUTHERLY ALONG A CURVE TO HE LEFT, HAVING A RADIUS OF 467.00 FEET, (CHORD BEARS SOUTH 03°06'45" EAST 167.56 FEET), THROUGH A CENTRAL ANGLE OF 20°40'12", FOR AN ARC DISTANCE OF 168.47 FEET; THENCE SOUTH 13°26'51" EAST, 116.44 FEET; THENCE SOUTHERLY ALONG A CURVE TO THE RIGHT, HAVING A RADIUS OF 358.00 FEET, (CHORD BEARS SOUTH 12°27'56" WEST, 312.90 FEET), THROUGH A CENTRAL ANGLE OF 51°49'34", FOR AN ARC DISTANCE OF 323.82 FEET; THENCE SOUTHERLY ALONG A REVERSE CURVE TO THE LEFT, HAVING A RADIUS OF 28.00 FEET, (CHORD BEARS SOUTH 00°43'03" EAST 35.31 FEET), THROUGH A CENTRAL ANGLE OF 78°11'32", FOR AN ARC DISTANCE OF 38.21 FEET; THENCE SOUTH 39°48'49" EAST, 118.86 FEET; THENCE EASTERLY ALONG A CURVE TO THE LEFT, HAVING A RADIUS OF 313.00 FEET, (CHORD BEARS SOUTH 69°02'10" EAST, 305.62 FEET), THROUGH A CENTRAL ANGLE OF 58°26'43", FOR AN ARC DISTANCE OF 319.28 FEET; THENCE NORTH 81°44'28" EAST, 260.91 FEET; THENCE EASTERLY ALONG A CURVE TO THE RIGHT, HAVING RADIUS OF 563.00 FEET, (CHORD BEARS NORTH 84°19'37" EAST 50.80 FEET), THROUGH A CENTRAL ANGLE OF 51°01'17", FOR AN ARC DISTANCE OF 50.82 FEET; THENCE NORTHEASTERLY ALONG A REVERSE CURVE TO THE LEFT, HAVING A RADIUS OF 11.00 FEET, (CHORD BEARS NORTH 43°57'38" EAST 14.99 FEET), THROUGH A CENTRAL ANGLE OF 85°54'14", FOR AN ARC DISTANCE OF 16.49 FEET; THENCE NORTH 1°00'31" EAST, 27.47 FEET; THENCE SOUTH 88°59'29" EAST, 60.00 FEET; THENCE SOUTH 1°00'31" WEST, 27.47 FEET; THENCE SOUTHEASTERLY ALONG A CURVE TO THE LEFT, HAVING RADIUS OF 11.00 FEET, (CHORD BEARS SOUTH 41°56'36" EAST 14.99 FEET), THROUGH A CENTRAL ANGLE OF 85°54'14", FOR AN ARC DISTANCE OF 16.49 FEET; THENCE EASTERLY ALONG A REVERSE CURVE TO THE RIGHT, HAVING A RADIUS OF 563.00 FEET, (CHORD BEARS SOUTH 78°19'37" EAST 128.80 FEET), THROUGH A CENTRAL ANGLE OF 13°08'13", FOR AN ARC DISTANCE OF 129.09 FEET; THENCE SOUTH 71°47'49" EAST, 12.52 FEET; THENCE NORTHEASTERLY ALONG A CURVE TO THE LEFT, HAVING A RADIUS OF 11.01 FEET, (CHORD BEARS NORTH 60°03'57" EAST 16.38 FEET), THROUGH A CENTRAL ANGLE OF 96°11'11", FOR AN ARC DISTANCE OF 18.48 FEET; THENCE NORTH 11°55'45" EAST, 18.65 FEET; THENCE NORTHERLY ALONG A CURVE TO THE LEFT, HAVING A RADIUS OF 290.00 FEET, (CHORD BEARS NORTH 5°36'58" EAST, 63.77 FEET), THROUGH A CENTRAL ANGLE OF 12°37'30", FOR AN ARC DISTANCE OF 63.90 FEET; THENCE NORTHWESTERLY ALONG A COMPOUND CURVE TO THE LEFT, HAVING A RADIUS OF 11.00 FEET, (CHORD BEARS NORTH 43°40'38" WEST 15.00 FEET), THROUGH A CENTRAL ANGLE OF 85°57'41", FOR AN ARC DISTANCE OF 16.50 FEET; THENCE NORTHEASTERLY ALONG A REVERSE CURVE TO THE RIGHT, HAVING A RADIUS OF 65.00 FEET, (CHORD BEARS NORTH 33°08'03" EAST 112.82 FEET), THROUGH A CENTRAL ANGLE OF 23°39'04", FOR AN ARC DISTANCE OF 271.80 FEET; THENCE SOUTH 69°54'12" EAST, 188.27 FEET; THENCE EAST, 200.00 FEET; THENCE SOUTH 33°27'12" EAST, 751.79 FEET; THENCE SOUTH 83°25'40" WEST, 339.88 FEET; THENCE SOUTH 45°28'28" EAST, 219.36 FEET; THENCE SOUTHEASTERLY ALONG A CURVE TO THE RIGHT, HAVING A RADIUS OF 930.00 FEET, (CHORD BEARS SOUTH 43°09'24" EAST 75.22 FEET), THROUGH A CENTRAL ANGLE OF 4°38'08", FOR AN ARC DISTANCE OF 75.24 FEET; THENCE EASTERLY ALONG A REVERSE CURVE TO THE LEFT, HAVING A RADIUS OF 11.00 FEET (CHORD BEARS SOUTH 80°36'18" EAST 14.07 FEET), THROUGH A CENTRAL ANGLE OF 79°31'57", FOR AN ARC DISTANCE OF 15.27 FEET; THENCE NORTH 59°37'44" EAST, 5.89 FEET; THENCE EASTERLY ALONG A CURVE TO THE RIGHT, HAVING A RADIUS OF 100.00 FEET, (CHORD BEARS SOUTH 86°23'09" EAST, 111.80 FEET), THROUGH A CENTRAL ANGLE OF 67°58'14", FOR AN ARC DISTANCE OF 118.63 FEET; THENCE SOUTH 52°24'02" EAST, 131.90 FEET; THENCE SOUTHEASTERLY ALONG A CURVE TO THE LEFT, HAVING A RADIUS OF 610.00 FEET, (CHORD BEARS SOUTH 65°02'52" EAST, 267.11 FEET), THROUGH A CENTRAL ANGLE OF 25°17'39", FOR AN ARC DISTANCE OF 269.30 FEET; THENCE SOUTH 77°41'42" EAST, 51.28 FEET; THENCE SOUTHEASTERLY ALONG A CURVE TO THE RIGHT, HAVING A RADIUS OF 245.00 FEET, (CHORD BEARS 45°24'59" EAST 261.68 FEET); THENCE THROUGH A CENTRAL ANGLE OF 64°33'26", FOR AN ARC DISTANCE OF 276.05 FEET; THENCE SOUTH 13°08'16" EAST, 51.88 FEET; THENCE SOUTHERLY ALONG A CURVE TO THE LEFT, HAVING A RADIUS OF 170.00 FEET, (CHORD BEARS SOUTH 19°08'16" EAST, 35.54 FEET) THROUGH A CENTRAL ANGLE OF 12°00'01", AN ARC DISTANCE OF 35.61 FEET; THENCE SOUTH 25°08'17" EAST, 64.64 FEET; THENCE SOUTHERLY ALONG A CURVE TO THE RIGHT, HAVING A RADIUS OF 250.00 FEET, (CHORD BEARS SOUTH 00°22'49" EAST, 209.39 FEET), THROUGH A CENTRAL ANGLE OF 49°30'56", AN ARC DISTANCE OF 216.05 FEET; THENCE SOUTHERLY ALONG A CURVE TO THE LEFT, HAVING A RADIUS OF 10.50 FEET, (CHORD BEARS SOUTH 15°02'25" EAST 13.33 FEET), THROUGH A CENTRAL ANGLE OF 78°50'09", FOR AN ARC DISTANCE OF 14.45 FEET; THENCE SOUTHEASTERLY ALONG A CURVE TO THE RIGHT, HAVING A RADIUS OF 530.00 FEET, (CHORD BEARS SOUTH 52°17'05" EAST 40.20 FEET), THROUGH A CENTRAL ANGLE OF 4°20'50", FOR AN ARC DISTANCE OF 40.21 FEET; THENCE NORTH 26°49'25" EAST, 108.51 FEET; THENCE NORTH 74°58'20" EAST, 1663.43 FEET; THENCE SOUTH 0°03'35" WEST, 1,452.71 FEET ALONG THE NORTH-SOUTH X SECTION LINE; THENCE SOUTH 33°36'14" WEST, 87.97 FEET; THENCE SOUTH 72°50'43" WEST, 310.95 FEET; THENCE SOUTHERLY ALONG A NON-TANGENT CURVE TO THE RIGHT, HAVING A RADIUS OF 430.00 FEET, (CHORD BEARS SOUTH 21°15'39" EAST 2.48 FEET), THROUGH A CENTRAL ANGLE OF 0°19'48", FOR AN ARC DISTANCE OF 2.48 FEET; THENCE SOUTHERLY ALONG A REVERSE CURVE TO THE RIGHT, HAVING A RADIUS OF 64.81 FEET, (CHORD BEARS SOUTH 33°36'08" WEST 91.56 FEET), THROUGH A CENTRAL ANGLE OF 27°07'14", FOR AN ARC DISTANCE OF 305.56 FEET; THENCE SOUTHERLY ALONG A NON-TANGENT CURVE TO THE RIGHT, HAVING A RADIUS OF 370.00 FEET, (CHORD BEARS SOUTH 05°09'26" EAST 77.55 FEET), THROUGH A CENTRAL ANGLE OF 12°01'51", FOR AN ARC DISTANCE OF 77.64 FEET; THENCE SOUTH 0°51'30" WEST, 2293.72 FEET; THENCE SOUTH 89°53'07" WEST, 213.98 FEET; THENCE NORTH 53°21'53" WEST, 2,166.41 FEET; THENCE NORTH 30°36'45" WEST, 984.90 FEET; THENCE NORTH 47°25'24" WEST, 797.63 FEET; THENCE NORTH 22°09'59" EAST, 384.03 FEET; THENCE WESTERLY ALONG A NON-TANGENT CURVE TO THE LEFT, HAVING A RADIUS OF 503.00 FEET, (CHORD BEARS NORTH 88°11'46" WEST 175.77 FEET), THROUGH A CENTRAL ANGLE OF 20°07'31", FOR AN ARC DISTANCE OF 176.68 FEET; THENCE SOUTH 81°44'28" WEST, 260.91 FEET; THENCE WESTERLY ALONG A CURVE TO THE RIGHT, HAVING A RADIUS OF 373.00 FEET, (CHORD BEARS NORTH 69°02'10" WEST 364.20 FEET), THROUGH A CENTRAL ANGLE OF 58°26'43", FOR AN ARC DISTANCE OF 380.48 FEET; THENCE NORTH 39°48'49" WEST, 109.34 FEET; THENCE WESTERLY ALONG A CURVE TO THE LEFT, HAVING A RADIUS OF 28.00 FEET, (CHORD BEARS NORTH 85°42'45" WEST 40.21 FEET), THROUGH A CENTRAL ANGLE OF 91°47'52", FOR AN ARC DISTANCE OF 44.86 FEET; THENCE SOUTH 48°23'19" WEST, 48.92 FEET; THENCE NORTH 41°36'41" WEST, 66.00 FEET; THENCE NORTH 48°23'19" EAST, 98.06 FEET; THENCE NORTHERLY ALONG A CURVE TO THE LEFT, HAVING A RADIUS OF 292.00 FEET, (CHORD BEARS NORTH 17°28'14" EAST, 300.07 FEET), THROUGH A CENTRAL ANGLE OF 61°50'10", FOR AN ARC DISTANCE OF 315.14 FEET; THENCE NORTH 13°26'51" WEST, 116.44 FEET; THENCE NORTHERLY ALONG A CURVE TO THE RIGHT, HAVING A RADIUS OF 533.00 FEET, (CHORD BEARS NORTH 3°06'45" WEST, 191.24 FEET), THROUGH A CENTRAL ANGLE OF 20°40'12", FOR AN ARC DISTANCE OF 192.28 FEET; THENCE NORTH 71°32'1" EAST, 126.48 FEET; THENCE NORTHERLY ALONG A CURVE TO THE RIGHT, HAVING A RADIUS OF 733.00 FEET, (CHORD BEARS NORTH 08°26'18" EAST, 31.10 FEET), THROUGH A CENTRAL ANGLE OF 02°25'52", FOR AN ARC DISTANCE OF 31.10 FEET TO THE POINT OF BEGINNING,

LOCATED IN THE EAST HALF OF SECTION 8, AND THE WEST HALF OF SECTION 9, TOWNSHIP 7 NORTH, RANGE 2 EAST, SALT LAKE BASE AND MERIDIAN.

CONTAINING 4,298,905 SQUARE FEET, 98.69 ACRES, MORE OR LESS

SURVEYOR'S NARRATIVE:

- 1. THE PURPOSE FOR THIS SURVEY AND PLAT IS TO SUBDIVIDE THE AFORESAID TRACT OF LAND INTO LOTS, STREETS, PARCELS AND EASEMENTS AS SHOWN HEREON AND AS DIRECTED BY THE CLIENT.
2. THE BASIS-OF-BEARING FOR THIS PLAT IS N 89°55'51"W ALONG THE NORTH SECTION LINE BETWEEN THE NORTHEAST CORNER OF SECTION 1, T.7N., R.1E., S.1.B.4M., AND A FOUND WEBER COUNTY MONUMENT AT THE INTERSECTION OF THE WEBER/CACHE COUNTY LINE AND SAID SECTION SECTION LINE. (THIS BEARING DIFFERS FROM THE WEBER COUNTY SURVEYOR'S BEARING BY 0°00'14" AS SHOWN ON THE COUNTY LINE DECLARATION RECORD PLAT BOOK 74, PAGE 64.)
3. A PORTION OF THE WESTERLY BOUNDARY WAS DETERMINED BY MERIDIAN AVE, AS SHOWN ON OVERLOOK AT POWDER MOUNTAIN PHASE I. THE LOCATION OF SAID PLAT WAS DETERMINED BY THE FOUND SECTION CORNER MONUMENTS AS REFERENCED ON SAID EXISTING PLAT. FOUND SURVEY MONUMENTS USED ARE SHOWN HEREON.

Sheet 1 of 5



RECORDED #
STATE OF UTAH, COUNTY OF WEBER, RECORDED AND FILED AT THE

REQUEST OF:
ENTRY NO:
DATE: TIME:
BOOK: PAGE:
FEE \$
WEBER COUNTY RECORDER

OWNER
SHELTER HILL DEVELOPER, LLC
3923 N. WOLF CREEK DR. EDEN, UT, 84310

WEBER COUNTY ATTORNEY
I HAVE EXAMINED THE FINANCIAL GUARANTEE AND OTHER DOCUMENTS ASSOCIATED WITH THIS SUBDIVISION PLAT AND IN MY OPINION THEY CONFORM WITH THE COUNTY ORDINANCE APPLICABLE THERETO AND NOW IN FORCE AND AFFECT.
SIGNED THIS DAY OF 20

WEBER COUNTY SURVEYOR
I HEREBY CERTIFY THAT THE WEBER COUNTY SURVEYOR'S OFFICE HAS REVIEWED THIS PLAT AND ALL CONDITIONS FOR APPROVAL BY THIS OFFICE HAVE BEEN SATISFIED. THE APPROVAL OF THIS PLAT BY THE WEBER COUNTY SURVEYOR DOES NOT RELIEVE THE LICENSED LAND SURVEYOR WHO EXECUTED THIS PLAT FROM THE RESPONSIBILITIES AND/OR LIABILITIES ASSOCIATED THEREWITH.
SIGNED THIS DAY OF 20

WEBER COUNTY ENGINEER
I HEREBY CERTIFY THAT THE REQUIRED PUBLIC IMPROVEMENT STANDARDS AND DRAWINGS FOR THIS SUBDIVISION CONFORM WITH COUNTY STANDARDS AND THE AMOUNT OF THE FINANCIAL GUARANTEE IS SUFFICIENT FOR THE INSTALLATION OF THESE IMPROVEMENTS.
SIGNED THIS DAY OF 20

WEBER COUNTY PLANNING COMMISSION APPROVAL
THIS IS TO CERTIFY THAT THIS SUBDIVISION PLAT WAS DULY APPROVED BY THE WEBER COUNTY PLANNING COMMISSION ON THIS DAY OF 20

WEBER COUNTY COMMISSION ACCEPTANCE
THIS IS TO CERTIFY THAT THIS SUBDIVISION PLAT, THE DEDICATION OF STREETS AND OTHER PUBLIC WAYS AND FINANCIAL GUARANTEE OF PUBLIC IMPROVEMENTS ASSOCIATED WITH THIS SUBDIVISION THEREON ARE HEREBY APPROVED AND ACCEPTED BY THE COMMISSIONERS OF WEBER COUNTY, UTAH THIS DAY OF 20
CHAIRMAN, WEBER COUNTY COMMISSION
ATTEST:
TITLE:

Location of proposed centerline Monuments

Dont' Match boundary description  
Missing from boundary description

CURVE TABLE grids containing columns for CURVE, RADIUS, LENGTH, DELTA, BEARING, and CHORD for curves C1 through C85.




NORTHEAST CORNER SECTION 1, TOWNSHIP 7 NORTH, RANGE 1 EAST SALT LAKE BASE AND MERIDIAN FOUND GLO 1944, 4" BRASS CAP, GOOD CONDITION 6" ABOVE GROUND DETAIL "B"

BASIS OF BEARINGS N 89°55'51" W 1381.07' (N 89°56'05" W 1380.98' RECORD)


FOUND WEBER COUNTY LINE MONUMENT PER WEBER COUNTY SURVEYOR, 4" BRASS CAP 2013, GOOD CONDITION FLUSH IN CONCRETE DETAIL "A"

NORTH QUARTER CORNER SECTION 8, TOWNSHIP 7 NORTH, RANGE 2 EAST SALT LAKE BASE AND MERIDIAN, FOUND 1944 GLO 4" BRASS CAP, GOOD CONDITION 6" ABOVE GROUND DETAIL "C"

FND. CL. MONUMENT (TYP) 3" BRASS CAP STAMPED '2016 PLS 155641" RING AND LID GOOD CONDITION 4" BELOW ASPHALT



- LEGEND: BOUNDARY LINE, SECTION LINE, ADJOINER DEED LINES, RIGHT-OF-WAY LINE, ROAD CENTERLINE, SECTION CORNER AS NOTED, SET CL MONUMENT, FOUND CL MONUMENT, SET NO.5 X 24" LONG REBAR WITH PLASTIC CAP STAMPED "TALISMAN"



# SHELTER HILL AT POWDER MOUNTAIN

LOCATED IN THE EAST HALF OF SECTION 8, AND THE WEST HALF OF SECTION 9, TOWNSHIP 7 NORTH, RANGE 2 EAST, SALT LAKE BASE AND MERIDIAN, WEBER COUNTY, UTAH AUGUST 2024




SHELTER HILL DEVELOPER, LLC 3923 N. WOLF CREEK DR. EDEN, UT, 84310



RECORDED # STATE OF UTAH, COUNTY OF WEBER, RECORDED AND FILED AT THE REQUEST OF: ENTRY NO: DATE: TIME: BOOK: PAGE: FEE \$ WEBER COUNTY RECORDER

# SHELTER HILL AT POWDER MOUNTAIN

LOCATED IN THE EAST HALF OF SECTION 8, AND THE WEST HALF OF SECTION 9, TOWNSHIP 7 NORTH, RANGE 2 EAST, SALT LAKE BASE AND MERIDIAN, WEBER COUNTY, UTAH AUGUST 2024





SHELTER HILL DEVELOPER, LLC  
3923 N. WOLF CREEK DR.  
EDEN, UT, 84310



<b>RECORDED #</b>	
STATE OF UTAH, COUNTY OF WEBER, RECORDED AND FILED AT THE	
REQUEST OF:	_____
ENTRY NO.:	_____
DATE:	TIME:
BOOK:	PAGE:
FEE \$	_____
WEBER COUNTY RECORDER	

# SHELTER HILL AT POWDER MOUNTAIN

LOCATED IN THE EAST HALF OF SECTION 8, AND THE WEST HALF OF SECTION 9, TOWNSHIP 7 NORTH, RANGE 2 EAST, SALT LAKE BASE AND MERIDIAN, WEBER COUNTY, UTAH  
AUGUST 2024



SHELTER HILL DEVELOPER, LLC  
3923 N. WOLF CREEK DR.  
EDEN, UT, 84310





Sheet 4 of 5

<b>RECORDED #</b>	
STATE OF UTAH, COUNTY OF WEBER, RECORDED AND FILED AT THE	
REQUEST OF:	_____
ENTRY NO.:	_____
DATE:	TIME:
BOOK:	PAGE:
FEE \$	_____
WEBER COUNTY RECORDER	

# SHELTER HILL AT POWDER MOUNTAIN

LOCATED IN THE EAST HALF OF SECTION 8, AND THE WEST HALF OF SECTION 9, TOWNSHIP 7 NORTH, RANGE 2 EAST, SALT LAKE BASE AND MERIDIAN, WEBER COUNTY, UTAH  
 AUGUST 2024



Can't read

Missing from boundary description

Center of cul-de-sac

does not match boundary description

Does not match boundary description

SHELTER HILL DEVELOPER, LLC  
 3923 N. WOLF CREEK DR.  
 EDEN, UT, 84310

**TALISMAN**  
 CIVIL CONSULTANTS  
 1588 SOUTH MAIN STREET  
 SUITE 200  
 SALT LAKE CITY, UT 84115  
 801.743.1300

<b>RECORDED #</b>
STATE OF UTAH, COUNTY OF WEBER, RECORDED AND FILED AT THE
REQUEST OF: _____
ENTRY NO: _____
DATE: _____ TIME: _____
BOOK: _____ PAGE: _____
FEE \$ _____
WEBER COUNTY RECORDER