

# Weber County Stormwater Construction Activity Permit

Application submittals will be accepted by appointment only. (801) 399-8374. 2380 Washington Blvd. Suite 240, Ogden, UT 84401

Date Submitted	Fees (Office Use)	Receipt Number (Office Use)	Priority Site (Office Use) <input type="radio"/> Yes <input type="radio"/> No	Permit Number (Office Use) 2016-48
----------------	-------------------	-----------------------------	--	---------------------------------------

Property Owner/Authorized Representative Contact Information		Project Information	
Name of Property Owner(s)/Authorized Representative(s) Adam Norriss		Project Name NORRIS	
Phone (801) 643-6195	Fax	Project Address 2625 4150 W	
Email Address aWayne81@msn.com		Taylor, Weber County, UT	
Mailing Address of Property Owner(s)/Authorized Representative(s) 4036 Lilly dr. Roy UT 84067		Estimated Project Length (mo) 9 months	Previous Permit No. (if applicable)
		Estimated Start Date Jun 5, 2016	Actual Start Date

**Submittal Checklist**

The application shall include a Storm Water Pollution Prevention Plan which meets the criteria set forth in Section 33-3-4 of the county ordinances.

The applicant shall file the application on or before the following dates:

**Subdivision:** The date that the applicant submits the preliminary subdivision development plat application.  
**Site Plan:** The date that the applicant submits a site plan application or amended site plan.  
**Building Permit:** The date that the applicant submits a building permit application if the applicant proposes to construct a building on an existing lot or parcel.  
**Land Use Permit:** The date that the applicant submits a land use permit application.  
**Other:** At least two (2) weeks before the developer intends to perform any type of work not listed above that would require a Storm Water Construction Activity Permit pursuant to this Chapter.

Failure to acquire a required Storm Water Construction Activity Permit is grounds for tabling a related subdivision application, site plan application, conditional use permit application, or building permit application. It is unlawful to commence work (move dirt) on a development site before obtaining a required Storm Water Construction Activity Permit.



Note: A pre-costruction meeting is required before performing any on-site earth work, unless waived by the county engineer.

**Applicant Narrative**

Please explain your request.

**Authorization**

By signing below the Owner / Representative authorizes the county to enter the property to perform inspections.

Owner or Authorized Representative Signature 	Date 5/12/16
Signature of Approval 	Date 5-16-16

## **S.W.W.P.P**

Norris Residence

Lot #36 Valley Green Estates

2652 S. 4150 W.

Taylor, Weber County, UT

- Approximately 8,000 sq. ft. will be disturbed. Centered approximately north to south. From street running approximately 125 ft. east.
- Adam Norris will be responsible for the conditions of the site during construction.
- No work will be performed before 7 a.m. or after 7 p.m.
- Excavated material will be stored on site temporarily and used for backfilling and grading as necessary.
- Concrete Washout will be located approximately 30 feet south of the house on the west corner of garage. Straw and filter fabric will be installed to contain all concrete and debris. Concrete will be hauled off as necessary to prevent any excess run off.
- Porta-Johns will be located adjacent to the concrete washout. Approximately 30 feet off the south west corner of the garage. Porta-John will be installed on 6'X 6' gravel pad and staked or secured down.
- Construction entrance will be located in area of future driveway. It will be directly west of the garage. A 4" deep track out pad with 1" crushed rock will be placed approximately 20 feet wide to prevent tracking out any mud or debris into the street.
- Any dirt tracked into the street, will be swept and cleaned as necessary.
- A swale at the east side of the road will be protected with a 12" drain pipe running the width of the driveway.

- There is no storm drain in place. All storm water will remain on site. Straw bales with filter fabric or straw waddles can be placed in north end of swale if necessary.
- There is currently no existing occupation on the property.