

STRUCTURAL NOTES

BUILDER / CONTRACTOR IS RESPONSIBLE FOR ENSURING THAT PLANS AND SPECIFICATIONS COMPLY WITH APPLICABLE REQUIREMENTS OF ANY GOVERNING BUILDING AUTHORITY.

METAL BUILDING STRUCTURE DESIGNED PER THE FOLLOWING LOADING:

CODE: IBC 2012
WIND: 115 MPH EXPOSURE C WINDLOAD
ROOF LOAD: 20 PSF ROOF LIVE LOAD
SEISMIC: N/A
SNOW LOAD: 35 PSF (MAX) ROOF SNOW LOAD

DESIGN LOADS DESIGNATED WITHIN CONTRACT AND DRAWINGS DO NOT ALLOW FOR ANY TYPE OF SUSPENDED SYSTEM (E.G. LIGHTS, INSULATION, DUCT WORK, PIPING, ETC.) SUSPENSION OF ANY LOAD INDUCING SYSTEM IS EXPLICITLY PROHIBITED UNLESS A CORRESPONDING REDUCTION IN CERTIFIED LIVE/SNOW LOADS CAN BE PERMITTED BY CODE.

DESIGN AND SPECIFICATION OF BASE STEEL TO CONCRETE SLAB ANCHORING IS NOT THE RESPONSIBILITY OF THE BUILDING MANUFACTURER.

BUILDING MANUFACTURER ASSUMES NO RESPONSIBILITY FOR CONCRETE SLAB FOUNDATION DESIGN, THICKNESS, MATERIALS, SITE SOIL CONDITIONS OR OTHER CONCRETE/MASONRY CONSTRUCTION.

ALL STRUCTURAL CONNECTIONS ARE TO BE MADE PER FASTENING DETAILS PRESENTED HEREIN. ALL STEEL FRAMING AND SHEETING MATERIALS MUST BE INSTALLED TO VERTICAL PLUMB AND HORIZONTALLY LEVEL.

THE BUILDING MANUFACTURER AND THE PROFESSIONAL ENGINEER SEALING THESE DRAWINGS ARE NOT THE PROFESSIONAL ENGINEER OF RECORD FOR THE ENTIRE PROJECT. THE PROFESSIONAL ENGINEER'S SEAL PERTAINS ONLY TO THE STRUCTURAL DESIGN OF THE METAL BUILDING SYSTEM. IT DOES NOT APPLY TO THE FOUNDATION SYSTEM, MASONRY DESIGN OR ANY OTHER ASPECT OF THE PROJECT UNLESS SPECIFICALLY STATED IN THESE DOCUMENTS.

JOBSITE / FIELD CONDITIONS NOTES:

BUILDING MANUFACTURER ASSUMES NO RESPONSIBILITY FOR ANY LOADS TO STRUCTURE NOT INDICATED AT THE TIME OF PURCHASE. ANY ALTERATIONS TO THE STRUCTURAL SYSTEM, REMOVAL OF ANY COMPONENT PARTS OR THE ADDITION OF OTHER CONSTRUCTION MATERIALS OR LOADS MUST BE DONE UNDER THE DIRECTION OF REGISTERED ARCHITECT, CIVIL OR STRUCTURAL ENGINEER.

ALL CONCRETE AND MASONRY CONSTRUCTION MUST BE FLAT, LEVEL AND SQUARE PER THE SLAB PLAN DIMENSIONS HEREIN.

ALL JOBSITE DIMENSIONS AND CONDITIONS SHALL BE FIELD VERIFIED BEFORE ERECTION OF BUILDING STRUCTURE.

ALL OMISSIONS, CONFLICTS AND DISCREPANCIES SHALL BE REPORTED TO THE BUILDING MANUFACTURER BEFORE PROCEEDING WITH PROJECT WORK.

ALL TEMPORARY SUPPORTS SUCH AS GUYS, BRACES, FALSEWORK, CRIBBING, WINDBRACES OR OTHER ELEMENTS REQUIRED FOR THE BUILDING ERECTION ARE TO BE DETERMINED BY AND SUPPLIED BY BUILDER/CONTRACTOR.

BUILDING MANUFACTURER HAS MADE A COMMITMENT TO MANUFACTURE QUALITY BUILDING COMPONENTS THAT CAN BE SAFELY ERECTED. JOB SITE SAFETY INSTRUCTION, SAFETY EQUIPMENT AND CONDITIONS ARE THE RESPONSIBILITY OF THE BUILDER/CONTRACTOR.

ALL COMPONENTS SHIPPED SHALL BE THOROUGHLY INSPECTED AND ACCOUNTED FOR AT THE TIME OF DELIVERY. ALL MATERIAL SHORTAGES OR DEFECTS MUST BE REPORTED WITHIN FIVE (5) WORKING DAYS OF MATERIAL DELIVERY TO THE BUILDING MANUFACTURER.

DIAPHRAGM ACTION OF THE METAL PANELS AT INTERIOR PARTITION WALLS IS UTILIZED FOR THE STABILITY OF THIS BUILDING. ANY MODIFICATION OR UNAUTHORIZED CUTTING OF INTERIOR PARTITION PANELS IS EXPRESSLY PROHIBITED BY THE BUILDING MANUFACTURER.

PARTITION PANELS HAVE BEEN SUPPLIED TO REACH ROOF LINE. THE TOP PARTITION PANEL CAN BE NOTCHED TO MATCH ROOF LINE AND CLEAR PURLIN LEG TO CLOSE IN THE UNIT AS DESIRED.

INSTALLATION NOTES:

FIELD CUTTING OF STRUCTURAL, SHEETING AND TRIMS FOR SPLICE AND FINAL FITTING OF COMPONENTS IS REQUIRED.

ALL ROOF PANEL LAPS SHALL BE SEALED WITH 3/8" (MINIMUM) WIDTH MASTIC TAPE AS PROVIDED FOR PROJECT. ALL SHEET PROFILE FOAM CLOSURES AT EAVE, WALL AND RIDGE CONDITIONS AS PROVIDED FOR PROJECT MUST BE INSTALLED AS SHOWN HEREIN.

WALL PANELS AND WALL TRIMS, AT INTERIOR AND EXTERIOR, ARE TO BE SET WITH 1/4" CLEARANCE ABOVE CONCRETE SURFACES AND AT ANY LOCATIONS WHICH MAY BE SUBJECTED TO CONTACT WITH STANDING WATER.

LAP ALL FLASHINGS 2" MINIMUM AND SEAL AS REQUIRED FOR WATER TIGHTNESS

ALLOW 1/4" TOLERANCE AT EACH END FOR PURLINS, HEADERS AND GIRTS.


DRAWING INDEX

1	LEAD SHEET, GENERAL NOTES, SCHEDULES, KEY PLAN
2	SLAB PLAN, ELEVATIONS
3	FLOOR PLAN, FRAMING PLAN
4	PARTITION PLAN, ROOF PLAN
5	DETAILS
6	DETAILS
7	DETAILS

			9/16/15	DATE
			DSU	BY
			CONSTRUCTION	FOR
			PRINTS	ISSUED

CONFIDENTIAL AND PROPRIETARY INFORMATION
THESE DRAWINGS ARE THE SOLE AND EXCLUSIVE PROPERTY OF ARMSTRONG STEEL CORPORATION. ANY REPRODUCTION, DISTRIBUTION, OR DISSEMINATION OF THESE DRAWINGS TO ANY OTHER PERSON OR ENTITY WITHOUT THE WRITTEN PERMISSION OF THE BUILDING MANUFACTURER IS STRICTLY PROHIBITED. THESE DRAWINGS WILL BE RETURNED UPON DEMAND.

PROJECT: 40 X 270 X 16-0 HS
LOCATION: OGDEN, UT 84404



KEY PLAN
scale - 3/32" = 1'-0"

CLOSURE NOTE:
(90) INSIDE CLOSURES INCLUDED FOR LOW EAVE. INSTALL BTR TAPE ON TOP AND BOTTOM OF INSIDE CLOSURE (SEE DETAILS AND INSTALLATION GUIDE)
(148) INSIDE CLOSURES INCLUDED FOR BASE OF EXTERIOR WALL PANELS.
(28) OUTSIDE CLOSURES INCLUDED FOR RAKE.
(180) OUTSIDE CLOSURES INCLUDED FOR ROOF AND WALL OF HIGH EAVE.

ERECTOR NOTE:
A DETAILED INSTALLATION GUIDE IS AVAILABLE AND SHOULD BE CONSULTED DURING THE ERECTION OF THIS BUILDING PACKAGE. PLEASE CONTACT US IF YOU HAVE NOT RECEIVED A COPY OF THE INSTALLATION GUIDE AND ONE WILL BE PROVIDED TO YOU.

STANDARD ABBREVIATIONS

AFF	APPROX	BLDG	BLK	BM	BOT	BLKG	C/L	CJ	CLO	COL	CONC	CTR	DBL	DET	DIA	DWG	DIM	DR	EA	ET	EJ	EL	EXIST	EXP	EXT	EFS	EOS	FBD	FDN	FF	FOB	FOS	FT	FTG	GA	GALV	GC	GRND	GR	GWB	HORIZ	HT	ID	INSUL	INT	INFO	JT	MAX	MIN	MISC	EXIST	NIC	NTS	NA	NO	OA	FURNISHED BY OTHERS	FOUNDATION	FINISHED FLOOR	FACE OF BLOCK OR BRICK	FACE OF STEEL	FOOT OR FEET	FOOTING	GAUGE	GALVANIZED	GENERAL CONTRACTOR	GROUND	GRADE	GYPSSUM WALL BOARD	HORIZONTAL	HEIGHT	INSIDE DIAMETER	INSULATION	INTERIOR	INFORMATION	JOINT	MAXIMUM	MINIMUM	MISCELLANEOUS	METAL	NOT IN CONTRACT	NOT TO SCALE	NOT APPLICABLE	NUMBER	OVERALL	ON CENTER	OUTSIDE DIAMETER	OPPOSITE HAND	OPPOSITE	PARTITION	RADIUS	REFERENCE	REQUIRED	REINFORCED	ROUGH OPENING	SECTION	SQUARE FOOTAGE	SIMILAR	SQUARE	STANDARD	STEEL	TOP OF BEAM	TOP OF CONCRETE	TOP OF STEEL	TOW	TUBE STEEL	TYPICAL	UNLESS NOTED OTHERWISE	VARIABLE	VERTICAL	VERIFY IN FIELD	WITHOUT	WEIGHT
-----	--------	------	-----	----	-----	------	-----	----	-----	-----	------	-----	-----	-----	-----	-----	-----	----	----	----	----	----	-------	-----	-----	-----	-----	-----	-----	----	-----	-----	----	-----	----	------	----	------	----	-----	-------	----	----	-------	-----	------	----	-----	-----	------	-------	-----	-----	----	----	----	---------------------	------------	----------------	------------------------	---------------	--------------	---------	-------	------------	--------------------	--------	-------	--------------------	------------	--------	-----------------	------------	----------	-------------	-------	---------	---------	---------------	-------	-----------------	--------------	----------------	--------	---------	-----------	------------------	---------------	----------	-----------	--------	-----------	----------	------------	---------------	---------	----------------	---------	--------	----------	-------	-------------	-----------------	--------------	-----	------------	---------	------------------------	----------	----------	-----------------	---------	--------

STRUCTURE ABBREVIATIONS

(BA)	- B4216R 4 X 2 X 16GA. ANGLE (5.9)	- FLOOR BASE ANGLE
(BC)	- U42516Z 4 1/8 X 2 7/8 X 16GA. CHANNEL (9.9)	- FLOOR BASE CHANNEL
(C4)	- C4216R 4 X 2 X 16GA. CEE (8.9)	- 4" COLUMN
(C6)	- C62516R 6 X 2 1/2 X 16GA. CEE (11.9)	- 6" COLUMN
(DH)	- C4216R 4 X 2 X 16GA. CEE (8.9)	- DOOR HEAD
(DJ)	- C43516R 4 X 3 1/2 X 16GA. CEE (11.9)	- DOOR JAMB
(EC)	- U4216R 4 1/8 X 2 3/8 X 16GA. CHANNEL (8.9)	- EAVE CHANNEL
(ES)	- E64316LR 4 X 6 X 3 X 16GA. STRUT (13.9)	- EAVE STRUT
(FC)	- AS MANUFACTURED	- FLOOR CLIP
(G)	- C4216R 4 X 2 X 16GA. CEE (8.9)	- GIRT
(HA)	- B4216R 4 X 2 X 16GA. ANGLE (5.9)	- HALL TOP ANGLE
(HR)	- C4216R 4 X 2 X 16GA. CEE (8.9)	- DOOR HEAD REINFORCEMENT
(JR)	- C62516R 6 X 2 1/2 X 16GA. CEE (11.9)	- JACK RAFTER
(M)	- C12416R 12 X 4 X 16GA. CEE (20.9)	- MULLION
(MC)	- B4216R 4 X 2 X 2" LONG 16GA. ANGLE (5.9)	- MINI CLIP
(P4)	- Z42516R 2 1/2 X 4 X 2 1/2 X 16GA. ZEE (9.9)	- ROOF PURLIN
(P6)	- Z62516R 2 1/2 X 6 X 2 1/2 X 16GA. ZEE (11.9)	- ROOF PURLIN
(P10)	- Z102512R 2 1/2 X 10 X 2 1/2 X 16GA. ZEE (15.9)	- ROOF PURLIN
(PA)	- B4216R 4 X 2 X 16GA. ANGLE (5.9)	- PARTITION ANGLE
(RA)	- B4216R 4 X 2 X 16GA. ANGLE (5.9)	- RAKE ANGLE
(RS)	- E64316LR 4 X 6 X 3 X 16GA. STRUT (13.9)	- RIDGE STRUT

SHEETING ABBREVIATIONS

(ML)	- 29GA. M-LOC WALL PANEL
(RL)	- 29GA. R-LOC WALL PANEL
(PL)	- 29GA. PANEL-LOC WALL PANEL
(RR)	- 26GA. PBR ROOF PANEL
(RW)	- 26GA. PBR WALL PANEL

FASTENER ABBREVIATIONS

(F1)	- 1/2" X 2 3/4" CONC. EXPANSION ANCHOR	- BASE TO SLAB CONNECTIONS
(F2)	- 12 X 1 SELF-DRILLING TEK (PLTD)	- STRUCTURAL STEEL CONNECTIONS
(F3)	- 12 X 1 SELF-DRILLING TEK (PLTD)	- PARTITION SHEETING
(F4)	- 12 X 2 SELF-DRILLING TEK (PLTD)	- PARTITION ANGLE CONNECTIONS
(F5)	- 12 X 1 1/4 WASHER TEK (PTD)	- EXTERIOR WALL SHEETING
(F6)	- 12 X 1 1/4 WASHER ZAC (PTD)(PLTD)	- ROOF SHEETING
(F7)	- 12 X 1 1/4 WASHER TEK (PTD)	- EXTERIOR TRIM DRILLER
(F8)	- 12 X 7/8 WASHER TEK (PTD)	- EXTERIOR WALL PANEL LAP
(F9)	- 12 X 7/8 WASHER ZAC (PTD)(PLTD)	- ROOF PANEL LAP
(F10)	- 12 X 7/8 WASHER TEK (PTD)	- EXTERIOR TRIM LAP
(F11)	- 1/8 POP RIVET	- EXTERIOR TRIM
(F12)	- 12 X 1 1/4 WASHER TEK (PTD)	- EXTERIOR WALL SHEETING
(F13)	- 12 X 1 1/4 WASHER TEK (PTD)	- INTERIOR TRIM DRILLER
(F14)	- 12 X 7/8 WASHER TEK (PTD)	- INTERIOR WALL PANEL LAP
(F15)	- 12 X 7/8 WASHER TEK (PTD)(PLTD)	- INTERIOR TRIM LAP

TRIM ABBREVIATIONS


(BTR)	- 7/8" ROLL MASTIC	(ICB)	- INSIDE CORNER BOX
(CLIN)	- R PANEL INSIDE FOAM CLOSURE	(JA)	- DOOR JAMB TRIM
(CLOUT)	- R PANEL OUTSIDE FOAM CLOSURE	(JC)	- DOOR JAMB COVER TRIM
(GEOCELL)	- GUTTER SEAL	(MC)	- DOOR MULLION COVER TRIM
(IN)	- R PANEL INSIDE CORNER TRIM	(OCB)	- OUTSIDE CORNER BOX
(OU)	- R PANEL OUTSIDE CORNER TRIM	(PB)	- PEAK BOX
(CW)	- DOOR CORNER MULLION TRIM	(REND)	- RAKE TRIM END CAP
(DK)	- DOWNSPOUT WITH KICK OUT	(RT)	- RAKE TRIM
(DSS)	- DOWNSPOUT STRAP	(SA)	- HALL TOP TRIM
(EF)	- EAVE FLASHING	(TI)	- ROOF TIE IN TRIM
(FRC)	- FORMED RIDGE CAP	(TR)	- ROOF STEP TRANSITION FLASHING
(GE)	- GUTTER END CAP	(4SP)	- 40Z TOUCH UP SPRAY PAINT
(GS)	- GUTTER HANGER STRAP		
(GU)	- GUTTER		
(HC)	- DOOR HEAD COVER TRIM		
(HE)	- DOOR HEAD TRIM		
(HI)	- HIGH EAVE TRIM		



DWG #15-1407JVE


Sheet

1 of 7




SLAB PLAN

scale - 3/32" = 1'-0"




1 FRONT ELEVATION

scale - 3/32" = 1'-0"



2 REAR ELEVATION


scale - 3/32" = 1'-0"



3 LEFT ELEVATION



scale - 3/32" = 1'-0"

DOOR SCHEDULE	
A	(15) EACH 14'-0" X 14'-0" ROLLUP DOOR



4 RIGHT ELEVATION

scale - 3/32" = 1'-0"



CONSTRUCTION	DSJ	9/16/15
PRINTS ISSUED FOR	BY	DATE

CONFIDENTIAL AND PROPRIETARY INFORMATION
 THESE DRAWINGS ARE THE SOLE AND EXCLUSIVE PROPERTY OF THE BUILDING MANUFACTURER, SENSITIVE, PRIVILEGED, AND CONFIDENTIAL INFORMATION CONTAINED HEREIN. THESE DRAWINGS MAY ONLY BE USED FOR THE PROJECT AND FOR THE PERSONS AUTHORIZED BY THE BUILDING MANUFACTURER. UNAUTHORIZED PERSONS IS STRICTLY PROHIBITED. THESE DRAWINGS MAY NOT BE USED TO CONSTRUCT LIKE PROJECTS WITHOUT WRITTEN PERMISSION FROM THE BUILDING MANUFACTURER. THIS DOCUMENT AND ALL COPIES MUST BE RETURNED UPON DEMAND.


PROJECT: 40 X 270 X 16-0 HS
LOCATION: OGDEN, UT 84404

ARMSTRONG STEEL CORPORATION
 5619 DTC Parkway
 Greenwood Village, CO 80111
 Phone: 800-345-4610
 Fax: 720-230-7266


DWC #15-1407JVE

Sheet


2 of 7



FLOOR PLAN
scale - 3/32" = 1'-0"



FRAMING PLAN
scale - 3/32" = 1'-0"



CONFIDENTIAL AND PROPRIETARY INFORMATION
THESE DRAWINGS ARE THE SOLE AND EXCLUSIVE PROPERTY OF THE BUILDING MANUFACTURER, SENSITIVE, PRIVILEGED, AND CONFIDENTIAL INFORMATION CONTAINED HEREIN IS NOT TO BE DISCLOSED OR REPRODUCED WITHOUT THE WRITTEN PERMISSION FROM THE BUILDING MANUFACTURER. UNAUTHORIZED PERSONS ARE STRICTLY PROHIBITED FROM USING THESE DRAWINGS FOR ANY PROJECTS WITHOUT WRITTEN PERMISSION FROM THE BUILDING MANUFACTURER. COPIES MUST BE RETURNED UPON DEMAND.

PROJECT:
40 X 270 X 16-0 HS
LOCATION:
OGDEN, UT 84404


ARMSTRONG STEEL CORPORATION
5619 DTC Parkway
Greenwood Village, CO 80111
Phone: 800-345-4610
Fax: 720-230-7266

DWG #15-1407JVE


Sheet

3 of 7


PRINTS ISSUED FOR	CONSTRUCTION	DSJ	BY	DATE
				9/16/15



PARTITION PLAN
scale - 3/32" = 1'-0"



ROOF PLAN
scale - 3/32" = 1'-0"



CONSTRUCTION	DSJ	9/16/15
PRINTS ISSUED FOR	BY	DATE

CONFIDENTIAL AND PROPRIETARY INFORMATION
 THESE DRAWINGS ARE THE SOLE AND EXCLUSIVE PROPERTY OF THE BUILDING MANUFACTURER, SENSITIVE, PRIVILEGED, AND CONFIDENTIAL INFORMATION CONTAINED HEREIN IS NOT TO BE DISCLOSED OR REPRODUCED IN ANY MANNER WITHOUT THE WRITTEN PERMISSION FROM THE BUILDING MANUFACTURER. ALL COPIES MUST BE RETURNED UPON DEMAND.

PROJECT: 40 X 270 X 16-0 HS
 LOCATION: OGDEN, UT 84404


ARMSTRONG STEEL CORPORATION
 5619 DTC Parkway
 Greenwood Village, CO 80111
 Phone: 800-345-4610
 Fax: 720-230-7266




DWG #15-1407JVE

Sheet


4 of 7




1 WALL EDGE SLAB NOTCH
1 1/2" X 1 1/2" NOTCH




2 DOOR EDGE SLAB NOTCH
9 1/2" X 1 1/2" NOTCH




3 WALL EDGE BASE CHANNEL




4 DOOR EDGE BASE




5 COLUMN FLOOR BASE CHANNEL



6 DOOR JAMB - 24" CORNER



7 48" R-PANEL DOOR MULLION



CONSTRUCTION	FOR	BY	DATE
DSJ			9/16/15

CONFIDENTIAL AND PROPRIETARY INFORMATION
 THESE DRAWINGS ARE THE SOLE AND EXCLUSIVE PROPERTY OF THE BUILDING MANUFACTURER, SENSITIVE, PRIVILEGED, AND CONFIDENTIAL INFORMATION CONTAINED HEREIN IS THE PROPERTY OF THE BUILDING MANUFACTURER. UNAUTHORIZED DISCLOSURE OF THESE DRAWINGS TO ANY OTHER PERSONS IS STRICTLY PROHIBITED. THESE DRAWINGS MAY NOT BE USED TO CONSTRUCT LIKE PROJECTS WITHOUT WRITTEN PERMISSION FROM THE BUILDING MANUFACTURER. ALL RIGHTS RESERVED. COPIES MUST BE RETURNED UPON DEMAND.

PROJECT:
40 X 270 X 16-0 HS
 LOCATION:
OGDEN, UT 84404


ARMSTRONG STEEL CORPORATION
 5619 DTC Parkway
 Greenwood Village, CO 80111
 Phone: 800-345-4610
 Fax: 720-230-7266




DWG #15-1407JVE

Sheet


5 of 7




8 WALL




9 OUTSIDE CORNER




10 WALL WITH PARTITION




11 6" COLUMN




12 DOOR HEAD




14 TYPICAL GIRT



15 LOW EAVE STRUT



16 HIGH EAVE



CONSTRUCTION	DSJ	9/16/15
PRINTS ISSUED FOR	BY	DATE

CONFIDENTIAL AND PROPRIETARY INFORMATION
 THESE DRAWINGS ARE THE SOLE AND EXCLUSIVE PROPERTY OF THE BUILDING MANUFACTURER. SENSITIVE, PRIVILEGED, AND CONFIDENTIAL INFORMATION CONTAINED IN THESE DRAWINGS MAY ONLY BE USED FOR ITS INTENDED PURPOSE. THE DISCLOSURE OF THESE DRAWINGS TO ANY OTHER PARTY WITHOUT THE WRITTEN PERMISSION OF THE BUILDING MANUFACTURER IS STRICTLY PROHIBITED. THESE DRAWINGS MAY NOT BE USED TO CONSTRUCT LIKE PROJECTS WITHOUT WRITTEN PERMISSION FROM THE BUILDING MANUFACTURER. THIS DOCUMENT AND ALL COPIES MUST BE RETURNED UPON DEMAND.


PROJECT: 40 X 270 X 16-0 HS
 LOCATION: OGDEN, UT 84404

ARMSTRONG STEEL CORPORATION
 5619 DTC Parkway
 Greenwood Village, CO 80111
 Phone: 800-345-4610
 Fax: 720-230-7266


DWG #15-1407JVE

Sheet


6 of 7




17 RAKE W/ KNEE BRACE







18 RAKE - 10" PURLIN




19 KNEE BRACE AT 10" PURLIN LAP



20 10" PURLIN LAP SECTION



ERECTOR NOTE:
PARTITION PANELS HAVE BEEN SUPPLIED TO REACH ROOF LINE. NOTCH TOP PARTITION PANEL TO MATCH ROOF LINE AND CLEAR PURLIN LEG AS NEEDED TO CLOSE IN THE UNIT.



CONFIDENTIAL AND PROPRIETARY INFORMATION
THESE DRAWINGS ARE THE SOLE AND EXCLUSIVE PROPERTY OF THE BUILDING MANUFACTURER. SENSITIVE, PRIVILEGED, AND CONFIDENTIAL INFORMATION CONTAINED IN THESE DRAWINGS MAY ONLY BE USED FOR ITS INTENDED PURPOSE AND NOT BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM. UNAUTHORIZED PERSONS ARE STRICTLY PROHIBITED FROM USING THESE DRAWINGS FOR ANY OTHER PROJECTS. THESE DRAWINGS MAY NOT BE USED TO CONSTRUCT LIKE PROJECTS WITHOUT WRITTEN PERMISSION FROM THE BUILDING MANUFACTURER. THIS DOCUMENT AND ALL COPIES MUST BE RETURNED UPON DEMAND.

DATE	9/16/15
BY	DSJ
CONSTRUCTION FOR	
PRINTS ISSUED FOR	

PROJECT:
40 X 270 X 16-0 HS

LOCATION:
OGDEN, UT 84404

ARMSTRONG STEEL CORPORATION
5619 DTC Parkway
Greenwood Village, CO 80111
Phone: 800-345-4610
Fax: 720-230-7266



DWG #15-1407JVE

Sheet

7 of 7