

30 Foot Dome

Floor Area 700 ft²


Ceiling Height 15 ft

Bay Window 11 ft tall x 22 ft wide

Dome Weight ~ 700 lbs

8 Round Windows 2 ft diameter

Assembly Time
6 to 14 hours with a crew of 3 or 4



30ft. Eco Living Dome Overhead Creator Roofs **Bay Windows** Windows Rollups Stove Cap/Solar Fan Zip Doors **Prehung Doors** Double Prehung Doors Position 1 Roof 1 Position 1 ☐ Windows Position 1 Position 1 Position 1 Position 1 Position 6 Position 2 Position 2 Position 2 Position 7 □ Roof 2 Position 2 Position 2 Position 2 Position 3 Position 3 Position 3 X Position 3 Position 3 Position 8 Position 4 Position 4 Position 9 Position 4 Position 4 Position 4 Position 5 Position 5 Position 10 Position 5 Position 5 Position 5 Please fill in fields below before Saving or Emailing Name:* Tim Charlwood Email:* timcharlwood@gmail.com Phone:* 4359012337 Print Save Reset * Indicates required field To Email, Click File > Attach to Email **Basic Dome Package** Frame: Standard galvanized steel frame with hardware Cover: Shelter cover with bay window (See Covers Page for choices) Ventilation: 2 Ventilation roll-ups with zipper Windows: 12 round, removable windows (2ft. or .6 meter diameter) Door: Weather-tight door or pre-hung door opening Anchor Plates to anchor frame to floor. Dome Care Manual including Deck Plans and assembly instructions Deck Plans ready to download sales@pacificdomes.com

© 2012 Pacific Domes