

# Weber County Stormwater Construction Activity Permit

**Application submittals will be accepted by appointment only. (801) 399-8374. 2380 Washington Blvd. Suite 240, Ogden, UT 84401**

Date Submitted <b>9-9-16</b>	Fees (Office Use) <b>/</b>	Receipt Number (Office Use) <b>/</b>	Priority Site (Office Use) ○ Yes <input checked="" type="radio"/> No	Permit Number (Office Use) <b>2016-99</b>				
<b>Property Owner/Authorized Representative Contact Information</b>		<b>Project Information</b>						
Name of Property Owner(s)/Authorized Representative(s) <b>Joshua Mortensen</b>		Project Name <b>Mortensen Lot 31</b>						
Phone <b>801 710 4975</b>	Fax <b>801 745 0118</b>	Project Address <b>4480N 4000E. Eden, Ut 84310</b>						
Email Address <b>josh@diamondpeak.biz</b>		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">Estimated Project Length (mo) <b>10</b></td> <td style="width: 50%;">Previous Permit No. (if applicable)</td> </tr> <tr> <td>Estimated Start Date <b>10/2016</b></td> <td>Actual Start Date</td> </tr> </table>			Estimated Project Length (mo) <b>10</b>	Previous Permit No. (if applicable)	Estimated Start Date <b>10/2016</b>	Actual Start Date
Estimated Project Length (mo) <b>10</b>	Previous Permit No. (if applicable)							
Estimated Start Date <b>10/2016</b>	Actual Start Date							
Mailing Address of Property Owner(s)/Authorized Representative(s) <b>P.O. box 882 Eden, Ut 84310</b>								

## Submittal Checklist

The application shall include a Storm Water Pollution Prevention Plan which meets the criteria set forth in Section 33-3-4 of the county ordinances.

The applicant shall file the application on or before the following dates:

**Subdivision:** The date that the applicant submits the preliminary subdivision development plat application.

**Site Plan:** The date that the applicant submits a site plan application or amended site plan.

**Building Permit:** The date that the applicant submits a building permit application if the applicant proposes to construct a building on an existing lot or parcel.

**Land Use Permit:** The date that the applicant submits a land use permit application.

**Other:** At least two (2) weeks before the developer intends to perform any type of work not listed above that would require a Storm Water Construction Activity Permit pursuant to this Chapter.

Failure to acquire a required Storm Water Construction Activity Permit is grounds for tabling a related subdivision application, site plan application, conditional use permit application, or building permit application. It is unlawful to commence work (move dirt) on a development site before obtaining a required Storm Water Construction Activity Permit.

Note: A pre-construction meeting is required before performing any on-site earth work, unless waived by the county engineer.

## Applicant Narrative

Please explain your request.

**Home Construction**

## Authorization

By signing below the Owner / Representative authorizes the county to enter the property to perform inspections.

Owner or Authorized Representative Signature <b>Joshua B. Mortensen</b>	Date <b>9/9/16</b>
Signature of Approval <b>Modello</b>	Date <b>9-9-16</b>

SWPPP Contact: Josh Mortensen  
801-710-4975

Excavated soils will be used to backfill against the foundation



Mud or dirt that gets tracked out onto the road shall be scraped or swept by the owner in a timely fashion

# JOSHUA MORTENSEN

LOT # 31 SHEEP CREEK CLUSTER SUB.  
4480 N. 4000 E EDEN, UTAH

Proposed area to be disturbed: 7328 SF

NOTE: ROAD ELEVATIONS AND CONTOURS ARE APPROXIMATE, ESTIMATED FROM GOOGLE EARTH



DRAIN TO STREET NOT TO ADJACENT PROPERTY

ALL STORM WATER AND DIRT WILL BE KEPT ON SITE DURING CONSTRUCTION UNTIL FINAL LANDSCAPING IS DONE. GENERAL CONTRACTOR WILL BE HELD RESPONSIBLE FOR KEEPING DIRT/MUD ON SITE DURING BAD WEATHER AND FOR CLEANING UP AFTER SUBCONTRACTORS.

THE GRADE AWAY FROM FOUNDATION WALLS SHALL FALL A MINIMUM OF 6 INCHES WITHIN THE FIRST 10 FEET 5% R401.3

STREET CURB AND GUTTER WILL BE INSPECTED AND CLEANED OF ALL MUD AND DIRT AT THE END OF EVERY DAY.

GRAVEL BAGS TO BE PLACED AND MAINTAINED AROUND ANY STORM DRAIN INLET ADJACENT TO OR IMMEDIATELY DOWNSTREAM FROM SITE DURING CONSTRUCTION

BERMS OR SWALES MAY BE REQUIRED ALONG PROPERTY LINES TO PREVENT STORM WATER FLOW ONTO ADJACENT LOTS. FINAL GRADING SHALL BLEND WITH ADJACENT LOTS.

A LINED CONCRETE WASHOUT AREA MUST BE PROVIDED AT THE SITE FOR ALL CONCRETE WORK. WASHOUT INTO THE FOUNDATION OR ON THE GROUND IS PROHIBITED

Concrete washout shall be a depression in the dirt lined with plastic. Cured concrete shall be buried or hauled off at the end of the job