Verizon SAL - POWDER MOUNTAIN

SITE INFORMATION

APPLICANT: VERIZON WIRELESS 9656 SOUTH PROSPERITY ROAD WEST JORDAN, UTAH 84088

SITE ADDRESS: SUMMIT PASS ROAD EDEN, UTAH 84310

LATITUDE AND LONGITUDE: N 41'22'10.74", W 111'45'54.13"

ZONING JURISDICTION:

WEBER COUNTY

PROJECT DESCRIPTION:

VZW IS PROPOSING TO CONSTRUCT AN UNMANNED COMMUNICATIONS FACILITY CONSISTING OF ANTENNAS MOUNTED TO A NEW MONOPOLE WITH EQUIPMENT LOCATED INSIDE A 15' X 36' EQUIPMENT BUILDING

TYPE OF CONSTRUCTION:

STICK BUILT SHELTERS, MONOPOLE, AND ANTENNAS

HANDICAP REQUIREMENTS: FACILITY IS UNMANNED AND NOT F

Facility is unmanned and not for human Habitation, Handicap access requirements $\underline{\text{DO NOT}}$ apply

POWER COMPANY:

ROCKY MOUNTAIN POWER, 1-888-221-7070

Pour la Residence de la company de la compan

DO NOT SCALE DRAWINGS

CONTRACTOR SHALL VERIFY ALL PLANS, AND EXISTING DIMENSIONS, AND CONDITIONS ON THE JOB SITE, AND SHALL IMMEDIATELY NOTIFY THE ENGINEER IN WRITING OF ANY DISCREPANCIES BEFORE PROCEEDING WITH THE WORK OR BE RESPONSIBLE FOR SAME

CONTACT INFORMATION

SITE ACQUISITION: TECHNOLOGY ASSOCIATES EC, INC 5710 SOUTH GREEN STREET SALT LAKE CITY, UTAH 84123 CONTACT: JARED WHITE PHONE: 801-232-0953

DRIVING DIRECTIONS

FROM THE VZW WEST JORDAN OFFICES, TAKE I-15 NORTH FOR 50± MILES TO EXIT \$344 FOR 12TH STREET IN OGDEN. TURN RIGHT AND GO EAST FOR 9.8 MILES (12TH STREET TURNS INTO OGDEN CANYON).UNTIL YOU REACH S.R. 158 AT THE WEST SIDE OF PINEVIEW RESERVOIR. TURN LEFT ONTO S.R. 158 AND CONTINUE NORTH FOR 11.6 MILES TO POWDER RIDGE ROAD AT THE TOP OF POWDER MOUNTAIN. TURN RIGHT AND FOLLOW POWDER RIDGE ROAD FOR 1.26 MILES TO A DIRT ROAD TURNOFF ON THE LEFT (NORTH) SIDE OF THE ROAD. TURN LEFT AND FOLLOW THE DIRT ROAD UP TO THE TOP OF THE MOUNTAIN, THE VZW SITE WILL BE LOCATED JUST WEST OF THE EXISTING WIRELESS FACILITY.

APPROVALS

VERIZON WIRELESS REPRESENTATIVE: VERIZON WIRELESS RF ENGINEER: TAEC SITE ACQUISITION: TAEC CONSTRUCTION MANAGER:

DRAWING INDEX

SHEET NO.	SHEET TITLE	R E V	REV DATE
T100	TITLE SHEET, VICINITY MAP, GENERAL SITE INFORMATION	1	08.07.2017
SURV	SITE SURVEY	1	08.30.2017
C100	OVERALL SITE PLAN	1	08.07.2017
C101	ENLARGED SITE PLAN	1	08.07.2017
C102	ENLARGED SITE PLAN	1	08.07.2017
C200	SITE ELEVATIONS	1	08.07.2017



UNDERGROUND SERVICE ALERT, CALL 'BLUE STAKES OF UTAH' @ 811 OR 1-800-662-4111

THREE WORKING DAYS BEFORE YOU DIG





9656 SOUTH PROSPERITY ROAD WEST JORDAN, UTAH 84088



UTAH MARKET OFFICE 5710 SOUTH GREEN STREET SALT LAKE CITY, UTAH 84123

CORPORATE OFFICE
3115 SOUTH MELROSE DRIVE, SUITE #110
CARLSBAD, CALIFORNIA 92010

DRAWN BY: JAY C
CHECKED BY: JARED W


1 08.07.2017 REVISED EQUIPMENT
0 12.23.2016 ZONING DRAWINGS
REV DATE DESCRIPTION

SAL - POWDER MOUNTAIN SE SEC 6, T7N, R2E SUMMIT PASS ROAD EDEN, UTAH 84310 -- RAWLAND SITE --

SHEET TITLE
TITLE SHEET
VICINITY MAP
GENERAL INFORMATION

SHEET NUMBER

T100



CERTIFICATE OF SURVEY:

I, JERRY FLETCHER, PROFESSIONAL LAND SURVEYOR, STATE OF UTAH, LICENSE NUMBER 6436064, CERTIFY THAT I HAVE SUPERVISED A SURVEY ON THE GROUND AS SHOWN HEREON:

VERIZON WIRELESS LEASE SITE DESCRIPTION:

LOCATED IN THE SOUTHEAST QUARTER OF SECTION 6, TOWNSHIP 7 NORTH, RANGE 2 EAST, SALT LAKE BASE AND MERIDIAN, WEBER COUNTY, STATE OF UTAH, AND BEING MORE PARTICULARLY

BEGINNING AT A POINT LOCATED NORTH 01'09'04" EAST 1716.60 FEET ALONG SECTION LINE AND WEST 1624.59 FEET FROM THE SOUTHEAST CORNER OF SECTION 6, TOWNSHIP 7 NORTH, RANGE 2 EAST, SALT LAKE BASE AND MERIDIAN AND RUNNING THENCE NORTH 44"00"00" WEST 66.00 FEET; THENCE NORTH 46'00'00" EAST 52.00 FEET; THENCE SOUTH 44'00'00" EAST 66.00 FEET; THENCE SOUTH 46'00'00" WEST 52.00 FEET TO THE POINT OF BEGINNING.

CONTAINS: 3432 SQ. FT. OR 0.079 ACRES, MORE OR LESS, (AS DESCRIBED).

VERIZON WIRELESS ACCESS AND UTILITY EASEMENT DESCRIPTION:

A 12 FOOT WIDE ACCESS AND UTILITY EASEMENT FOR THE PURPOSE OF INGRESS AND EGRESS, AND INSTALLING UNDERGROUND UTILITIES, BEING 6 FEET ON EACH SIDE OF THE FOLLOWING DESCRIBED

BEGINNING AT A POINT ON THE SOUTHWESTERLY LINE OF THE VERIZON WIRELESS LEASE AREA, SAID POINT BEING NORTH 01'09'04" EAST 1740.34 FEET ALONG SECTION LINE AND WEST 1647.99 FEET FROM THE SOUTHEAST CORNER OF SECTION 6. TOWNSHIP 7 NORTH, RANGE 2 EAST, SALT LAKE BASE AND MERIDIAN AND RUNNING THENCE SOUTH 46'00'00" WEST 29.50 FEET; THENCE SOUTH 44'00'00" EAST 33.75 FEET: THENCE SOUTH 74'00'00" EAST 423.30 FEET: THENCE SOUTH 22"03'17" WEST 184.87 FEET; THENCE SOUTH 70"41"36" WEST 513.04 FEET; THENCE SOUTH 86"47"36" WEST 323.70 FEET, MORE OR LESS, TO NORTH RIGHT-OF-WAY LINE OF SUMMIT PASS ROAD AND TERMINATING.

CONTAINS: 0.416 ACRES, MORE OR LESS, (AS DESCRIBED).

VERIZON WIRELESS UTILITY EASEMENT DESCRIPTION:

A 10 FOOT WIDE UTILITY EASEMENT FOR THE PURPOSE OF INSTALLING UNDERGROUND UTILITIES, BEING 5 FEET ON EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE:

BEGINNING AT A POINT ON THE NORTHEASTERLY LINE OF THE VERIZON WIRELESS LEASE AREA, SAID POINT BEING NORTH 01'09'04" EAST 1763.26 FEET ALONG SECTION LINE AND WEST 1598.29 FEET FROM THE SOUTHEAST CORNER OF SECTION 6. TOWNSHIP 7 NORTH, RANGE 2 EAST, SALT LAKE BASE AND MERIDIAN AND RUNNING THENCE NORTH 56'56'27" EAST 50.78 FEET; THENCE SOUTH 89'00'00" FAST 50.02 FFFT AND TERMINATING.

CONTAINS: 0.023 ACRES, MORE OR LESS, (AS DESCRIBED).

(1) THE PURPOSE OF THIS SURVEY IS TO LOCATE AND SURVEY A PROPOSED COMMUNICATIONS

(2) THE BASIS OF BEARING USED FOR THIS SURVEY IS AS SHOWN ON THIS PLAT, FROM FOUND MONUMENTS AS LOCATED IN THE FIELD.

(M) = MEASURED BEARING OR DISTANCE.

(R)= RECORDED BEARING OR DISTANCE.

(CALC)= CALCULATED BEARING OR DISTANCE.

(3) PARCEL LINES ARE SHOWN AS REFERENCE PER RECORD INFORMATION AND DOES NOT CONSTITUTE

(4) REFERENCE PLATS:

(A) DECLARATION OF COUNTY LINE COMMON TO WEBER COUNTY AND CACHE COUNTY, UTAH. RECORDED AS ENTRY NO. 2657406 ON SEPTEMBER 27. 2013.

(B) DEDICATION PLAT FOR SUMMIT PASS AND SPRING PARK, RECORDED AS ENTRY NO. 2672934

(SEE SURV2 FOR SCHEDULE B NOTES)

INFORMATION FOR THE CENTER OF THE VZW LEASE AREA

E PLANE COORDINATES - NAD 83

THE 3=3658514.04. [ASTE 3=15676]1.1





9656 SOUTH PROSPERITY ROAD WEST JORDAN, UTAH 84088



UTAH MARKET OFFICE 5710 SOUTH GREEN STREET SALT LAKE CITY, UTAH 84123

CORPORATE OFFICE

3115 SOUTH MELROSE DRIVE, SUITE #110 CARLSBAD, CALIFORNIA 92010



DRAWN BY: JERRY F CHECKED BY: JERRY F 08.29.2017 REVISED LEASE AREA 0 09.09.2016 SITE SURVEY



SAL - POWDER MOUNTAIN SE SEC 6, T7N, R2E SUMMIT PASS EDEN, UTAH 84310 -- RAWLAND SITE --

SHEET TITLE

SITE SURVEY

SHEET NUMBER

SCALE: 1" = 120'-0"

ASAC INFORMATION SHEET 91:003

INFORMATION REGARDING SURVEY DATA SUBMITTED TO THE FAA

FAA Order 8260.19c requires proponents of certain proposed construction (located beneath instrument procedures) provide the FAA with a site survey and/or letter, from a licensed land surveyor, which certifies the site coordinates and the surface elevation at the site. On October 15, 1992, the FAA started using the North American Datum of 1983 (NAD-83), and therefore all site coordinates should be based on NAD-83. The FAA requires that the survey letter contain an accuracy statement that meets accuracy tolerances required by the FAA. The most requested tolerances are +/- 50 feet in the horizontal and +/- 20 feet in the vertical (2-C). When the site coordinates and/or site elevation can be certified to a greater accuracy than requested by the FAA, please do so.

the survey. In order to avoid FAA processing delays, the original site survey or certifying letter should be attached to the 7460 when it is filed at the FAA's regional office. It must be signed and sealed by the licensed land surveyor having performed or supervised

The FAA accuracy codes and a sample accuracy statement are listed below.

ACCURACY CODES:

9	«	7	6	S	4	ω	2		Code	HORIZONTA
Unknown	+/- 1 NM	+/- 1/2 NM	+/- 1000 ft	+/- 500 ft	+/- 250 ft	+/- 100 ft	+/- 50 ft	+/- 15 ft	Tolerance	<u>ITAL</u>
Ι	Н	G	'ਸ	ਸ਼	D	C	В	Α	Code	VER I
Unknown	+/- 1000 ft	+/- 500 ft	+/- 250 ft	+/- 125 ft	+/- 50 ft	+/- 20 ft	+/ - 10 ft	+/- 3 ft	<u>Tolerance</u>	TICAL

Date: AUGUST 29, 2017


SAL - POWDER MOUNTAIN SE 1/4 OF SECTION 6, TOWNSHIP 7 NORTH, RANGE 2 EAST, SALT LAKE MERIDIAN


and the site elevation of 8899 feet, AMSL (American Mean Sea Level), is accurate to within +/- 3 feet vertically. The horizontal datum (coordinates) are in terms of the North American Datum of 1983 (NAD-83) and are expressed as degrees, minutes and seconds, to the nearest (tenth/hundredth) of a second. The vertical datum (heights) are in terms of the (NAVD88) and are determined to the nearest foot. I certify that the latitude of N 41°22'10.74", and the longitude of W 111°45'54.13", are accurate to within 15 feet horizontally




Professional Licensed Land Surveyor:

Jerry Fletcher, Utah LS no. 6436064









9656 SOUTH PROSPERITY ROAD WEST JORDAN, UTAH 84088



UTAH MARKET OFFICE 5710 SOUTH GREEN STREET SALT LAKE CITY, UTAH 84123

CORPORATE OFFICE
3115 SOUTH MELROSE DRIVE, SUITE #110
CARLSBAD, CALIFORNIA 92010

DRAV	VN BY:	JAY (
CHE	CKED BY:	JARED 1		
-	-			
	00 07 0047	DD 4550 FOURNIENT		
1	08.07.2017	REVISED EQUIPMENT		
0	12.23.2016	ZONING DRAWINGS		
REV	DATE	DESCRIPTION		


SAL - POWDER MOUNTAIN SE SEC 6, T7N, R2E SUMMIT PASS ROAD EDEN, UTAH 84310 -- RAWLAND SITE --

SHEET TITLE

ENLARGED SITE PLAN

SHEET NUMBER

C102





9656 SOUTH PROSPERITY ROAD WEST JORDAN, UTAH 84088



UTAH MARKET OFFICE 5710 SOUTH GREEN STREET SALT LAKE CITY, UTAH 84123

CORPORATE OFFICE
3115 SOUTH MELROSE DRIVE, SUITE #110
CARLSBAD, CALIFORNIA 92010

DRAWN BY: JAY C
CHECKED BY: JARED W

1 08.07.2017 REVISED EQUIPMENT
0 12.23.2016 ZONING DRAWINGS
REV DATE DESCRIPTION

SAL - POWDER MOUNTAIN SE SEC 6, T7N, R2E SUMMIT PASS ROAD EDEN, UTAH 84310 -- RAWLAND SITE --

SHEET TITLE

SITE ELEVATIONS

C200