
(This SWPPP Template is for the **Common Plan** Permit Only, and
does **NOT** address SWPPP requirements found in the CGP.)

Common Plan SWPPP for Gallop Bend Lot 5

2436 S. 3600 W.

Taylor, UT 84401

Cody & Aubree Wilder

1632 N 3450 W

Plain City, UT 84404

C. Wilder Construction Inc.

1632 N 3450 W

Plain City, UT 84404

Date

10/30/2017



1. Project Information

Project Name: Gallop Bend Lot 5
Address: 2436 S. 3600 W
City: Taylor **State:** UT **Zip:** 84401
Latitude: 41.255573
Longitude: -112.067474
UPDES Permit Tracking Number: UTRH83419

Owner: Cody & Aubree Wilder
Contact Person: Cody Wilder
Address: 1632 N 3450 W
City: Plain City **State:** UT **Zip:** 84404
Telephone Number: 801-458-8622
Email Address: aubreewilder78@gmail.com

General Contractor: C. Wilder Construction Inc.
Contact Person: Cody Wilder
Address: 1632 N 3450 W
City: Plain City **State:** UT **Zip:** 84404
Telephone Number: 801-458-6800r
Email Address: rvpwilder@gmail.com

1.5

Unknown Features (although this may be a law under another program, it's not a permit requirement). **Discovery of Historical, Archaeological or Paleontological Objects, Features, Sites, or Human Remains**

- A. Immediately suspend construction operations in the vicinity(100 foot minimum buffer) of the discovery.
- B. Verbally notify the Public Works Department and provide them the exact location.
- C. Protect the discovery and provide written confirmation of the discovery to the City and State Historic Departments within two calendar days.
- D. Contractor and City follow State mitigation laws.

2. Best Management Practices

{Not all standard control categories listed below are necessary nor are they all inclusive. It is encouraged to only include BMPs for pollution sources that are uncontrolled and apply to the site. Some BMPs may be used to control multiple categories however some categories may require multiple BMPs to control and contain the pollutant sources indicated in the category. Treat each unique BMP option independently because most BMPs have different performance and maintenance requirements. Include a copy of necessary details, instructions or contracts for the BMPs in appendix L} –[Delete blue instruction text, typical all pages -]

2.1 SWPPP Sign(see permit part 1.10, 4.2.11)

Description of construction board is filed in Appendix L

{The construction board shall include but not limited to; NOI, Local permits and SWPPP contacts and shall be in view of the public.}

{See permit part 1.10, 4.2.11 for specific requirements}

2.2 Sensitive Features Control (see permit part 2.2)

2.2.x Wetlands

Does not apply to Gallop Bend Lot 5

BMP description, rational for use and specifications, and details are filed in Appendix L.

2.2.x Water Bodies within or 30' from Disturbance Boundary(see permit part 2.3.5)

No water ways within 30' of disturbed ground

BMP description, rational for use and specifications, and details are filed in Appendix L.

2.3 Sediment Control (see permit part 2.1.2, 2.1.3 & 2.3)

2.3.x Trap/Filter Sediment at Property Boundary(see permit part 2.1.2)

BMP Description: Berms, Natural vegetation

BMP description, rational for use and specifications, and details are filed in Appendix L.

Natural vegetation areas on or around property boundary. Berms built up on property line to keep sediment on property

2.4.x Inlet Protection(see permit part 2.1.3 & 2.3)

BMP Description: Track Pad, Sweep streets

BMP description, rational for use and specifications, and details are filed in Appendix L.

Build track pad to eliminate soil from getting on road

Sweep street as necessary if sediment and other debris track out on roadway.

2.4.x Steep Slopes (see permit part 2.3.2)

Area is flat ground and no steep slopes are on site

BMP description, rational for use and specifications, and details are filed in Appendix L.

2.4.x Street Maintenance(see permit part 3.2.2)

BMP Description: Track Pad

BMP description, rational for use and specifications, and details are filed in Appendix L.

Track out pad will be provided to help with sediment, rock, construction material being tracked out onto roadways

2.4 Top Soil Preservation(see permit part 2.5)

All soil on lot will be re used.

BMP description, rational for use and specifications, and details are filed in Appendix L

2.5 Dust Control(see permit part)

2.5.x

BMP Description: Water

BMP description, rational for use and specifications, and details are filed in Appendix L.

Appropriate water will be used to control dust on site.

2.6 Egress Control(see permit part 2.4)

2.6.x Track Out(see permit part 2.4.1)

BMP Description: Track Out Pad

BMP description, rational for use and specifications, and details are filed in Appendix L.

Track out pads will be installed and used if and when heavy equipment is brought in to excavate on property.

2.7 Waste Management Control(see permit part 4.2.6)

2.7.x Solid Waste(see permit part 2.4.3)

BMP Description: Dumpster

BMP description, rational for use and specifications, and details are filed in Appendix L.

All trash and construction debris will be contained onsite with a dumpster, dump trailer or other container that will keep material and garbage from moving off property.

2.7.x Construction Spoil(see permit part 2.1.1)

No construction spoil on site

BMP description, rational for use and specifications, and details are filed in Appendix L.

2.7.x Sanitary Waste(see permit part 2.4.4)

BMP Description: Portable toilet

BMP description, rational for use and specifications, and details are filed in Appendix L.

Portable toilet will be provided to contain sanitary waste on site and emptied once every week.

2.7.x Cement Product Operations(see permit part 2.4.5, 2.9.2)

BMP Description: Metal Washout Container

BMP description, rational for use and specifications, and details are filed in Appendix L.

Cement product washout will be contained in metal waste washout container or emptied off site in a recycling yard.

2.7.x Concrete Cutting Operations(see permit part 2.9.2)

No concrete cutting proposed for site

BMP description, rational for use and specifications, and details are filed in Appendix L.

2.7.x Non Aqueous Waste(see permit part 2.8.2)

BMP Description: Metal washout container

BMP description, rational for use and specifications, and details are filed in Appendix L.

All non aqueous waste will be hauled off site by subcontractor, stored in a location that waste cannot be spilled, or discarded in a metal washout waste container and hauled off site.

2.7.x Construction Wastewater(see permit part 2.7, 2.9, 2.9.4)

No plans to have construction wastewater onsite

BMP description, rational for use and specifications, and details are filed in Appendix L.

2.8 Management of Construction Materials Control

2.8.x Storage of Construction Materials(see permit part 2.8.2)

No construction materials will be used that could harm or be of danger to natural soil or water ways.

BMP description, rational for use and specifications, and details are filed in Appendix L.

2.8.x Construction Staging(backfill)(see permit part 2.1.1)

BMP Description: Stored onsite behind curb

BMP description, rational for use and specifications, and details are filed in Appendix L.

All staging of backfill material will be staged onsite and not in street where it can be tracked off site.

Behind curb and within property lines.

2.8.x Construction Staging(Landscaping)(see permit part 2.1.1)

BMP Description: Stored onsite behind curb

BMP description, rational for use and specifications, and details are filed in Appendix L.

All staging of landscape material will be staged onsite, behind curb and property lines where it cannot be tracked off site.

2.9 Final Stabilization(see permit part 2.6)

2.9.x Landscaping Plan

Landscape with natural soil and rock product.

2.9.x Temporary Containment of Sediment

BMP Description: Native Vegetation

BMP description, rational for use and specifications, and details are filed in Appendix L.

Native vegetation will be used to control sediment until the property can be landscaped and grass planted.

3. Spill Prevention and Response Plan^(see permit part 2.8.3, 2.9.3)

Any material that may be spilled and spoil the ground will be kept on a concrete slab where it is not in contact with the soil or water ways. If a spill does happen, the site will be excavated and hauled offsite and dumped at an appropriate site.

Description of Spill control Plan, details and policy are filed in Appendix L.

Any discharges in 24 hours equal to or in excess of the reportable quantities listed in 40 CFR 117, 40 CFR 110, and 40 CFR 302 will be reported to the National Response Center and the Division of Water Quality (DWQ) as soon as practical after knowledge of the spill is known to the permittee. The permittee shall submit within 14 calendar days of knowledge of the release a written description of: the release (including the type and estimate of the amount of material released), the date that such release occurred, the circumstances leading to the release, and measures taken and/or planned to be taken to the Division of Water Quality (DWQ), 288 North 1460 West, P.O. Box 144870, Salt Lake City, Utah 84114-4870. The Storm Water Pollution Prevention Plan must be modified within 14 calendar days of knowledge of the release to provide a description of the release, the circumstances leading to the release, and the date of the release. In addition, the plan must be reviewed to identify measures to prevent the reoccurrence of such releases and to respond to such releases, and the plan must be modified where appropriate.

Agency	Phone Number
National Response Center	(800) 424-8802
Division of Water Quality (DWQ) 24-Hr Reporting	(801) 538-6146; (801) 536-4123
Utah Department of Health Emergency Response	(801) 580-6681
Weber Fire Department	(801)745-9277 or (801)782-3580

Minimum spill quantities requiring reporting:

Material	Media Released To	Reportable Quantity
Engine oil, fuel, hydraulic & brake fluid	Land	25 gallons
Paints, solvents, thinners	Land	100 lbs (13 gallons)
Engine oil, fuel, hydraulic & brake fluid	Water	Visible Sheen
Refrigerant	Air	1 lb
Antifreeze, battery acid, gasoline, engine degreasers	Air, Land, Water	100 lbs (13 gallons)

Emphasis to:

- 1st Priority: Protect all people (including onsite staff)
- 2nd Priority: Protect equipment and property
- 3rd Priority: Protect the environment

1. Make sure the spill area is safe to enter and that it does not pose an immediate threat to health or safety of any person.

2. Check for hazards (flammable material, noxious fumes, cause of spill) – if flammable liquid, turn off engines and nearby electrical equipment. If serious hazards are present leave area and call 911. LARGE SPILLS ARE LIKELY TO PRESENT A HAZARD.
3. Stop the spill source and contain flowing spills immediately with spill kits, dirt or other material that will achieve containment.
4. Call co-workers and supervisor for assistance and to make them aware of the spill and potential dangers
5. If spilled material has entered a storm sewer, regardless of containment; contact the Municipal Storm Water Division.
6. Cleanup all spills (flowing or non-flowing) immediately following containment. Clean up spilled material according to manufacturer specifications, for liquid spills use absorbent materials AND DO NOT FLUSH AREA WITH WATER.
7. Properly dispose of cleaning materials and used absorbent material according to manufacturer specifications.
8. Report the reportable quantity to the Weber Morgan Health Department.

Emergency Numbers

Utah Hazmat Response Officer 24 hrs	(801)-538-3745
Weber County Sheriff Department	(801)-778-6600
Weber County Engineering Division	(801)-399-8374

4. Site Map(s) *(see permit part 4.2.3)*

The SWPPP site maps are filed in Appendix B

{Maps shall include all structural BMPs, and all site components necessary to demonstrate pollution containment. Multiple SWPPP site map sheets may be necessary to clearly show how and when BMPs are to be employed relative to the construction phases}

The SWPPP site maps shall include but not limited to:

- 1. boundaries of project/property*
- 2. boundaries of disturbance (including areas outside of property boundaries)*
- 3. show slopes on site*
- 4. location of structures/facilities*
- 5. locations of :*
 - a. stockpiles for soils and materials*
 - b. construction supplies*
 - c. portable toilets*
 - d. garbage/trash containers*
 - e. egress points/track out pads*
 - f. concrete washout pits or containers*
- 6. water bodies, wetlands, natural vegetative buffers*
- 7. placement of all BMPs, perimeter, erosion control, sediment control, inlet, etc.*
- 8. storm water inlets and storm water discharge points (where storm water drains off the site)*
- 9. areas that will be temporarily or permanently stabilized on the site*

{Refer to the regulation for specific requirements}

5. Record Keeping

See the appendices in Appendix A-K.

SWPPP Inspections-Maintenance-Correction Report (permit part 3.2.1, 3.2.2, 3.3, 3.4, 4.2.12)

Inspections are required every 7 calendar days

Repair or replace BMPs prior to need or by end of week whichever comes first. Update the Inspection-Maintenance-Correction Report weekly.

Section 3.2.2 requires daily maintenance of pavements and site grounds.

See the Inspection-Maintenance-Correction Reports in Appendix E

Changes to the SWPPP(see permit part 4.2.12, 4.2.13)

See the Amendment Log in Appendix F.

Training(see permit part 4.2.7)

Training Logs and Documents are filed in Appendix H.

6. Discharge Information

Receiving Waters (look up <http://wq.deq.utah.gov> to identify your receiving water body)

1. [Taylor/West West Weber Water Improvement District, Hooper Irrigation](#)

Impaired Waters (refer to <http://wq.deq.utah.gov> in the left hand column to determine status of receiving water body).

Impaired Surface Water	Is this surface water impaired?	Pollutant(s) causing the impairment	Has a TMDL been completed?	Pollutant(s) for which there is a TMDL
Water Body Name	<input type="checkbox"/> Yes <input type="checkbox"/> No	See web site above	<input type="checkbox"/> Yes <input type="checkbox"/> No	See web site above

Copy the table above and repeat where there is more than one water body.

7. Certification, Notification and Delegation(see permit part 4.2.9)

Owner Certification: See documents filed in Appendix G.

Operator Certification: See documents filed in Appendix G

Delegation of Authority:

Subcontractor Certification

Notice of Permit Transfer Requirements

SWPPP Appendices

Appendix A: General Location Map

Appendix B: SWPPP Site Maps

Appendix C: UPDES Permit(UTRH00000)

Appendix D: Permits; NOI, MS4 (Including City, County, State, 3rd Party; MS4 Acknowledgements)

Appendix E: Inspection-Maintenance-Correction Report

Appendix F: SWPPP Amendment Log

Appendix G: Certifications, Agreements, Delegation of Authority


Appendix H: Training Log

Appendix I: Construction Plans

Appendix J: Additional Information (e.g. Support documents and out of date SWPPP documents, etc.)

Appendix K: BMP Specifications and Details

APPENDIX A: General Location Map




REV#	DATE	DESCRIPTION
1	30 NOV 2016	DATE
2		REVISIONS



PROJECT: PG-998-1907
 CHECKED: DB
 DRAWN: CC
 DESIGNED: CC
 DATE: 30 NOV 2016
 SHEET: 2

EROSION CONTROL
SWPP PLAN
 TAYLOR, UT
 WEBER COUNTY
GALLOP BEND SUBDIVISION

CP701
 PAGE 13




LEGEND

- SF - Silt Fence (See Plan No. 192)
- Construction Fence
- Property Line
- Limits of Disturbance
- Direction of Existing Overland Flow
- Silt Protection (See SWPP Plan No. 191)
- Silt Trap
- Stormwater
- Concrete Walkway / Area
- Blanketed Area
- Material Storage Area
- Stockpile Area

SWPP NOTES:

- EROSION CONTROL MEASURES ARE REQUIRED AND SHALL BE INSTALLED EXACT PLACEMENT. ACTUAL PLACEMENT SHALL BE DETERMINED IN FIELD. MEASUREMENTS SHALL BE TAKEN AT REGULAR INTERVALS TO MONITOR EROSION. MEASUREMENTS SHALL BE TAKEN AT REGULAR INTERVALS TO MONITOR EROSION. MEASUREMENTS SHALL BE TAKEN AT REGULAR INTERVALS TO MONITOR EROSION.
- BASED ON FIELD CONDITIONS AND CONSTRUCTION ACTIVITIES, THE SWPP PLAN MAY BE MODIFIED AS NECESSARY. ALL MODIFICATIONS SHALL BE APPROVED BY THE ENGINEER.
- ALL EROSION AND SEDIMENTATION CONTROL MEASURES SHALL BE DESIGNED AND CONSTRUCTED TO PREVENT EROSION AND SEDIMENTATION FROM THE SITE. ALL EROSION AND SEDIMENTATION CONTROL MEASURES SHALL BE DESIGNED AND CONSTRUCTED TO PREVENT EROSION AND SEDIMENTATION FROM THE SITE.
- IT IS NOT INTENDED THAT THE SITE TO RECEIVE ANY DISCHARGE OF POLLUTANTS FROM THE SITE. THE SWPP PLAN SHALL BE DESIGNED TO PREVENT EROSION AND SEDIMENTATION FROM THE SITE.
- THE SWPP PLAN SHALL BE MONITORED REGULARLY. ANY ADDITIONAL SWPP MEASURES SHALL BE INSTALLED AS REQUIRED TO MAINTAIN EROSION CONTROL MEASURES AND TO PREVENT EROSION AND SEDIMENTATION FROM THE SITE.
- CONSTRUCTION SHALL PROVIDE SUFFICIENT EROSION CONTROL MEASURES TO PREVENT EROSION AND SEDIMENTATION FROM THE SITE. CONSTRUCTION SHALL PROVIDE SUFFICIENT EROSION CONTROL MEASURES TO PREVENT EROSION AND SEDIMENTATION FROM THE SITE.
- ALL EROSION AND SEDIMENTATION CONTROL MEASURES SHALL BE DESIGNED AND CONSTRUCTED TO PREVENT EROSION AND SEDIMENTATION FROM THE SITE. ALL EROSION AND SEDIMENTATION CONTROL MEASURES SHALL BE DESIGNED AND CONSTRUCTED TO PREVENT EROSION AND SEDIMENTATION FROM THE SITE.
- IT IS NOT INTENDED THAT THE SITE TO RECEIVE ANY DISCHARGE OF POLLUTANTS FROM THE SITE. THE SWPP PLAN SHALL BE DESIGNED TO PREVENT EROSION AND SEDIMENTATION FROM THE SITE.
- THE SWPP PLAN SHALL BE MONITORED REGULARLY. ANY ADDITIONAL SWPP MEASURES SHALL BE INSTALLED AS REQUIRED TO MAINTAIN EROSION CONTROL MEASURES AND TO PREVENT EROSION AND SEDIMENTATION FROM THE SITE.
- CONSTRUCTION SHALL PROVIDE SUFFICIENT EROSION CONTROL MEASURES TO PREVENT EROSION AND SEDIMENTATION FROM THE SITE. CONSTRUCTION SHALL PROVIDE SUFFICIENT EROSION CONTROL MEASURES TO PREVENT EROSION AND SEDIMENTATION FROM THE SITE.
- ALL EROSION AND SEDIMENTATION CONTROL MEASURES SHALL BE DESIGNED AND CONSTRUCTED TO PREVENT EROSION AND SEDIMENTATION FROM THE SITE. ALL EROSION AND SEDIMENTATION CONTROL MEASURES SHALL BE DESIGNED AND CONSTRUCTED TO PREVENT EROSION AND SEDIMENTATION FROM THE SITE.
- IT IS NOT INTENDED THAT THE SITE TO RECEIVE ANY DISCHARGE OF POLLUTANTS FROM THE SITE. THE SWPP PLAN SHALL BE DESIGNED TO PREVENT EROSION AND SEDIMENTATION FROM THE SITE.
- THE SWPP PLAN SHALL BE MONITORED REGULARLY. ANY ADDITIONAL SWPP MEASURES SHALL BE INSTALLED AS REQUIRED TO MAINTAIN EROSION CONTROL MEASURES AND TO PREVENT EROSION AND SEDIMENTATION FROM THE SITE.
- CONSTRUCTION SHALL PROVIDE SUFFICIENT EROSION CONTROL MEASURES TO PREVENT EROSION AND SEDIMENTATION FROM THE SITE. CONSTRUCTION SHALL PROVIDE SUFFICIENT EROSION CONTROL MEASURES TO PREVENT EROSION AND SEDIMENTATION FROM THE SITE.
- ALL EROSION AND SEDIMENTATION CONTROL MEASURES SHALL BE DESIGNED AND CONSTRUCTED TO PREVENT EROSION AND SEDIMENTATION FROM THE SITE. ALL EROSION AND SEDIMENTATION CONTROL MEASURES SHALL BE DESIGNED AND CONSTRUCTED TO PREVENT EROSION AND SEDIMENTATION FROM THE SITE.
- IT IS NOT INTENDED THAT THE SITE TO RECEIVE ANY DISCHARGE OF POLLUTANTS FROM THE SITE. THE SWPP PLAN SHALL BE DESIGNED TO PREVENT EROSION AND SEDIMENTATION FROM THE SITE.

LINEAR FIBER ROLL NOTES:
 THE FIBER ROLL SHALL BE INSTALLED AS SHOWN ON THE PLAN. THE FIBER ROLL SHALL BE INSTALLED AS SHOWN ON THE PLAN. THE FIBER ROLL SHALL BE INSTALLED AS SHOWN ON THE PLAN. THE FIBER ROLL SHALL BE INSTALLED AS SHOWN ON THE PLAN.



NOTES:

- USE 2" STAKES OR BAG STAKES MAY BE OMITTED IF BAGS ARE PLACED ON PAVEMENT SURFACE. OVERLAP ALL BAG JOINTS 6".
- AREA UNOWN MAY BE SUBSTITUTED FOR PREFABRICATED FILTER INSERT WHERE APPROVED BY ENGINEER.

NOTES:

- LOCATE PORTABLE TOILETS IN CONVENIENT LOCATIONS THROUGHOUT THE SITE.
- PREPARE LEVEL GRAVEL SURFACE & PROVIDE CLEAR ACCESS TO THE TOILETS FOR SERVING BY ON-SITE PERSONNEL.
- EARTH BERM SHALL BE 4 FEET HIGH AND 2 FEET WIDE. THE BERM SHALL BE CONSTRUCTED TO PREVENT EROSION AND SEDIMENTATION FROM THE SITE. THE BERM SHALL BE CONSTRUCTED TO PREVENT EROSION AND SEDIMENTATION FROM THE SITE.

APPENDIX B: SWPPP Site Map

STATE OF UTAH, DEPARTMENT OF ENVIRONMENTAL QUALITY, DIVISION OF WATER QUALITY
 195 North 1950 West, P.O. Box 144870, Salt Lake City, Utah 84114-4870 (801) 536-4300

NOI

Notice of Intent (NOI) for Storm Water Discharges Associated with Construction Activity Under the UPDES General Permit UTRH83419
SEE REVERSE FOR INSTRUCTIONS

Submission of this Notice of Intent constitutes notice that the party(s) identified in Section I of this form intends to be authorized by UPDES General Permit No. UTRH83419 issued for storm water discharges associated with construction activity in the State of Utah. Becoming a permittee obligates such discharger to comply with the terms and conditions of the permit. ALL NECESSARY INFORMATION MUST BE PROVIDED ON THIS FORM.

PERMIT PERIOD Permit Start Date: 11/01/2017 Permit Expiration Date: 11/01/2018

PERMIT TYPE Construction General Permit (CGP, this permit covers any construction project):
 Common Plan Permit (this only covers single lot residential construction disturbing less than an acre):

Is this NOI seeking continuation for previously expired permit coverage at the same site? Y N If yes, what is the number of the previous permit coverage? Permit No. UTR

I. OWNER INFORMATION
 Owner Name: Cody Wilder Phone: 801-458-8622
 Address: 1632 N 3450 W Status of Owner: PRIVATE
 City: PLAIN CITY State: UT Zip: 84404
 Contact Person: Aubree Wilder Phone: 801-458-6800

GENERAL CONTRACTOR: C. Wilder Construction Phone: 801-458-8622
 Address: 1632 N 3450 W Status of General Contractor: PRIVATE
 City: PLAIN CITY State: UT Zip: 84404
 Contact Person: Cody Wilder Phone: 801-458-8622

II. FACILITY SITE / LOCATION INFORMATION
 Name: Gallop Bend Lot 5
 Project No. (if any):
 Address: 2436 S 3600 W County: WEBER
 City: WEBER COUNTY (UNINCORPORATED AREA) State: UT Zip: 84401
 Latitude: 41.1959418 Longitude: -112.0668715
 Method (check one): USGS Topo Map, Scale EPA Web site GPS Other

Is the facility located in Indian Country? Y N

III. SITE INFORMATION
 Municipal Separate Storm Sewer System (MS4) Operator Name: Weber County
 Receiving Water Body: Weber River guess this is known this is a guess (see <http://wq.deq.utah.gov/>)
 Estimate of distance to the nearest water body? 3 miles ft. miles.
 Is the receiving water an impaired or high quality water body (see <http://wq.deq.utah.gov/>)? Yes No
 List the Number of any other UPDES permits at the site:

IV. THIS SECTION IS ONLY FOR PROJECTS INVOLVED IN DEVELOPMENT OF A SUBDIVISION.
 List the lots proposed for the development (please add another sheet of paper if there is not enough room to list all lots).
 5

INSTRUCTIONS

Notice Of Intent (NOI) For Permit Coverage Under the UPDES General Permit For Storm Water Discharges From Construction Activities

Who Must File A Notice Of Intent (NOI) Form State law at UAC R317-8-3.9 prohibits point source discharges of storm water from construction activities to a water body(ies) of the State without a Utah Pollutant Discharge Elimination System (UPDES) permit. The owner and the general contractor of a construction activity that has such a storm water discharge must submit a NOI to obtain coverage under the UPDES Storm Water General Permit. If you have questions about whether you need a permit under the UPDES Storm Water program, or if you need information as to whether a particular program is administered by EPA or a state agency, contact the storm water coordinator at (801) 536-4300.

Where To File NOI Form The preferred method of submitting an NOI to apply for the construction general storm water permit (CGP) is electronically on-line at <http://www.waterquality.utah.gov/UPDES/stormwatercon.htm>. The fee can be submitted on line also. If on-line is not an option for you send a paper form of the NOI to the following address:

Department of Environmental Quality
Division of Water Quality
P.O. Box 144870
Salt Lake City, UT 84114-4870

Beginning of Coverage CGP coverages are issued immediately after submitting an NOI with the permit fee. The permittee should be aware that though you may not have a permit in hand, if you have submitted a completed NOI with the permit fee you are covered by the conditions in the permit and will be expected to comply with permit conditions. You can print a copy of the CGP from the DWQ web site.

Permit Fees. The permit fee is \$150.00 per year. The fee is paid by Visa/Master Card on-line when an NOI is filed (by check if submitted with a paper NOI). If the project continues for more than one year the fee must be submitted again in a renewal process on-line. CGP coverage will not be issued until the fee is paid.

Length of Coverage: CGP coverage starts the day that the NOI and fee is received at DWQ and expires a year from issuance. All CGP coverages must be renewed within 60-days after the yearly expiration date, or be terminated with a notice of termination (NOT) before the expiration date. To terminate the permit the site must meet the permit conditions for final stabilization (see permit definitions), or must continue under a different permit holder. In most cases the DWQ or municipality of jurisdiction will perform a final inspection when a CGP coverage submits an NOT. If the site passes the final inspection the permit is terminated.

The Storm Water General Permit for Construction Activities UTRC00000 will expire on June 30, 2019 – UTRH00000 expires on September 30, 2020. The Clean Water Act requires that all UPDES permits be renewed every 5 years. If a project extends beyond the expiration date of the Permit it must renew the permit and continue coverage under the renewed permit that will subsequently be developed to continue the same or similar permit coverage for construction activity.

SECTION I - FACILITY OPERATOR INFORMATION Supply the legal name(s) of the person(s), firm(s), public organization(s), or any other entity(ies) that qualifies as the owner of the project (see permit definitions). Do the same for the general contractor that conducts the construction operation at the facility or site to be permitted. The owner and the general contractor of the project may be the same.

Enter the complete address and telephone number of the owner and general contractor and a contact person and number for each. Enter the appropriate letter to indicate the legal status of the operator of the facility.

F = Federal M = Public (other than Fed or State) S = State P = Private

SECTION II - FACILITY/SITE LOCATION INFORMATION Enter the facility name or legal name and project number (if any) of the site and complete street address, including city, state and ZIP code. The latitude and longitude of the facility must be included to the approximate centroid of the site, and the method of how the Lat/Long was obtained (USGS maps, GPS, Internet Map sites [such as Google Earth], or other).

Indicate whether the facility is located in Indian Country. If the facility is located in Indian Country, do not complete this NOI, instead submit an application for coverage under a storm water permit to EPA Region VIII except for facilities on the Navajo Reservation or on the Goshute Reservation which should submit an application to EPA Region IX.

SECTION III - SITE ACTIVITY INFORMATION If the storm water discharges to a municipal separate storm sewer system (MS4), enter the name of

the operator of the MS4 (e.g., the name of the City or County of jurisdiction) and the receiving water of the discharge from the MS4 if it is known (if it is not known look it up at <http://wq.deq.utah.gov>). (An MS4 is defined as a conveyance or system of conveyances (including roads with drainage systems, municipal streets, catch basins, curbs, gutters, ditches, man-made channels, or storm drains) that is owned or operated by a state, city, town, county, district, association or other public body which is designed or used for collecting or conveying storm water).

For Impaired Waters: Go to <http://wq.deq.utah.gov> and identify the water body that will receive the storm water discharge from the permitted site, on the map provided at the web site (zoom in for easier resolution). On the left hand side of the page you will see "2010 Assessment" or "2013 Assessment" depending on the year you refer to the web site (the assessment is done every 3 years). The 20XX Assessment will indicate if the water is impaired. If there is nothing after 20XX Assessment or the narrative after does not include the word "impaired", your receiving water is not impaired.

For High Quality Waters: On the web page referred to in the paragraph above on the left hand side of the page you will see "Anti-Degradation Category". Under Anti-Degradation Category you will see the category of the water body. Only categories 1 and 2 are high quality water bodies. Some waters may be both categories 1 and 3. If your water body is both category 1 and 3 it means the headwaters of your water body is within Forest Service boundaries, and because it is within Forest Service boundaries it is category 1. If your project is within Forest Service boundaries then your water body is category 1 and it is "high quality". If your project is not within Forest Service boundaries then your water body is category 3 and is not "high quality". Again, category 1 waters are high quality waters, category 3 waters are not high quality waters.

SECTION IV - LISTING LOTS FOR SUBDIVISIONS For the sake of tracking lots that are sold (if a developer chooses to sell lots to another party before the building construction for the lot is completed), and permitted under a different owner (which requires a different permit), developers must list lot numbers.

SECTION V - TYPE OF CONSTRUCTION Check each type of construction that applies to this application.

SECTION VI - BEST MANAGEMENT PRACTICES Check each type of best management practice that will be used to control storm water runoff at the job site.

SECTION VII - GOOD HOUSEKEEPING PRACTICES Check each type of good housekeeping practice that you will use on the site any time during construction activities.

SECTION VIII - ADDITIONAL Provide an estimate of the total number of acres of the site on which soil will be disturbed (to the nearest hundredth of an acre). An email address is required of the best contact associated with the project for the communication needs.

SECTION IX - CERTIFICATION State statutes provide for severe penalties for submitting false information on this application form. State regulations require this application to be signed as follows:

For a corporation: by a responsible corporate officer, which means: (i) president, secretary, treasurer, or vice-president of the corporation in charge of a principal business function, or any other person who performs similar policy or decision making functions, or (ii) the manager of one or more manufacturing, production, or operating facilities employing more than 250 persons or having gross annual sales or expenditures exceeding \$25 million (in second quarter 1980 dollars), if authority to sign documents has been assigned or delegated to the manager in accordance with corporate procedures;

For a partnership or sole proprietorship: by a general partner or the proprietor; or

For a municipality, state, Federal, or other public facility: by either a principal executive officer or ranking elected official.

POLLUTION PREVENTION PLAN A storm water pollution prevention plan (SWP3) is required to be in hand before the NOI can be submitted. It is important to know SWPPP requirements (contained in the permit) even during the design portion of the project. A copy of the permit can be obtained from the Division of Water Quality's storm water construction web site. Guidance material for developing a SWPPP can be obtained from the Division of Water Quality's storm water construction web site.

APPENDIX C: UPDES Permit (UTRH83419)

See Attached Permit

APPENDIX D: Permits, NOI, MS4

See Attached

APPENDIX E: Inspection-Maintenance-Correction Report

Stormwater Pollution Prevention Plan(SWPPP) 2016-07-28
Residential Common Plan

WEEKLY INSPECTION- MAINTENANCE-CORRECTION REPORT <small>(permit part 3.2.1, 3.2.2, 3.3, 3.4)</small>					SITE NAME:
INSPECTION PERIOD:					RAIN EVENTS:
INSPECTOR:					CURRENT WEATHER:
BMP	INSPECTION DATE	OK/NOT OK?	BMP CONDITION	CORRECTION DATE	CORRECTION ACTIONS TAKEN
Are all pollution sources controlled? Do any other problems exist?					
List all SWPPP BMPs					

*DAILY MAINTENANCE- Section 3.2.2 requires daily removal of dirt from pavements and the removal of loose light weight trash. This is separate from maintenance and correction requirements resulting from the weekly inspections. It is encouraged but not required to include other regular maintenance actions demonstrating the site is regularly maintained. This may help avoid additional maintenance requirements from the City inspector.

BMP OR SITE FEATURE MAINTAINED DURING THE REPORT WEEK	DAY / DATE	BMP CONDITION \ SITE CONDITION	MAINTENANCE PERFORMED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Name: _____ Title: _____
Signature: _____ Date: _____

APPENDIX F: SWPPP Amendment Log


SWPPP AMENDMENT LOG			
Amendment #	Description of the Amendment	Date of Amendment	Notes

APPENDIX G: Certificates, Agreements, Delegation of Authority

OWNER CERTIFICATION

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Name: Cody Wilder Title: owner/contractor

Signature:  Date: 11/2/2017

Company: C. Wilder Construction

Project: Gallop Bend Lot 5

OPERATOR CERTIFICATION

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Name: Cody Wilder Title: owner/contractor

Signature:  Date: 1/2/2017

Company: C. Wilder Construction

Project: Gallop Bend lot 5

SUBCONTRACTOR CERTIFICATION
STORMWATER POLLUTION PREVENTION PLAN

Project Number: lot 5

Project Title: Gallop Bend

Operator(s): Cody Wilder

As a subcontractor, you are required to comply with the Stormwater Pollution Prevention Plan (SWPPP) for any work that you perform on-site. Any person or group who violates any condition of the SWPPP may be subject to substantial penalties or loss of contract. You are encouraged to advise each of your employees working on this project of the requirements of the SWPPP. A copy of the SWPPP is available for your review at the office trailer.

Each subcontractor engaged in activities at the construction site that could impact stormwater must be identified and sign the following certification statement:

I certify under the penalty of law that I have read and understand the terms and conditions of the SWPPP for the above designated project and agree to follow the BMPs and practices described in the SWPPP.

This certification is hereby signed in reference to the above named project:

Company: C. Wilder Construction

Address: 1132 N. 3450 W. Plain City, VT 84404

Telephone Number: 201-458-8422

Type of construction service to be provided: General Contractor

Signature: 

Title: owner/contractor

Date: 11/2/2017

Delegation of Authority Form

Delegation of Authority

I, _____ (name), hereby designate the person or specifically described position below to be a duly authorized representative for the purpose of overseeing compliance with environmental requirements, including the Construction General Permit, at the _____ construction site. The designee is authorized to sign any reports, stormwater pollution prevention plans and all other documents required by the permit.

_____ (name of person or position)
_____ (company)
_____ (address)
_____ (city, state, zip)
_____ (phone)

By signing this authorization, I confirm that I meet the requirements to make such a designation as set forth in _____ (Reference State Permit), and that the designee above meets the definition of a “duly authorized representative” as set forth in _____ (Reference State Permit).

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Name: _____

Company: _____

Title: _____

Signature: _____

Date: _____

Notice of Permit Transfer Requirements

Upon transfer of ownership or control of the subject property under this Permit (see section 8.2.2.a.) coverage under the UPDES CGP must continue until stabilization requirements are satisfied according to permit requirements. This requirement may be met by either of the following transfer options:

1. Obtaining coverage under a new and independent Notice of Intent (NOI – the application process to procure coverage under the UPDES CGP). This results in a new permit coverage number.
 2. Coordinating with the previous owners and the State of Utah, Department of Environmental Quality, Division of Water Quality where ownership, other information, and signatures (including electronic certifications) contained in the NOI that is current for the property is changed to reflect the change in ownership and responsible parties for conducting construction activities (general contractor). For this step you would assume the responsibilities of the original CGP coverage. This continues the original permit coverage number.
-

Name of Previous Owner Telephone Number

Address of Previous Owner City State Zip

Signature of Previous Owner Date

Name of New Owner Telephone Number

Address of New Owner City State Zip

Signature of New Owner Date

PROJECT NAME AND LOCATION

Previous Permit Number Name of Project

Address of Project	City	State	Zip
--------------------	------	-------	-----

Longitude	Latitude
-----------	----------

WHAT KIND OF TRANSFER: PARTIAL OR TOTAL?

Is this a transfer of ownership of partial or total of the permitted area? Partial
Total

If this is a transfer of part of the permitted area to a new owner, describe what part:

Will there be a new SWPPP prepared? YES NO

Please update the General Contractor Information (see transfer options 1 or 2, first page). If this is a partial transfer the only option is 1.

This form must be submitted to the Municipality of Jurisdiction and DWQ

To submit to DWQ either email to the construction storm water coordinator or,
FAX to 801-535-4301

Or mail to DWQ
 PO Box 144870

APPENDIX H: Training Log

Training Log				
Training Date	Name and Title of Trainer	Name of person(s) and Company(s) Trained	BMP(s) Pertaining	Description of training material e.g. instruction, direction, etc. Attach all support documents in Appendix J. Including but not limited to: certifications, contracts, videos, literature, meeting minutes, memos, letters, emails, phone logs...

APPENDIX I: Construction Plans

APPENDIX J: Additional Information

APPENDIX K: BMP Specifications and Details (label BMPs to match the sections identified in this document.)