

(This SWPPP Template is for the **Common Plan** Permit Only, and
does **NOT** address SWPPP requirements found in the CGP.)

Common Plan SWPPP for Vargas Residence

3665 W 2400 S

Gallop bend, Taylor, Utah

Al and Angila Vargas

4021 S 5025 W

West haven, Utah, 84401

Adam Bennett

1046 W 850 W

Clearfield, Utah, 84015

Date

11/29/17



1. Project Information

Project Name: Vargas Residence

Address: 3665 W 2400 S

City: Taylor

State: UT

Zip: 84401

Latitude: 41.2224885

Longitude: -112.0677060

UPDES Permit Tracking Number: Click here to enter text.

Owner: Al and Angila Vargas

Contact Person: Al Vargas

Address: 4021 S 5025 W

City: West Haven

State: UT

Zip: 84401

Telephone Number: 801-309-1141

Email Address: itsfuntryingnew@ymail.com

General Contractor: Adam Bennett

Contact Person: Adam Bennett

Address: 1046 W 850 S

City: clearfield

State: UT

Zip: 84015

Telephone Number: 801-660-0950

Email Address: bennettadam9@gmail.com

1.5

Unknown Features (although this may be a law under another program, it's not a permit requirement). **Discovery of Historical, Archaeological or Paleontological Objects, Features, Sites, or Human Remains**

- A. Immediately suspend construction operations in the vicinity(100 foot minimum buffer) of the discovery.
- B. Verbally notify the Public Works Department and provide them the exact location.
- C. Protect the discovery and provide written confirmation of the discovery to the City and State Historic Departments within two calendar days.
- D. Contractor and City follow State mitigation laws.

2. Best Management Practices

(Not all standard control categories listed below are necessary nor are they all inclusive. It is encouraged to only include BMPs for pollution sources that are uncontrolled and apply to the site. Some BMPs may be used to control multiple categories however some categories may require multiple BMPs to control and contain the pollutant sources indicated in the category. Treat each unique BMP option independently because most BMPs have different performance and maintenance requirements. Include a copy of necessary details, instructions or contracts for the BMPs in appendix L) –[Delete blue instruction text, typical all pages -]

2.1 SWPPP Sign(see permit part 1.10, 4.2.11)

Description of construction board is filed in Appendix L

{The construction board shall include but not limited to; NOI, Local permits and SWPPP contacts and shall be in view of the public.}

{See permit part 1.10, 4.2.11 for specific requirements}

2.2 Sensitive Features Control (see permit part 2.2)

}

2.2.x Wetlands

Replace this text with the BMP name or explain why it DOES NOT APPLY.

BMP description, rational for use and specifications, and details are filed in Appendix L.

Does not apply. *There are no wetlands on this lot.*

2.2.x Water Bodies within or 30' from Disturbance Boundary(see permit part 2.3.5)

Replace this text with the BMP name or explain why it DOES NOT APPLY.

BMP description, rational for use and specifications, and details are filed in Appendix L.

Does not apply. The lot is not within 30' of water bodies.

2.3 Sediment Control (see permit part 2.1.2, 2.1.3 & 2.3)

{Including but not limited to the standard controls below}

{Add unique operations or site conditions needing control as needed}

2.3.x Trap/Filter Sediment at Property Boundary(see permit part 2.1.2)

Replace this text with the BMP name or explain why it DOES NOT APPLY.

BMP description, rational for use and specifications, and details are filed in Appendix L. *{Delete this sentence when a BMP is not necessary or replace it with a BMP description when a separate detailed BMP document is not necessary}*

{Generally boundary BMPs are necessary on all sites whether the boundary is controlled by topography, existing vegetation and improvements, or BMPs installed on the site.

Design controls to contain pollutants in the project legal/permit boundary during a significant precipitation or wind storm event. Generally these BMPs are installed at property lines and roadway boundaries. Including but not limited to: swales, berms, waddles, vegetative barriers, silt fence, swale in park-strip and behind sidewalk ("cut-back-curb").

{Add BMPs as Needed}

2.4.x Inlet Protection(see permit part 2.1.3 & 2.3)

Replace this text with the BMP name or explain why it DOES NOT APPLY.

BMP description, rational for use and specifications, and details are filed in Appendix L. *{Delete this sentence when a BMP is not necessary or replace it with a BMP description when a separate detailed BMP document is not necessary}*

{Inlet protection is secondary containment usually intended to compensate for the limitations of other BMPs intended to keep sediment off roads, or permitted construction envelope.

Design controls to prevent pollutants from affecting the public and environment that breach the Primary Boundary Controls. BMP shall be designed to prevent flooding in large storm events. These are usually intended to be secondary and a redundant control measure. Including but not limited to: drop inlet bags, inlet waddles, filter fabric, gutter dams

{Add BMPs as Needed}

2.4.x Steep Slopes (see permit part 2.3.2)

Replace this text with the BMP name or explain why it DOES NOT APPLY.

BMP description, rational for use and specifications, and details are filed in Appendix L. Does not apply. This lot is flat

{Control the high potential for erosion on steep slopes within the area of influence including beyond the property boundary; see BMP templates in Appendix L}

{Refer to the regulation for specific requirements}

{Repeat as Needed}

2.4.x Street Maintenance(see permit part 3.2.2)

Replace this text with the BMP name or explain why it DOES NOT APPLY.

BMP description, rational for use and specifications, and details are filed in Appendix L. *{Delete this sentence when a BMP is not necessary or replace it with a BMP description when a separate detailed BMP document is not necessary}*

{Sediment removal BMPs should not be expected to be used in place of an inadequate track out BMPs. It is intended to compensate for limitations of good track out BMPs that are employed to the maximum extent practicable. An appropriate track out BMP will minimize the frequency that this BMP will need to be employed.

Design controls to be in place or ready to mobilize for cleanup or otherwise contain construction materials that breach the other BMPs. Including but not limited to: manual sweeping policy (broom and shovel), removal by mechanical sweeping (washing dirt and sediment with water into a storm drain is a violation of this permit)

{Add BMPs as Needed}

2.4 Top Soil Preservation(see permit part 2.5)

Replace this text with the BMP name or explain why it DOES NOT APPLY.

BMP description, rational for use and specifications, and details are filed in Appendix L. *{Delete this sentence when a BMP is not necessary or replace it with a BMP description when a separate detailed BMP document is not necessary}*

{Reuse and or blend topsoil; see BMP templates in Appendix L }

{Add BMPs as Needed}

2.5 Dust Control(see permit part)

{Including but not limited to the standard controls below}

2.5.x

Replace this text with the BMP name or explain why it DOES NOT APPLY.

BMP description, rational for use and specifications, and details are filed in Appendix L. *{Delete this sentence when a BMP is not necessary or replace it with a BMP description when a separate detailed BMP document is not necessary}*

{Generally, dust prevention is necessary for projects with cleared vegetation, and involves excavation and grading.

Design controls to effectively suppress dust during construction activities and at end of the work day. Including but not limited to: State Fugitive Dust Plan Requirements, dampen with water, provide a water source, chemical stabilization, selective operation during low wind conditions

{Add BMPs as Needed}

2.6 Egress Control(see permit part 2.4)

2.6.x Track Out(see permit part 2.4.1)

Replace this text with the BMP name or explain why it DOES NOT APPLY.

BMP description, rational for use and specifications, and details are filed in Appendix L. *{Delete this sentence when a BMP is not necessary or replace it with a BMP description when a separate detailed BMP document is not necessary}*

{Generally track out control is necessary for projects that involve machinery moving from non durable ground to pavements. Whether BMPs are a system or policy that will prevent mud from sticking to tires or a BMP that will remove mud or require the manual removal of mud from the vehicle, it is the same. Many sites will benefit from multiple track out BMPs.

Design controls to prevent mud and dirt from being tracked out onto the streets. Including but not limited to: track out pads, parking pads, access policies, access barriers, cobble, gravel, rubble strips, tire washes, and manual tire cleaning, selective access during dry weather conditions, any structure, system or policy that prevent track out onto the street.

{Add BMPs as Needed}

2.7 Waste Management Control(see permit part 4.2.6)

{Including but not limited to the standard features below}

{Add unique operations needing control as needed}

2.7.x Solid Waste(see permit part 2.4.3)

Replace this text with the BMP name or explain why it DOES NOT APPLY.

BMP description, rational for use and specifications, and details are filed in Appendix L. *{Delete this sentence when a BMP is not necessary or replace it with a BMP description when a separate detailed BMP document is not necessary}*

{Generally, projects will need solid waste BMPs when any waste can potentially be carried off the site by flowing water, precipitation or wind.

Design controls to prevent construction trash from being be carried off the site by precipitation and wind. Also prevent liquids from spilling onto pavements while onsite and at haul off. Including but not limited to: dumpsters, covered dumpsters, receptacle w/lids, waste policies, storing waste inside the building, bagging lightweight trash, sloping dumpsters so precipitation will drain on to property and infiltrate, fences

{Add BMPs as Needed}

2.7.x Construction Spoil(see permit part 2.1.1)

Replace this text with the BMP name or explain why it DOES NOT APPLY.

BMP description, rational for use and specifications, and details are filed in Appendix L. *{Delete this sentence when a BMP is not necessary or replace it with a BMP description when a separate detailed BMP document is not necessary}*

{Generally apply this BMP for project sites storing spoil where the spoil can bury BMPs, erode and reach waterways, track out during transport or blow off the site. Generally containing spoil material can be as simple as locating spoil material behind perimeter controls and controlling track out BMPs during haul off.

Design controls to prevent pollutants associated or created by material spoils storage and removal operations(typically from excavation or site clearing activities). Including but not limited to: covering erodible materials, runoff containment, track out control for spoil removal, haul off policy, operational controls such as not spoiling material near inlets or hard-scape directly connected to drainage system, etc....

{Add BMPs as Needed}

2.7.x Sanitary Waste(see permit part 2.4.4)

Replace text with the BMP name or explain why it DOES NOT APPLY.

BMP description, rational for use and specifications, and details are filed in Appendix L. *{Delete this sentence when a BMP is not necessary or replace it with a BMP description when a separate detailed BMP document is not necessary}*

{Generally apply this BMP for project sites storing spoil where the spoil can bury BMPs, erode and reach waterways, track out during transport or blow off the site. Generally containing spoil material can be as simple as locating spoil material behind perimeter controls and controlling track out BMPs during haul off.

Design controls to prevent pollutants associated or created by material spoils storage and removal operations(typically from excavation or site clearing activities). Including but not limited to: covering erodible materials, runoff containment, track out control for spoil removal, haul off policy, operational controls such as not spoiling material near inlets or hard-scape directly connected to drainage system, etc....

{Add BMPs as Needed}

2.7.x Cement Product Operations(see permit part 2.4.5, 2.9.2)

Replace this text with the BMP name or explain why it DOES NOT APPLY.

BMP description, rational for use and specifications, and details are filed in Appendix L. *{Delete this sentence when a BMP is not necessary or replace it with a BMP description when a separate detailed BMP document is not necessary}*

{Generally, apply cement waste control for projects requiring concrete supply trucks, concrete truck chassis, pump truck hopper, mortar hopper, miscellaneous hand tools, and other large concrete operations or operations that involve high PH materials

Design BMPs to contain concrete waste, and other related waste, on the site from runoff and leaching. Including but not limited to: onsite depression, lined depressions, steel bins, waste disposal policies, signage directing supplies where to dump, directions for washing concrete truck chassis

{Add BMPs as Needed}

2.7.x Concrete Cutting Operations(see permit part 2.9.2)

Replace this text with the BMP name or explain why it DOES NOT APPLY.

BMP description, rational for use and specifications, and details are filed in Appendix L. *{Delete this sentence when a BMP is not necessary or replace it with a BMP description when a separate detailed BMP document is not necessary}*

{Generally, concrete cutting operations BMPs are necessary where the coolant waste and cutting dust can reach waterways or affect adjacent properties.

Design BMPs to prevent pollutants from entering storm drain inlets. Contain cutting coolant and removal of dry cuttings prior wet or windy conditions. Including but not limited to: temporary dams, cleanup procedures, filters(BMPs that allow a discharge must be accompanied by a wastewater discharge permit, UTG070000), etc

{Add BMPs as Needed}

2.7.x Non Aqueous Waste(see permit part 2.8.2)

Replace this text with the BMP name or explain why it DOES NOT APPLY.

BMP description, rational for use and specifications, and details are filed in Appendix L. *{Delete this sentence when a BMP is not necessary or replace it with a BMP description when a separate detailed BMP document is not necessary}*

{Generally, this applies to projects generating liquid construction waste material such as but not limited to paint, solvents, stucco, dyes, etc.

*Design BMPs to contain concrete waste, and other related waste, on the site from runoff and leaching. Including but not limited to: onsite depression, lined depressions, steel bins, waste disposal policies, signage directing supplies where to dump
{Add BMPs as Needed}*

2.7.x Construction Wastewater(see permit part 2.7, 2.9, 2.9.4)

Replace this text with the BMP name or explain why it DOES NOT APPLY.

BMP description, rational for use and specifications, and details are filed in Appendix L. *{Delete this sentence when a BMP is not necessary or replace it with a BMP description when a separate detailed BMP document is not necessary}*

{Generally apply this BMP for project sites that anticipate high water table or when storm water or other water sources will need to be discharged or pumped away from a construction zone.

Design controls to prevent the disposal of polluted construction wastewater that encumbers the site. Including but not limited to: file required state permit for disposal, filter discharges, discharge onsite in containment/retention area. Any direct discharges requires State Permit UTG070000 be attached in appendix.*{Add BMPs as Needed}*

2.8 Management of Construction Materials Control

{Including but not limited to the standard features below}

{Add unique site operations needing control as needed}

2.8.x Storage of Construction Materials(see permit part 2.8.2)

Replace this text with the BMP name or explain why it DOES NOT APPLY.

BMP description, rational for use and specifications, and details are filed in Appendix L. *{Delete this sentence when a BMP is not necessary or replace it with a BMP description when a separate detailed BMP document is not necessary}*

{Generally apply this BMP for project sites that involve the delivery and storage of materials that if are exposed to the weather can cause harm to the soil or pass through boundary controls. Usually these are exposed liquids or chemicals that can be cause harm if exposed or spilled.

Design controls to prevent pollutants associated with storage materials. Including but not limited to: covering erodible or liquid materials, secondary containment, storing where pavement is not directly connected to waterways. Locate where track out will be minimized when using or the delivery of these construction materials.

{Add BMPs as Needed}

2.8.x Construction Staging(backfill)(see permit part 2.1.1)

Replace this text with the BMP name or explain why it DOES NOT APPLY.

BMP description, rational for use and specifications, and details are filed in Appendix L. *{Delete this sentence when a BMP is not necessary or replace it with a BMP description when a separate detailed BMP document is not necessary}*

{Generally apply this BMP for project sites involving staging operations of erodible materials where the materials themselves can erode by wind or water and reach waterways or where track out from the operation can be an issue. It could be necessary to include BMPs for multiple construction operations including but not limited to: plumbing utilities, utility companies, grading, etc.

Design controls prevent pollutants associated or created by material staging operations.

Including but not limited to: Covering or surrounding backfill, operational(remove backfill from pavements prior to wet conditions or before end of day whichever comes first), strategic staging locations that will prevent

material from reaching waterways, provide staging area near track out BMPs, locate staging area behind perimeter BMPs, etc.

{Add BMPs as Needed}

2.8.x Construction Staging(Landscaping)*(see permit part 2.1.1)*

Replace this text with the BMP name or explain why it DOES NOT APPLY.

BMP description, rational for use and specifications, and details are filed in Appendix L. *{Delete this sentence when a BMP is not necessary or replace it with a BMP description when a separate detailed BMP document is not necessary}*

{Generally apply this BMP for project sites involving staging operations of erodible materials where the materials themselves can erode by wind or water and reach waterways or where track out from the operation can be an issue. It could be necessary to include BMPs for multiple construction operations

Design controls prevent pollutants associated or created by material staging operations.

Including but not limited to: Covering or surrounding backfill, operational(remove backfill from pavements prior to wet conditions or before end of day whichever comes first), strategic staging locations that will prevent material from reaching waterways, provide staging area near track out BMPs, locate staging area behind perimeter BMPs, etc.

{Add BMPs as Needed}

2.9 Final Stabilization*(see permit part 2.6)*

{Including but not limited to the standard features below}

2.9.x Landscaping Plan

Replace this text with reference to the landscape plan in appendix B or explain why it DOES NOT APPLY

{stabilize the disturbed ground; Put final landscaping plan in Appendix B}

{Final Landscaping features when landscaped by the Operator}

{Refer to the regulation for specific requirements}

{Add BMPs as Needed}

2.9.x Temporary Containment of Sediment

Replace this text with the BMP name or explain why it DOES NOT APPLY.

BMP description, rational for use and specifications, and details are filed in Appendix L. *{Delete this sentence when a BMP is not necessary or replace it with a BMP description when a separate detailed BMP document is not necessary}*

{Generally projects that include mature landscaping improvements will satisfy this requirement by those improvements themselves, however projects not including complete mature landscaping improvements will need temporary BMPs to contain erosion until 70% is achieved.

These controls must contain sediments and other pollutants until the new property is stabilized. This BMP is for after the project is completed but before the site has 70% vegetative cover. These controls must be such that if left unmaintained will not become the source of pollutants. Including but not limited to: landscaping (installation of vegetation), swales, leave front-yard lower than sidewalk, rock filters, native vegetative barriers...

{Add BMPs as Needed}

3. Spill Prevention and Response Plan (see permit part 2.8.3, 2.9.3)

Describe the spill prevention and control plan to include ways to reduce the chance of spills, stop the source of spills, contain and cleanup spills, dispose of materials contaminated by spills, and train personnel responsible for spill prevention and control. Additionally, fill in all **BLUE** fields below. {The primary purpose of spill control is to contain spills before causing damage and secondary the proper clean up and disposal.

Spill controls must contain spills, and be mobilized at the moment of need. The plan must include the materials and method of containment and for flowing liquid, cleanup and disposal and follow the minimum spill controls below. Including but not limited to: existing company spill policy, standard operation procedures, onsite containment BMPs, containment materials/spill kit, absorbent products, dirt, sand, absorbent/oil dry, sealable containers, plastic bags, shovels and brooms etc.

Description of Spill control Plan, details and policy are filed in Appendix L.

Any discharges in 24 hours equal to or in excess of the reportable quantities listed in 40 CFR 117, 40 CFR 110, and 40 CFR 302 will be reported to the National Response Center and the Division of Water Quality (DWQ) as soon as practical after knowledge of the spill is known to the permittee. The permittee shall submit within 14 calendar days of knowledge of the release a written description of: the release (including the type and estimate of the amount of material released), the date that such release occurred, the circumstances leading to the release, and measures taken and/or planned to be taken to the Division of Water Quality (DWQ), 288 North 1460 West, P.O. Box 144870, Salt Lake City, Utah 84114-4870. The Storm Water Pollution Prevention Plan must be modified within 14 calendar days of knowledge of the release to provide a description of the release, the circumstances leading to the release, and the date of the release. In addition, the plan must be reviewed to identify measures to prevent the reoccurrence of such releases and to respond to such releases, and the plan must be modified where appropriate.

Agency	Phone Number
National Response Center	(800) 424-8802
Division of Water Quality (DWQ) 24-Hr Reporting	(801) 538-6146; (801) 536-4123
Utah Department of Health Emergency Response	(801) 580-6681
Weber Fire Department	(801)745-9277 or (801)782-3580.

Minimum spill quantities requiring reporting:

Material	Media Released To	Reportable Quantity
Engine oil, fuel, hydraulic & brake fluid	Land	25 gallons
Paints, solvents, thinners	Land	100 lbs (13 gallons)
Engine oil, fuel, hydraulic & brake fluid	Water	Visible Sheen
Refrigerant	Air	1 lb
Antifreeze, battery acid, gasoline, engine degreasers	Air, Land, Water	100 lbs (13 gallons)

Emphasis to:

- 1st Priority: Protect all people (including onsite staff)
- 2nd Priority: Protect equipment and property
- 3rd Priority: Protect the environment

1. Make sure the spill area is safe to enter and that it does not pose an immediate threat to health or safety of any person.
2. Check for hazards (flammable material, noxious fumes, cause of spill) – if flammable liquid, turn off engines and nearby electrical equipment. If serious hazards are present leave area and call 911. LARGE SPILLS ARE LIKELY TO PRESENT A HAZARD.
3. Stop the spill source and contain flowing spills immediately with spill kits, dirt or other material that will achieve containment.
4. Call co-workers and supervisor for assistance and to make them aware of the spill and potential dangers
5. If spilled material has entered a storm sewer, regardless of containment; contact the Municipal Storm Water Division.
6. Cleanup all spills (flowing or non-flowing) immediately following containment. Clean up spilled material according to manufacturer specifications, for liquid spills use absorbent materials AND DO NOT FLUSH AREA WITH WATER.
7. Properly dispose of cleaning materials and used absorbent material according to manufacturer specifications.
8. Report the reportable quantity to the Weber Morgan Health Department.

Emergency Numbers

Utah Hazmat Response Officer 24 hrs	(801)-538-3745
Weber County Sheriff Department	(801)-778-6600
Weber County Engineering Division	(801)-399-8374

4. Site Map(s) *(see permit part 4.2.3)*

The SWPPP site maps are filed in Appendix B

{Maps shall include all structural BMPs, and all site components necessary to demonstrate pollution containment. Multiple SWPPP site map sheets may be necessary to clearly show how and when BMPs are to be employed relative to the construction phases}

The SWPPP site maps shall include but not limited to:

- 1. boundaries of project/property*
- 2. boundaries of disturbance (including areas outside of property boundaries)*
- 3. show slopes on site*
- 4. location of structures/facilities*
- 5. locations of :*
 - a. stockpiles for soils and materials*
 - b. construction supplies*
 - c. portable toilets*
 - d. garbage/trash containers*
 - e. egress points/track out pads*
 - f. concrete washout pits or containers*
- 6. water bodies, wetlands, natural vegetative buffers*
- 7. placement of all BMPs, perimeter, erosion control, sediment control, inlet, etc.*
- 8. storm water inlets and storm water discharge points (where storm water drains off the site)*
- 9. areas that will be temporarily or permanently stabilized on the site*

{Refer to the regulation for specific requirements}

5. Record Keeping

See the appendices in Appendix A-K.

{In the Appendix there are report and log forms for all the necessary recordkeeping. The record keeping is literally demonstrating to the EPA, DWQ and MS4 that the site is in compliance. A compliant site requires effective and maintained BMP and accurate SWPPP documentation.

SWPPP Inspections-Maintenance-Correction Report (permit part 3.2.1, 3.2.2, 3.3, 3.4, 4.2.12)

Inspections are required every 7 calendar days

Repair or replace BMPs prior to need or by end of week whichever comes first. Update the Inspection-Maintenance-Correction Report weekly.

Section 3.2.2 requires daily maintenance of pavements and site grounds.

See the Inspection-Maintenance-Correction Reports in Appendix E

{There is an Inspection-Maintenance-Correction Report template provided in EXHIBIT E of this SWPPP template. File all Inspection-Maintenance-Correction reports there.}

Changes to the SWPPP(see permit part 4.2.12, 4.2.13)

See the Amendment Log in Appendix F.

{There is a SWPPP Amendment log template provided in EXHIBIT F of this SWPPP template. Record SWPPP changes there.}

Training(see permit part 4.2.7)

Training Logs and Documents are filed in Appendix H.

{Owner/Operator is required to train all parties involved in the project, including but not limited to: company staff, sub contractors, suppliers, servicing utilities...}

6. Discharge Information

Receiving Waters (look up <http://wq.deq.utah.gov> to identify your receiving water body)

1. Weber River-1

Impaired Waters (refer to <http://wq.deq.utah.gov> in the left hand column to determine status of receiving water body).

Impaired Surface Water	Is this surface water impaired?	Pollutant(s) causing the impairment	Has a TMDL been completed?	Pollutant(s) for which there is a TMDL
Weber river-1	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	303d list	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	ammonia

Copy the table above and repeat where there is more than one water body.

7. Certification, Notification and Delegation(see permit part 4.2.9)

Owner Certification: See documents filed in Appendix G.

Operator Certification: See documents filed in Appendix G. Not necessary when the Owner and Operator are the same.

Delegation of Authority: insert text here If used include documents and reference their file in Appendix G.


Subcontractor Certification: insert text here If used include documents and reference their file in Appendix G.

Notice of Permit Transfer Requirements: insert text here If used include documents and reference their file in Appendix G.

{There are forms for these actions provided in EXHIBIT G of this SWPPP template. File all certification and delegation documents there.}


Appendix A: General location map

Google Maps 3665 W 2400 S



Imagery ©2017 DigitalGlobe, State of Utah, U.S. Geological Survey, USDA Farm Service Agency, Map data ©2017 Google 500 ft



Appendix B: SWPPP Site Map

<p>COVER SHEET & SITE PLAN</p> <p>Lot #12 Gallop Bend Sub. 3665 W. 2400 S.</p> <p>Vargas Residence</p>	 <p>DESIGNER: JEFF ANDREWS 192 EAST 200 NORTH, SUITE 202 ST. GEORGE, UT 84770 PHONE: 888-828-3632 CELL: 805-304-7008 WWW.ANDREWSDPDESIGN.COM</p>	<p>Project Number: _____ Date: 11-15-2017 Created By: _____</p> <p>Scale: AS NOTED</p>
--	---	--

SHEET	DESCRIPTION
A-1	COVER SHEET & SITE PLAN
A-2	ELEVATIONS (FRONT & LEFT SIDE)
A-3	ELEVATIONS (REAR & RIGHT SIDE)
A-4	PERSPECTIVE VIEWS
A-5	FOUNDATION PLAN
A-6	FLOOR PLAN
A-7	ROOF PLAN
A-8	ELECTRICAL PLAN
D-1	GENERAL NOTES & DETAILS

<p>SHEET INDEX</p> <p>Vargas Residence Lot #12 Gallop Bend Sub. 3665 W. 2400 S.</p>	<p>PROPERTY ANALYSIS</p> <p>41,312 sq. ft. 0.95 Acres</p>	<p>SQUARE FOOTAGE BREAKDOWN</p> <table border="1" style="width:100%;"> <tr> <td>LIVING AREA</td> <td>4,002 SQ. FT.</td> </tr> <tr> <td>GARAGE, SHOP, & MECH.</td> <td>1,290 SQ. FT.</td> </tr> <tr> <td>ENTRY / FRONT PORCH</td> <td>92 SQ. FT.</td> </tr> <tr> <td>REAR COVERED PATIO</td> <td>600 SQ. FT.</td> </tr> <tr> <td>MASTER PATIO</td> <td>142 SQ. FT.</td> </tr> <tr> <td>TOTAL UNDER ROOF</td> <td>6,126 SQ. FT.</td> </tr> </table>	LIVING AREA	4,002 SQ. FT.	GARAGE, SHOP, & MECH.	1,290 SQ. FT.	ENTRY / FRONT PORCH	92 SQ. FT.	REAR COVERED PATIO	600 SQ. FT.	MASTER PATIO	142 SQ. FT.	TOTAL UNDER ROOF	6,126 SQ. FT.
LIVING AREA	4,002 SQ. FT.													
GARAGE, SHOP, & MECH.	1,290 SQ. FT.													
ENTRY / FRONT PORCH	92 SQ. FT.													
REAR COVERED PATIO	600 SQ. FT.													
MASTER PATIO	142 SQ. FT.													
TOTAL UNDER ROOF	6,126 SQ. FT.													

<p>PROJECT DATA</p> <p>OWNER: A & Angela Vargas LEGAL DESCRIPTION: Lot #12 Gallop Bend Sub. 3665 W. 2400 S. BLDG. CLASSIFICATION: SINGLE FAMILY RESIDENCE TYPE OF CONSTRUCTION: TYPE V-8 CODES: HOME SHALL BE CONSTRUCTED TO ALL LOCAL CODES & REQUIREMENTS. "2015 INTERNATIONAL RESIDENTIAL CODE (IRC)" "2015 INTERNATIONAL BUILDING CODE (IBC)" "2015 INTERNATIONAL PLUMBING CODE (IPC)" "2015 INTERNATIONAL MECHANICAL CODE (IMC)" "2015 NATIONAL ELECTRICAL CODE (NEC)" "2015 INTERNATIONAL ENERGY CONSERVATION CODE (IECC)"</p>	<p>CONCRETE</p> <p>ALL GRADE SHALL BE CONCRETE ON A MINIMUM 4" THICK POLYMER SHREDDED FIBER REINFORCED CONCRETE SLAB ON GRADE. ALL CONCRETE SHALL BE FINISHED TO FINISH FLOOR LEVEL.</p> <p>CONCRETE UNDER PIT</p> <p>CONCRETE UNDER TRACTOR PAD</p>
---	---



<p>OPTION #1 TERRACED SLOPE NON-ENGINEERED OPTION ALLOWED BY MOST CITIES</p> 	<p>OPTION #2 TERRACED SLOPE NON-ENGINEERED OPTION ALLOWED BY MOST CITIES</p> 	<p>OPTION #3 RETAINING NON-ENGINEERED OPTION ALLOWED BY MOST CITIES</p>  <p>NON-ENGINEERED GRADING OPTIONS NOTE: ALL OTHERS FORMS OF GRADING DO NOT MEET THE SWPPP REQUIREMENTS. ENGINEERED GRADING SHALL BE REQUIRED.</p>
---	---	--

LOT #12 GALLOP BEND SUB. 3665 W. 2400 S. 41,312 SQ. FT. 0.95 ACRES

PLOT PLAN SCALE: 1" = 10' 0"

LEGAL DESCRIPTION
Lot #12 Gallop Bend Sub.
3665 W. 2400 S.

POWER LOCATION TO STRUCTURE

Appendix C: UPDES

Weber County Stormwater Construction Activity Permit

Application submittals will be accepted by appointment only. (801) 399-8374. 2380 Washington Blvd. Suite 240, Ogden, UT 84401

Date Submitted	Fees (Office Use)	Receipt Number (Office Use)	Priority Site (Office Use) <input type="radio"/> Yes <input type="radio"/> No	Permit Number (Office Use)
----------------	-------------------	-----------------------------	--	----------------------------

Property Owner/Authorized Representative Contact Information		Project Information	
Name of Property Owner(s)/Authorized Representative(s) Al and Angila Vargas		Project Name Vargas Residence	
Phone 801-309-1151	Fax	Project Address 3665 W 2400 S. Taylor UT, 84401	
Email Address angilasue@gmail.com			
Mailing Address of Property Owner(s)/Authorized Representative(s) 4021 S 5025 W West Haven UT, 84401		Estimated Project Length (mo) 7-9 months	Previous Permit No. (if applicable)
		Estimated Start Date 12/15/17	Actual Start Date

Submittal Checklist

The application shall include a Storm Water Pollution Prevention Plan which meets the criteria set forth in Section 33-3-4 of the county ordinances.

The applicant shall file the application on or before the following dates:

- Subdivision:** The date that the applicant submits the preliminary subdivision development plat application.
- Site Plan:** The date that the applicant submits a site plan application or amended site plan.
- Building Permit:** The date that the applicant submits a building permit application if the applicant proposes to construct a building on an existing lot or parcel.
- Land Use Permit:** The date that the applicant submits a land use permit application.
- Other:** At least two (2) weeks before the developer intends to perform any type of work not listed above that would require a Storm Water Construction Activity Permit pursuant to this Chapter.

Failure to acquire a required Storm Water Construction Activity Permit is grounds for tabling a related subdivision application, site plan application, conditional use permit application, or building permit application. It is unlawful to commence work (move dirt) on a development site before obtaining a required Storm Water Construction Activity Permit.


Note: A pre-construction meeting is required before performing any on-site earth work, unless waived by the county engineer.

Applicant Narrative

Please explain your request.

Authorization

By signing below the Owner / Representative authorizes the county to enter the property to perform inspections.

Owner or Authorized Representative Signature 	Date 12-1-17
Signature of Approval	Date

Appendix D:

**WEBER COUNTY SEWER SERVICE APPLICATION
CONTRACT FOR SEWER SERVICE**

WEBER COUNTY ENGINEERING
2380 WASHINGTON BLVD. OGDEN, UTAH 84401
Phone : (801) 399-8374 FAX : 399-8862

Application No.: _____ Account # _____ Application Date: _____

Name of Applicant: Al + Angila Vargas
Mailing Address of Applicant 4021 S. 5025 W. West Haven UT, 84401
Property Address (if different) _____
Phone No. Applicant 801-309-1151

Name of Contractor: Adam Bennett
Mailing Address of Contractor 1046 W. 850 S Clearfield UT, 84015
Phone No. Contractor 801-660-0450 License# _____

Subdivision Name: Gallap Bend Lot: 12
Service Address: 3665 W. 2400 S.
Property Tax I.D. No. 15-635-0012

What Treatment Facility Will You Discharge to: _____
Have Fees for Treatment been Paid? _____ Receipt# _____
Description of proof provided on Payment of Treatment Facility Fees: _____
(You will need proof of payment to the Treatment Facility Prior to Application Approval.)

Connection Size and Type: _____
Connection Fee Amount:\$ _____ Inspection Fee Amount:\$ _____

SPECIAL CONDITIONS: _____
For An Inspection Appointment, Call 24 Hours In Advance

APPLICANTS AGREEMENT: The applicant, his successors and assigns, do hereby agree to assume all the duties, obligations, and responsibilities required by the Public Works Standards and any special conditions imposed on them by Weber County Engineering and Roads Departments. The applicant is responsible for maintaining the lateral to the main line. Applicant agrees to pay monthly sewer service fee assessed by Weber County or other service provider, or which may be established hereafter, by ordinance. Applicant agrees to pay a service connection fee assessed by Weber County or other service provider. The undersigned further agrees that such service shall be subject to all Ordinances and Laws now in force or which may be established hereafter by ordinance by The State of Utah, Weber County and Central Weber Sewer District. The undersigned further agrees to abide by and to comply with said ordinances, rules and regulations.


I HEREBY AUTHORIZE SERVICE TO BE ESTABLISHED IN MY NAME AT THE ABOVE PROPERTY LOCATION AND AGREE TO PAY FOR SERVICE UNTIL DISCONTINUED BY MY REQUEST IN WRITING. BUT IN CASE NOTICE IS NOT GIVEN OR THE BILLS DUE FOR SERVICE ARE NOT PAID, THEN APPLICANT SHALL CONTINUE TO BE LIABLE FOR BILLING RENDERED THEREAFTER, EVEN THOUGH APPLICANT MAY VACATE THE PROPERTY OR IT MAY BE OCCUPIED BY AOTHER PARTIES WHO FAILED TO MAKE APPLICATION FOR SERVICE AND SIGN A CONTRACT. THE CONTY WILL NOT CONSIDER ANY NOTICES AS BINDING UNLESS MADE IN WRITING. I UNDERSTAND THAT THIS APPLICATION IS ACCEPTED SUBJECT TO MY/OUR AVAILABILITY OF SERVICE AT THIS LOCATION. BY SIGNING BELOW, THE UNDERSIGNED HEREBY CERTIFIES THAT THEY ARE THE LEGAL OWNER OF THE PROPERTY.

IN THE EVENT THAT THE FEE IS 60 DAYS OVERDUE, THE UNPAID AMOUNT WILL BE TURED OVER TO COLLECTIONS OR WERE POSSIBLE YOUR WATER SERVICE MAY RESULT IN DISCONNECTION AND WILL NOT RESUME UNTIL FEES HAVE BEEN PAID. IN THE EVENT THE LAST DAY OF THE MONTH FALLS ON A DAY THE MAIL IS NOT DELIVERED APPLICANT WILL NEED TO BE AWARE OF THAT AND ENSURE THAT IT IS RECEIVED BEFORE THE END OF THE MONTH. BY SIGNING THIS, THE APPLICANT AGREES TO PAY ALL COSTS OF COLLECTION OF THE APPLICANTS UNPAID BILLS. INTREST WILL BE ASSESSED TO ALL OVERDUE ACCOUNTS AT A RATE OF 18%. APPLICANT FURTHER

Appendix 10:

AGREES THAT ALL CHARGES AS THEY MAY BECOME DUE FROM TIME TO TIME, SHALL BE AND ARE HEREBY MADE A LIEN UPON THE ABOVE PROPERTY, TOGETHER WITH COSTS OF COLLECTION, INCLUDING COURT COSTS AND A REASONABLE ATTORNEY'S FEE, SO LONG AS SUCH CHARGES REMAIN UNPAID, AS BETWEEN THE PARTIES TO THIS CONTRACT. BILLINGS ARE DUE ON THE LAST DAY OF THE MONTH.

Applicant Signature

A handwritten signature in black ink, appearing to be 'A. R.', written over a horizontal line.

APPLICATION APPROVAL: YES: _____ NO: _____

APPROVED BY: _____

TITLE:

APPENDIX E: Inspection-Maintenance-Correction Report

Stormwater Pollution Prevention Plan(SWPPP) 2016-07-28
Residential Common Plan

WEEKLY INSPECTION - MAINTENANCE - CORRECTION REPORT <small>(Attach pp#1,2,3,4)</small>					SITE NAME:
INSPECTION PERIOD:					RAIN EVENTS:
INSPECTOR:					CURRENT WEATHER:
BMP	INSPECTION DATE	OK/NOT OK?	BMP CONDITION	CORRECTION DATE	CORRECTION ACTIONS TAKEN
Are all pollution sources controlled? Do any other problems exist?					
List all SWPPP BMPs					

*DAILY MAINTENANCE- Section 3.2.2 requires daily removal of dirt from pavements and the removal of loose light weight trash. This is separate from maintenance and correction requirements resulting from the weekly inspections. It is encouraged but not required to include other regular maintenance actions demonstrating the site is regularly maintained. This may help avoid additional maintenance requirements from the City inspector.

BMP OR SITE FEATURE MAINTAINED DURING THE REPORT WEEK	DAY / DATE	BMP CONDITION \ SITE CONDITION	MAINTENANCE PERFORMED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Name: _____ Title: _____
Signature: _____ Date: _____


APPENDIX F: SWPPP Amendment Log

SWPPP AMENDMENT LOG			
Amendment #	Description of the Amendment	Date of Amendment	Notes

OWNER CERTIFICATION

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Name: ALBERT VARGAS Title: Owner

Signature:  Date: 12-4-17

Company: _____

Project: _____

OPERATOR CERTIFICATION

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Name: Adam Bennett Title: Owner

Signature: AR Date: 12-4-17

Company: Adam Bennett Construction

Project: Vargas Residence.

SUBCONTRACTOR CERTIFICATION
STORMWATER POLLUTION PREVENTION PLAN

Project Number: _____

Project Title: _____

Operator(s): _____

As a subcontractor, you are required to comply with the Stormwater Pollution Prevention Plan (SWPPP) for any work that you perform on-site. Any person or group who violates any condition of the SWPPP may be subject to substantial penalties or loss of contract. You are encouraged to advise each of your employees working on this project of the requirements of the SWPPP. A copy of the SWPPP is available for your review at the office trailer.

Each subcontractor engaged in activities at the construction site that could impact stormwater must be identified and sign the following certification statement:

I certify under the penalty of law that I have read and understand the terms and conditions of the SWPPP for the above designated project and agree to follow the BMPs and practices described in the SWPPP.

This certification is hereby signed in reference to the above named project:

Company: _____

Address: _____

Telephone Number: _____

Type of construction service to be provided: _____

Signature: _____

Title: _____

Date: _____

Delegation of Authority Form

Delegation of Authority

I, ALBERT VARGAS (name), hereby designate the person or specifically described position below to be a duly authorized representative for the purpose of overseeing compliance with environmental requirements, including the Construction General Permit, at the 3665 W. 2400 S. Taylors UT, construction site. The designee is authorized to sign any reports, stormwater pollution prevention plans and all other documents required by the permit.

Adam Bennett (name of person or position)
Adam Bennett Construction (company)
1046 W. 850 S. (address)
Clearfield UT 84015 (city, state, zip)
801-660-0956 (phone)

By signing this authorization, I confirm that I meet the requirements to make such a designation as set forth in _____ (Reference State Permit), and that the designee above meets the definition of a "duly authorized representative" as set forth in _____ (Reference State Permit).

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Name: Adam Bennett
Company: Adam Bennett Construction
Title: Owner/Operator
Signature: [Handwritten Signature]
Date: 12-4-17

Notice of Permit Transfer Requirements

Upon transfer of ownership or control of the subject property under this Permit (see section 8.2.2.a.) coverage under the UPDES CGP must continue until stabilization requirements are satisfied according to permit requirements. This requirement may be met by either of the following transfer options:

1. Obtaining coverage under a new and independent Notice of Intent (NOI – the application process to procure coverage under the UPDES CGP). This results in a new permit coverage number.
 2. Coordinating with the previous owners and the State of Utah, Department of Environmental Quality, Division of Water Quality where ownership, other information, and signatures (including electronic certifications) contained in the NOI that is current for the property is changed to reflect the change in ownership and responsible parties for conducting construction activities (general contractor). For this step you would assume the responsibilities of the original CGP coverage. This continues the original permit coverage number.
-

Name of Previous Owner Telephone Number

Address of Previous Owner City State Zip

Signature of Previous Owner Date

Name of New Owner Telephone Number

Address of New Owner City State Zip

Signature of New Owner Date

PROJECT NAME AND LOCATION

Previous Permit Number Name of Project

3665 W. 2400 S. Taylor UT 84401
Address of Project City State Zip

W. 2224885 -112, 0677060
Longitude Latitude

WHAT KIND OF TRANSFER: PARTIAL OR TOTAL?

Is this a transfer of ownership of partial or total of the permitted area? Partial
Total

If this is a transfer of part of the permitted area to a new owner, describe what part:

Will there be a new SWPPP prepared? YES NO

Please update the General Contractor Information (see transfer options 1 or 2, first page). If this is a partial transfer the only option is 1.

This form must be submitted to the Municipality of Jurisdiction and DWQ

To submit to DWQ either email to the construction storm water coordinator or,
FAX to 801-535-4301
Or mail to DWQ
 PO Box 144870

APPENDIX H: Training Log

Training Log				
Training Date	Name and Title of Trainer	Name of person(s) and Company(s) Trained	BMP(s) Pertaining	Description of training material e.g. instruction, direction, etc. Attach all support documents in Appendix J. Including but not limited to: certifications, contracts, videos, literature, meeting minutes, memos, letters, emails, phone logs...

APPENDIX I: Construction Plans

APPENDIX J: Additional Information

APPENDIX K: BMP Specifications and Details (label BMPs to match the sections identified in this document.)

APPENDIX G: Certificates, Agreements, Delegation of Authority