# The Chalets at Ski Lake Phase 7

A Cluster Subdivision a part of the of Northeast 1/4 of Section 23, T6N, R1E, SLB&M., U.S. Survey Weber County, Utah

Management, Brass Cap, Good Condition, 0.4' above natural **April 2012** - N 89°38'44" W W.C.S. (N 89°38'27" W) 2660.80' W.C.S. -N 89°36'46" W W.C.S. (N 89°36'57" W meas.) 2660.83' W.C.S. (2660.93' meas.)\_ Section line -Northeast corner of Section 23, T6N, R1E. SLB&M, U.S. Survey, Found Weber County North 1/4 corner of -3 1/2" Brass Cap Monument, Good Section 24, T6N, R1E, Condition, 15" below ground dated 2006 SLB&M, U.S. Survey, Found MONUMENT LEGEND Weber County 3 1/2" Brass Cap Monument, Good Condition, 0.1' below asphalt dated 1991 CAP DETAIL 1 34°07'70" A 5/8"ø rebar 24" long with plastic cap (see detail above) was set at all property corners as shown. Set 5/8"ø Rebar (24" long) & Cap w/Fencepost Monument (to be set) Found Section corner Graphic Scale 48 BOUNDARY CURVE DATA  $\Delta = 37^{\circ}34'17"$   $\Delta = 24^{\circ}45'15'$  $\Delta = 4^{\circ}56'18''$ R = 441.00'R = 205.28L = 38.01L = 134.61LC = 130.54' LC = 38.00' LC = 132.22' LC = 329.00' S 41°30'49" W S 55°14'27" W S 10°08'12" W S 77°22'38" W  $\Delta = 19^{\circ}03'24"$   $\Delta = 12^{\circ}33'57"$   $\Delta = 6^{\circ}45'47"$ **55** L = 101.98'N 74°05'42" LC = 101.78'S 74°31'42" W N 60°32'23" E S 59°21'34" I **56** *181.13*′ 25,961 sq.ft. 23,090 sq.ft. N 5°09'15" W 111.88'  $\Delta = 20^{\circ}36'37'' \quad \Delta = 9^{\circ}53'01''$  $\Delta = 33^{\circ}09'11'' \quad \Delta = 27^{\circ}53'25''$ R = 205.00'L = 118.62' L = 99.79'L = 129.50'L = 35.36LC = 128.80' LC = 35.32' LC = 116.97' LC = 98.81' S 66°16'59" E N 71°38'48" W N 50°07'42" W N 19°36'24" W LC = 35.32'**52 57**  $\Delta = 28^{\circ}31'45'' \quad \Delta = 5^{\circ}53'46''$  $\Delta = 14^{\circ}42'51'' \quad \Delta = 50^{\circ}58'59$ 23,816 sq.ft. R = 205.00' R = 420.00' R = 420.00' R = 145.00'L = 102.08' L = 43.22' LC = 101.02' LC = 43.20'ATO 49'40', E N 77°30'13" E N 40°35'.

ATO 49'40', E N 77°30'13" E N 40°35'. N 8°36'11" E S 58°55'34" E S 69°13'52" E S 51°05'49" 58 △ = 83°18'56"  $\Delta = 4^{\circ}40'12''$  $\Delta = 7^{\circ}36'11''$  $\Delta = 8^{\circ}49'12''$ R = 530.00'R = 530.00R = 465.00L = 43.20' $LC = 71.51^{\circ}$ LC = 43.19'LC = 70.28S 16°03'09" W S 55°22'30" W S 49°14'19" W S 49°50'49" W 59 Tales  $\Delta = 31^{\circ}50'33"$   $\Delta = 12^{\circ}16'24"$   $\Delta = 7^{\circ}11'36"$  $\Delta = 129^{\circ}00'25''$ 24,750 sq.ft. R = 205.00' R = 470.00' L = 124.66' L = 100.68' R = 525.00' L = 65.91'L = 33.77'LC = 100.49LC = 65.87'S 40°17'20" W S 51°34'25" W S 49°02'01" W S 11°52'23" 60  $\Delta = 31^{\circ}18'34"$  $\Delta = 7^{\circ}18'50"$  $\Delta = 24^{\circ}34'46'' \quad \Delta = 78^{\circ}02'20'$ N 88°37'56" W 23,949 sq.ft. R = 604.32'L = 21.86L = 354.98'LC = 352.26' LC = 18.89' N 77°17'23" E N 50°33'36" E *130.00'* N 87°58'07" E N 68°39'25" E

(19) N 89'45'15" E

Samarel Family Invest Co. LLC

(21) $\Delta = 7^{\circ}18'50"$  $\Delta = 66^{\circ}42'04"$   $\Delta = 76^{\circ}12'54"$   $\Delta = 4^{\circ}01'22"$ R = 664.32'R = 100.00'R = 15.00'L = 84.80L = 116.42, L = 19.95LC = 109.95' LC = 18.51'S 68°39'25" W N 74°20'08" W N 79°05'33" W S 64°48'41" W CENTERLINE CURVE DATA  $\Delta = 134^{\circ}17'54"$   $\Delta = 12^{\circ}16'24"$   $\Delta = 7^{\circ}07'29"$ R = 175.00R = 500.00'L = 410.19'L = 107.10'L = 140.29LC = 106.90'LC = 61.51LC = 139.54'LC = 322.53'S 66°16'59" E S 9°26'21" E S 51°34'25" W S 48°59'57" W

 $\Delta = 14^{\circ}15'41''$   $\Delta = 21^{\circ}23'09''$   $\Delta = 75^{\circ}36'18''$   $\Delta = 7^{\circ}18'50''$  $\Delta = 24^{\circ}45'15''$ R = 797.46'R = 634.32'R = 495.00' L = 80.97L = 344.54'L = 184.76' LC = 341.87'LC = 85.81'LC = 80.92'S 59°41'32" W S 56°07'48" W S 69°53'01" E N 68°39'25" E N 77°22'38" E

WEBER COUNTY ATTORNEY I have examined the financial quarantee and other documents associated with this subdivision plat and in my opinion they conform with the County

Signed this , 2012. Signature

Ordinance applicable thereto and now in force and

WEBER COUNTY ENGINEER

I hereby certify that the required public improvement standards and drawings for this subdivision conform with County standards and the amount of the financial guarantee is sufficient for the installation of these improvements. , 2012. Signed this day of

OGDEN VALLEY TOWNSHIP PLANNING COMMISSION This is to certify that this subdivision plat was duly approved by the Ogden Valley Township Planning Commission on the day of

Chair, Ogden Valley Township Planning Commission

#### WEBER COUNTY COMMISSION ACCEPTANCE

This is to certify that this subdivision plat, the dedication of streets and other public ways and financial augrantee of public improvements associated with this subdivision, thereon are hereby approved and accepted by the Commissioners of Weber County, Utah this

tle	 			
	Chair,	Weber	County	Commission
test				

#### SURVEYOR'S CERTIFICATE

I, Mark E. Babbitt, do hereby certify that I am a Registered Professional Land Surveyor in the State of Utah, and that I hold Certificate No. 166484 in accordance with Title 58 Chapter 22, Professional Engineers and Land Surveyors Licensing Act. I also do hereby certify that The Chalets at Ski Lake Phase 7, A Cluster Subdivision in Weber County, Utah has been correctly drawn to the designated scale and is a true and correct representation of the following description of lands included in said subdivision, based on data compiled from records in the Weber County Recorder's Office, and of a survey made on the ground in accordance with Section 17-23-17. Monumented Lot corners have been set as shown on this drawing. also certify that all the lots within The Chalets at Ski Lake Phase 5, A Cluster Subdivision the frontage and area requirements of the Weber County Zoning Ordinance.

Signed this day of Supplements of the Weber County Zoning Ordinance.

166484

OWNER'S DEDICATION

I, the undersigned owner of the herein described tract of land, do hereby set apart and subdivide the same into lots and streets as shown on the plat and name this tract The Chalets at Ski Lake Phase 7, a Cluster Subdivision and do hereby: dedicate to public use all those parts or portions of said tract of land designated as streets, the same to be used as public thoroughfares, also grant and convey to the subdivision lot (unit) Owners Association, all those parts or portions of said tract of land designated as Common Areas to be used for recreational and open space purposes for the benefit of each lot (unit) Owners Association member in common with all others in the subdivision and grant and dedicate to Weber County a perpetual Open Space Right and Easement on and over the Common Areas to guarantee to Weber County that the Common Areas remain open and undeveloped except for approved recreational, parking and open space purposes, and also grant and dedicate a perpetual right and easement over, upon and under the lands designated hereof as public and private utility, storm water detention ponds drainage easements, slope easements and canal maintenance easement, the same to be used for the installation, maintenance and operation of public and private utility service lines, storm drainage facilities, irrigation canals or for the perpetual preservation of water channels in their natural state whichever is applicable as may be authorized by governing authority with no buildings or structures being erected within such

Dedicate, grant and convey to Weber County, Utah, or its designee, all those parts or portions of said tract of land designated as parks the same to be used as public open space.

🥏 Valley Enterprise Investment Company, LLC. 🦠

Ray Bowden - President

, 2012, personally appeared before me, Ray Bowden who being by me duly sworn did say that he is President of Valley Enterprise Investment Company, LLC. and that said instrument was signed in behalf of said Corporation by a resolution of its Board of Directors and Ray Bowden acknowledged to me that said Corporation executed the same.

A Notary Public commissioned in Utah

#### BOUNDARY DESCRIPTION

A part of the Northeast Quarter of Section 23, Township 6 North, Range 1 East, Salt Lake Base and Meridian, U.S. Survey:

Beginning at the Northeast corner of Lot 42 of The Chalets at Ski Lake Phase 6 a Cluster Subdivision in Weber County, which point is 543.52 feet North 89°38'27" West along the Section line, and 639.03 feet South 0°21'33" West from the Northeast Corner of said Section 23; and running thence along the Southerly boundary lines of The Chalets at Ski Lake Phase 4 and Phase 2 the following seven (7) courses: South 64°35'30" East 558.70 feet. South 44°24'47" East 299.29 feet. South 26°08'20" West 221.18 feet. North 67°07'56" West 141.41 feet, Southwesterly along the arc of a 234.00 foot radius curve to the right a distance of 132.30 feet (Central Angle is 32°23'35" and Long Chord bears South 41°30'49" West 130.54 feet). Southwesterly along the arc of a 441.00 foot radius curve to the left a distance of 38.01 feet (Central Angle is 4°56'18" and Long Chord bears South 55°14'27" West 38.00 feet), and South 61°02'58" East 217.90 feet to the Westerly right of way line of Snow Basin Road; thence following said right of way line Southwesterly along the arc of a 205.28 foot radius curve to the left a distance of 134.61 feet (Central Angle is 37°34'17" and Long Chord bears South 10°08'12" West 132.22 feet) to the North line of Samarel Family Invest Co. LLC parcel; thence following said Samarel parcel the following four (4) courses: South 89°45'15" West 9.99 feet, Southwesterly along the arc of a 767.46 foot radius curve to the left a distance of 331.58 feet (Central Angle is 24°45'15" and Long Chord bears South 77°22'38" West 329.00 feet), South 65°00'00" West 50.00 feet, Southwesterly along the arc of a 664.32 foot radius curve to the right a distance of 220.95 feet (Central Angle is 19°03'24" and Long Chord bears South 74°31'42" West 219.94 feet) to the West line of said Samarel parcel; thence along said West parcel line South 0°48'23" West 201.52 feet to the North line of Nord Investment Co. parcel: thence following said Nord parcel North 89°11'37" West 476.43 feet: thence North 0°48'23" East 25.00 feet: thence South 89°11'37" East 451.43 feet, thence North 0°48'23" East 221.51 feet; thence North 23°10'38" West 60.00 feet; thence Northeasterly along the arc of a 465.00 foot radius curve to the left a distance of 101.98 feet (Central Angle is 12°33'57" and Long Chord bears North 60°32'23" East 101.78 feet); thence North 35°44'35" West 174.84 feet; thence South 79°36'04" West 135.95 feet; thence North 88°37'56" West 130.00 feet; thence South 20°07'51" West 156.83 feet: thence North 40°15'49" West 184.82 feet: thence North 47°49'40" East 140.00 feet; thence North 77°30'13" East 194.13 feet; thence North 40°35'38" East 276.07 feet; thence North 5°09'15" West 111.88 feet; thence North 74°05'42" West 181.13 feet to the Easterly boundary line of said Chalets at Ski Lake Phase 6; thence following said easterly boundary line the following five (5) courses: North 27°15'33" East 225.07 feet, Southeasterly along the arc of a 405.00 foot radius curve to the right a distance of 47.80 feet (Central Angle is 6°45'47" and Long Chord bears South 59°21'34" East 47.78 feet, South 55°58'40" East 30.75 feet, North 34°01'19" East 60.00 feet, and North 25°24'30" East 137.44 feet to the point of beginning.

> Contains 696,678 sq. ft. or 15.994 acres.

#### WEBER COUNTY SURVEYOR

I hereby certify that the Weber County Surveyor's Office has reviewed this plat for mathematical correctness, section corner data, and for harmony with the lines and monuments on record in the County offices. The approval of this plat by the Weber County Surveyor does not relieve the Licensed Land Surveyor who executed this plat from the responsibilities and/or liabilities associated therewith.

this	day of	,	2012.	

Signature

FILED FOR RECORD AND	WEBER			
FILED FOR RECORD AND RECORDED, AIN BOOKOF OFFICIA RECORDS, PAGE RECORDED	COUNTY REC	CORDER		
RECORDED, A IN BOOKOF OFFICIA RECORDS, PAGE RECORDE	ENTRY NO	FEE PAIL		
IN BOOK OF OFFICIA RECORDS, PAGE RECORDE	FILED FC	OR RECORD AND		
RECORDS, PAGE RECORDED	RECORDED	, Ai		
	IN BOOK	OF OFFICIAL		
FOR	RECORDS, PAGE	RECORDEL		
	FOR			
	WEBER COUNTY RE	CORDER		
WEBER COUNTY RECORDER	RY.			

GREAT BASIN ENGINEERING NORTH

Œ 5746 South 1475 East - Suite 200 Ogden, Utah 84403 P.O. Box 150048, Ogden, Utah 84415 Ogden (801)394-4515 Salt Lake City (801)521-0222 Fax (801)392-7544

North 1/4 corner of Section 23.

T6N, R1E, SLB&M, U.S. Survey.

Found Bureau of Land

ground dated 1967

Ray Bowden - President 5393 East 6850 North Eden. UT. 84310

Nord Investment Co.

S 89°11'37" E

N 89°11'37" W

Valley Enterprise Investment Company, LLC.

S 79°36'04" W

135.95'

Common Area 20,971 sq.ft

Narrative:

NOTE:

have prepared this subdivision plat.

East, Salt Lake Base & Meridian, U.S. Survey.

1. 10.00' wide Utility and Drainage Easements

completion of improvements, as shown

4. Common areas may be used as Public Utility

each side of Property line as indicated by

)°48′23′ 221.51′

451.43

476.43'

N 23°10'38" W (Rad.)

dashed lines, except as otherwise shown. 2. 20.00' cut and fill easements along front of lots as shown. 3. Centerline monuments to be set upon

affect.

Easements. 5. Due to the topography and the location of this subdivision all owners will accept responsibility for any storm water runoff from Hawks Lane, Snow Basin Road, and Emergency Access Road adjacent to this property until curb and gutter is installed.

At the request of Ray Bowden, owner and developer, we


between the Brass Caps found at the Northwest corner and the


North 1/4 corner of Section 24, Township 6 North, Range 1


The basis of bearing for this plat is S 89°36'57" E

Signature

DEPUTY







San. Sewer Manhole Water Manhole Storm Drain Manhole

Electrical Manhole

Catch Basins

Exist. Fire Hydrant

Fire Hydrant

Exist. Water Valve

Water Valve

Sanitary Sewer

Culinary Water

Gas Line

Irrigation Line

Storm Drain

Telephone Line

Secondary Waterline

Power Line

Fire Line

Land Drain

Power pole w/guy

Light Pole

Fence

Flowline of ditch

Overhead Power line

Corrugated Metal Pipe

Concrete Pipe

Reinforced Concrete Pipe

Ductile Iron

Polyvinyl Chloride

Top of Asphalt

Edge of Asphalt

Edge of Asphalt

Centerline

Flowline

Finish Floor

Top of Curb

Top of Walk

Top of Walk

Top of Joncrete

Natural Ground

Finish Contour

Exist. Contour

Finish Grade

Exist. Grade

Ridge Line


Direction of Flow

Existing Asphalt

Existing Asphalt New Asphalt


Heavy Duty Asphalt Concrete

Open Face Curb & Gutter




TC TWL TCN NG —90— 95.33TA 95.72TA











GREAT BASING S NAME R IN G I C D M

The Chalets at Ski Lake No. 7



Jan, 2012

T NO.



Benchmark: Monument at
Intersection of Quail Lane and
Meadow Lark Lane
Elevation: 5022.34

NOTE: TO PREVENT SOIL ERISION, PROTECT STEEP SLOPES WITH HYDROSEEDING OR EROSION CONTROL BLANKETS.


ASIN



Plan / Profile (Grading)


Chalets at Ski Lake No. 7


Southwest 1/4 of Section 13, a part of the Northea



Jan, 2012

1a





5030

EAST 060EN, UTAH 84403 (801)521-0222 FAX (801)392-7544

5746 SOUTH 147 MAIN (801)394-4515 E W W W G R E A T B

I Profile (Grading)

lets at Ski Lake No. 7

west 1/4 of Section 13, a part of the Northeast

No. 166484
MARK EUGENE
BABBITT

FE OF UTER


TE OF UTER

TO THE STOWN

TO

Jan, 2012

2a



E R I N G Z



/ Profile (Utility)

ts at Ski Lake No. 7

t 1/4 of Section 13, a part of the Northeas

No. 166484
MARK EUGENE
BABBITT

ST. TE OF UTINE

Jan, 2012





Exist. Fire Hydrant Fire Hydrant
Exist. Water Valve
Water Valve
Sanitary Sewer
Culinary Water
Gas Line
Irrigation Line
Storm Drain
Telephone Line
Secondary Waterline
Power Line
Fire Line
Land Drain
Power pole w/guy
Light Pole
Power pole w/guy
Light Pole
Fence
Flowline of ditch
Overhead Power line
Corrugated Metal Pipe
Concrete Pipe
Reinforced Concrete Pipe
Ductile Iron
Polyvinyl Chloride
Top of Asphalt
Edge of Asphalt
Centerline
Flowline
Finish Floor
Top of Curb
Top of Walk
Top of Walk
Iop of Concrete


Top of Walk
Top of Walk
Top of Concrete
Natural Ground
Finish Contour
Exist. Contour
Finish Grade
Exist. Grade
Ridge Line
Direction of Flow 90—90— 95.33TA 95.72TA—R—

Existing Asphalt New Asphalt

Heavy Duty Asphalt


90 CA2 CAZ CA7

Emergency Access Road





NOTE: TO PREVENT SOIL ERISION, PROTECT STEEP SLOPES WITH HYDROSEEDING OR EROSION CONTROL BLANKETS.


Plan



Jan, 2012










A verage

**3 ΝΙ** α4 Σ














Lakeview Water W part of the Southwest 1/4 of Section 23, and a part of the Northwa











San. Sewer Manhole Water Manhole Storm Drain Manhole Electrical Manhole Catch Basins

Electrical Manhole
Catch Basins
Exist. Fire Hydrant
Fire Hydrant
Exist. Water Valve
Water Valve
Sanitary Sewer
Culinary Water
Gas Line
Irrigation Line
Storm Drain
Telephone Line
Secondary Waterline
Power Line
Fire Line
Land Drain
Power pole w/guy
Light Pole
Fence
Flowline of ditch
Overhead Power line
Corrugated Metal Pipe
Concrete Pipe
Reinforced Concrete Pipe
Ductile Iron
Polyvinyl Chloride
Top of Asphalt
Edge of Asphalt
Edge of Asphalt
Centerline
Flowline
Finish Floor
Top of Walk
Iop of Concrete
Natural Ground
Finish Contour
Exist. Contour
Finish Grade
Exist. Grade
Ridge Line
Direction of Flow
Existing Asphalt

Existing Asphalt

New Asphalt Concrete

Open Face Curb & Gutter

→ ★ → × × × — OHP — CMP CP RCP DI PVC TA EA CI

TC TWL TWN TCN NG —90— 95.33TA 95.72TA



ν <u>4</u> γ


Profile and Waterline

No. 166484 MARK EUGENE

Jan, 2012

96N120 Waterline

Benchmark: Monument at Intersection of Quail Lane and Meadow Lark Lane Elevation: 5022.34



GREAT BASING C

TATS EAST GEDEN, UTAH 84403


15 S.L.C (801)521-0222 FAX (801)392-7544

G B

sterline Plan and Profile

Water - Waterline Extension

Southwest 1/4 of Section 13, a part of the Northeast




Jan, 2012

ET NO.

2


96N120 Waterline



5050 5120

— Const. Air Relief Valve

Vertical Scale: 1" = 10'




# Legend (Note: All Items may not appear on drawing)

—<del>× ×</del> ×—

5140

*5130* 







ν <u>δ</u> γ




Jan, 2012









San. Sewer Manhole Water Manhole Storm Drain Manhole

Electrical Manhole Catch Basins

Catch Basins

Exist. Fire Hydrant

Fire Hydrant

Exist. Water Valve

Water Valve

Sanitary Sewer

Culinary Water

Gas Line

Irrigation Line

Storm Drain

Telephone Line

Secondary Waterline

Power Line

Fire Line

Land Drain

Power pole w/guy

Light Pole

Fence

Flowline of ditch

Overhead Power line

Corrugated Metal Pipe

Concrete Pipe

Reinforced Concrete Pipe

Ductile Iron

Polyvinyl Chloride

Top of Asphalt

Edge of Asphalt

Centerline

Flowline


Finish Floor

Flowline
Finish Floor
Top of Curb
Top of Wall
Top of Walk
Top of Concrete
Natural Ground
Finish Contour
Exist. Contour
Finish Grade
Exist. Grade

Ridge Line Direction of Flow Existing Asphalt

New Asphalt Heavy Duty Asphalt

Concrete Open Face Curb & Gutter




TCN NG —90— —90— **95.33TA** *95.72TA* 


— R —

—<del>X X X</del>

OHP— CMP CP RCP



and




Jan, 2012



96N120 Waterline

Waterline

*5170* 



ν <u>γ</u> γ

