



SCALE : 1" = 20'

NAKASHIMA  
 LOT# 43  
 4417 N. 4150 E.  
 EDEN, UTAH

**STATE OF UTAH, DEPARTMENT OF ENVIRONMENTAL QUALITY, DIVISION OF WATER QUALITY**  
 195 North 1950 West, P.O. Box 144870, Salt Lake City, Utah 84114-4870 (801) 536-4300

**NOI**

Notice of Intent (NOI) for Storm Water Discharges Associated with Construction Activity Under the UPDES General Permit UTRH87417  
SEE REVERSE FOR INSTRUCTIONS

Submission of this Notice of Intent constitutes notice that the party(s) identified in Section I of this form intends to be authorized by UPDES General Permit No. UTRH87417 issued for storm water discharges associated with construction activity in the State of Utah. Becoming a permittee obligates such discharger to comply with the terms and conditions of the permit. ALL NECESSARY INFORMATION MUST BE PROVIDED ON THIS FORM.

<b>PERMIT PERIOD</b>	Permit Start Date: 06/27/2018      Permit Expiration Date: 06/27/2019
<b>PERMIT TYPE</b>	Construction General Permit (CGP, this permit covers any construction project): ..... <input type="checkbox"/> Common Plan Permit (this only covers single lot residential construction disturbing less than an acre): ..... <input checked="" type="checkbox"/>

Is this NOI seeking continuation for previously expired permit coverage at the same site?    Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	If yes, what is the number of the previous permit coverage? Permit No. UTR
---	--

**I. OWNER INFORMATION**

Owner Name: J&M Constructors	Phone: 801-791-9223
Address: 2508 E 8240 S	Status of Owner: PRIVATE
City: SOUTH WEBER	State: UT      Zip: 84405
Contact Person: Jack	Phone: 801-791-9223

---

GENERAL CONTRACTOR: J&M Constructors Inc.	Phone: 801-791-9223
Address: 2508 E 8240 S	Status of General Contractor: PRIVATE
City: SOUTH WEBER	State: UT      Zip: 84405
Contact Person: Jack	Phone: 801-791-9223

**II. FACILITY SITE / LOCATION INFORMATION**

Name: Lot 43 Sheep Creek Cluster	Is the facility located in Indian Country? Y <input type="checkbox"/> N <input checked="" type="checkbox"/>
Project No. (if any): 43	
Address: 4417 N 4150 E	County: WEBER
City: EDEN	State: UT      Zip: 84404
Latitude: 41.339325      Longitude: -111.848249	
Method (check one): <input type="checkbox"/> USGS Topo Map, Scale <input type="checkbox"/> EPA Web site <input type="checkbox"/> GPS <input checked="" type="checkbox"/> Other	

**III. SITE INFORMATION**

Municipal Separate Storm Sewer System (MS4) Operator Name: Weber County

Receiving Water Body: ~~Pine View~~ *guess N. Fork River then Pine View* this is known  this is a guess  (see <http://wq.deq.utah.gov/>)

Estimate of distance to the nearest water body? 3 miles      ft.       miles.

Is the receiving water an impaired or high quality water body (see <http://wq.deq.utah.gov/>)?    Yes     No

List the Number of any other UPDES permits at the site:

**IV. THIS SECTION IS ONLY FOR PROJECTS INVOLVED IN DEVELOPMENT OF A SUBDIVISION.**  
 List the lots proposed for the development (please add another sheet of paper if there is not enough room to list all lots).

43

# INSTRUCTIONS

## Notice Of Intent (NOI) For Permit Coverage Under the UPDES General Permit For Storm Water Discharges From Construction Activities

**Who Must File A Notice Of Intent (NOI) Form.** State law at UAC R317-8-3.9 prohibits point source discharges of storm water from construction activities to a water body(ies) of the State without a Utah Pollutant Discharge Elimination System (UPDES) permit. The owner and the general contractor of a construction activity that has such a storm water discharge must submit a NOI to obtain coverage under the UPDES Storm Water General Permit. If you have questions about whether you need a permit under the UPDES Storm Water program, or if you need information as to whether a particular program is administered by EPA or a state agency, contact the storm water coordinator at (801) 536-4300.

**Where To File NOI Form** The preferred method of submitting an NOI to apply for the construction general storm water permit (CGP) is electronically on-line at <http://www.waterquality.utah.gov/UPDES/stormwatercon.htm>. The fee can be submitted on line also. If on-line is not an option for you send a paper form of the NOI to the following address:

Department of Environmental Quality  
Division of Water Quality  
P.O. Box 144870  
Salt Lake City, UT 84114-4870

**Beginning of Coverage** CGP coverages are issued immediately after submitting an NOI with the permit fee. The permittee should be aware that though you may not have a permit in hand, if you have submitted a completed NOI with the permit fee you are covered by the conditions in the permit and will be expected to comply with permit conditions. You can print a copy of the CGP from the DWQ web site.

**Permit Fees.** The permit fee is \$150.00 per year. The fee is paid by Visa/Master Card on-line when an NOI is filed (by check if submitted with a paper NOI). If the project continues for more than one year the fee must be submitted again in a renewal process on-line. CGP coverage will not be issued until the fee is paid.

**Length of Coverage:** CGP coverage starts the day that the NOI and fee is received at DWQ and expires a year from issuance. All CGP coverages must be renewed within 60-days after the yearly expiration date, or be terminated with a notice of termination (NOT) before the expiration date. To terminate the permit the site must meet the permit conditions for final stabilization (see permit definitions), or must continue under a different permit holder. In most cases the DWQ or municipality of jurisdiction will perform a final inspection when a CGP coverage submits an NOT. If the site passes the final inspection the permit is terminated.

The Storm Water General Permit for Construction Activities UTRC00000 will expire on June 30, 2019 – UTRH00000 expires on September 30, 2020. The Clean Water Act requires that all UPDES permits be renewed every 5 years. If a project extends beyond the expiration date of the Permit it must renew the permit and continue coverage under the renewed permit that will subsequently be developed to continue the same or similar permit coverage for construction activity.

**SECTION I - FACILITY OPERATOR INFORMATION** Supply the legal name(s) of the person(s), firm(s), public organization(s), or any other entity(ies) that qualifies as the owner of the project (see permit definitions). Do the same for the general contractor that conducts the construction operation at the facility or site to be permitted. The owner and the general contractor of the project may be the same.

Enter the complete address and telephone number of the owner and general contractor and a contact person and number for each. Enter the appropriate letter to indicate the legal status of the operator of the facility.

F = Federal M = Public (other than Fed or State) S = State P = Private

**SECTION II - FACILITY/SITE LOCATION INFORMATION** Enter the facility name or legal name and project number (if any) of the site and complete street address, including city, state and ZIP code. The latitude and longitude of the facility must be included to the approximate centroid of the site, and the method of how the Lat/Long was obtained (USGS maps, GPS, Internet Map sites [such as Google Earth], or other).

Indicate whether the facility is located in Indian Country. If the facility is located in Indian Country, do not complete this NOI, instead submit an application for coverage under a storm water permit to EPA Region VIII except for facilities on the Navajo Reservation or on the Goshute Reservation which should submit an application to EPA Region IX.

**SECTION III - SITE ACTIVITY INFORMATION** If the storm water discharges to a municipal separate storm sewer system (MS4), enter the name of

the operator of the MS4 (e.g., the name of the City or County of jurisdiction) and the receiving water of the discharge from the MS4 if it is known (if it is not known look it up at <http://wq.deq.utah.gov>). (An MS4 is defined as a conveyance or system of conveyances (including roads with drainage systems, municipal streets, catch basins, curbs, gutters, ditches, man-made channels, or storm drains) that is owned or operated by a state, city, town, county, district, association or other public body which is designed or used for collecting or conveying storm water).

**For Impaired Waters:** Go to <http://wq.deq.utah.gov> and identify the water body that will receive the storm water discharge from the permitted site, on the map provided at the web site (zoom in for easier resolution). On the left hand side of the page you will see “2010 Assessment” or “2013 Assessment” depending on the year you refer to the web site (the assessment is done every 3 years). The 20XX Assessment will indicate if the water is impaired. If there is nothing after 20XX Assessment or the narrative after does not include the word “impaired”, your receiving water is not impaired.

**For High Quality Waters:** On the web page referred to in the paragraph above on the left hand side of the page you will see “Anti-Degradation Category”. Under **Anti-Degradation Category** you will see the category of the water body. Only categories 1 and 2 are high quality water bodies. Some waters may be both categories 1 and 3. If your water body is both category 1 and 3 it means the headwaters of your water body is within Forest Service boundaries, and because it is within Forest Service boundaries it is category 1. If your project is within Forest Service boundaries then your water body is category 1 and it is “high quality”. If your project is not within Forest Service boundaries then your water body is category 3 and is not “high quality”. Again, category 1 waters are high quality waters, category 3 waters are not high quality waters.

**SECTION IV – LISTING LOTS FOR SUBDIVISIONS** For the sake of tracking lots that are sold (if a developer chooses to sell lots to another party before the building construction for the lot is completed), and permitted under a different owner (which requires a different permit), developers must list lot numbers.

**SECTION V - TYPE OF CONSTRUCTION** Check each type of construction that applies to this application.

**SECTION VI - BEST MANAGEMENT PRACTICES** Check each type of best management practice that will be used to control storm water runoff at the job site.

**SECTION VII – GOOD HOUSEKEEPING PRACTICES** Check each type of good housekeeping practice that you will use on the site any time during construction activities.

**SECTION VIII – ADDITIONAL.** Provide an estimate of the total number of acres of the site on which soil will be disturbed (to the nearest hundredth of an acre). An email address is required of the best contact associated with the project for the communication needs.

**SECTION IX – CERTIFICATION** State statutes provide for severe penalties for submitting false information on this application form. State regulations require this application to be signed as follows:

*For a corporation:* by a responsible corporate officer, which means: (i) president, secretary, treasurer, or vice-president of the corporation in charge of a principal business function, or any other person who performs similar policy or decision making functions, or (ii) the manager of one or more manufacturing, production, or operating facilities employing more than 250 persons or having gross annual sales or expenditures exceeding \$25 million (in second quarter 1980 dollars), if authority to sign documents has been assigned or delegated to the manager in accordance with corporate procedures;

*For a partnership or sole proprietorship:* by a general partner or the proprietor; or

*For a municipality, state, Federal, or other public facility:* by either a principal executive officer or ranking elected official.

**POLLUTION PREVENTION PLAN** A storm water pollution prevention plan (SWP3) is required to be in hand before the NOI can be submitted. It is important to know SWPPP requirements (contained in the permit) even during the design portion of the project. A copy of the permit can be obtained from the Division of Water Quality’s storm water construction web site. Guidance material for developing a SWPPP can be obtained from the Division of Water Quality’s storm water construction web site.



7. Properly dispose of cleaning materials and used absorbent material according to manufacturer specifications.
8. Report the reportable quantity to the 801-399-7100 City Storm Water Division.

**Emergency Numbers**

Utah Hazmat Response Officer 24 hrs	(801)-538-3745
City Police Department	(801)-778-6600
City Engineering Division	(801)-399-8374

## 7. SWPPP, Inspections and Corrective Action Reports

**Inspection Schedule and Procedures:** The permit requires inspections once a week (see permit Part 3). You must list and provide details of your BMPs in Appendix G. Inspection reports require reporting on BMPs and how effective they are (download inspection reports from the DWQ construction storm water website under the Common Plan Permit). You may be required to maintain, modify, remove, or apply/install more or different BMPs to control pollutants on the site. Please number your BMPs in Appendix G and refer to those numbers on your inspection reports and corrective action reports when you inspect or report on them.

Describe the general procedures for correcting problems when they are identified. Include responsible staff and time frames for making corrections:

Click here to enter text.

**Inspections and Corrective Actions:** All inspections and corrective actions must be logged using the “Inspection/Correction Action Log” attached in Appendix E. The log should be filled out completely for each BMP.

## 8. Training of Sub-Contractors

All sub-contractors, installers of utility connections, and others that perform activities that are affected by permit requirements will be informed about permit requirements that pertain to their scope of work.

Sub-Contractors that have been informed:

Contractor	Date	Topic(s) Covered	Initials of Trainer
Excavator			
Gas utilities			
Plumbing connection			
Electrical connection			

## 2.6.4 Portable Toilet

**Operation or Site Condition:** A portable toilet is necessary for the duration of this project

**Instruction:** Portable toilet is provided by Company X. The Portable toilet is located on the parking pad 10' away from sidewalk. The BMP 2.3.1 will trap and contain sewer in the event of tipping and BMP 2.5.1 will prevent Company X from tracking out. FYI Portable Toilet Company X, you are required to use BMP 2.5.1 if you allow mud to stick to your tires.

**Schedule:** Prior to land disturbance

**Maintenance:** NA other than keeping it on the parking surface for pick up and drop off.

**Maintenance Personnel:** Project Manager, Portable Toilet Company X

**Applicable Trades:** Project Manager. Portable Toilet Company X

**Detail:** NA

## 2.6.2 Heavy Trash Policy

**Operation or Site Condition:** This site will likely generate 30 yards of heavy trash

**Instruction:** To maintain room or all tradesmen pile all heavy trash in designated location shown on site map. Do not place light weight trash with the heavy weight trash. See BMP 2.6.1 for light weight trash control

**Schedule:** NA

**Maintenance:** Remove when spilling beyond trash envelop shown on site plan

**Maintenance Personnel:** Project Manager. All trades generating heavy trash.

**Applicable Trades:** All trades generating heavy trash or waste.

**Detail:** NA

## 2.5.2 Parking Pad

**Operation or Site Condition:** Most tradesmen will need to enter and exit the site either to transport tools or supplies. The parking pad system intended to prevent mud from sticking to tires or tracks.

**Instruction:** All tradesmen are required to park on the parking pad or the street except for the tradesmen authorized by me to drive off the pad. Any trades with mud on tires must apply BMP 2.5.1. The forklift, excavator, skid-steer operators are the only persons allowed off the pad, however, they are required to apply BMP 2.5.1 and 2.3.4 as part of their normal operation. Do not allow mud to remain on the road as you will be required to scrape and broom it manually.

**Installation Schedule:** Following backfill of foundation

**Maintenance Requirements:** Replace gravel or rake when mud or dirt is sticking to tires

**Applicable Trades:** All trades driving onto the site

**Maintenance Personnel:** Project Manager. Inform me if you notice any problems.

**Detail:**



## 2.6.5 Concrete Washout

**Operation or Site Condition:** Concrete supplier and concrete materials workers will need a place to wash equipment and dispose of excess material.

**Instruction:** Concrete Supplier X and Brick Mason X you are required to wash your equipment and excess material in this BMP. Do not wash your chassis on the street. Practice BMP 2.5.1 if mud sticks to your tires. This BMP provides a adequate location to clean equipment including washing your chassis and will prevent mud from sticking to your tires.

**Schedule:** Prior to concrete pours

**Maintenance:** Replace when 50% full

**Maintenance Personnel:** Project Manager

**Applicable Trades:** Footing/Foundation, Flat Workers, Brick Masons, Painters and Interior Finishers

**Detail:**