## The Barn at Terakee Farms® No. 1

#### \* See All Sheets\*

- 1. All construction shall conform to Weber County standards and specifications. 2. Underground utility piping materials will meet or exceed Weber County
- 3. Culinary water services will be 3/4" Dia. C-900 DR14 PVC to be centered on the frontage and extended 10' beyond the right of way line.
- 4. 4" Sanitary sewer laterals to be constructed 10' down slope from the center of the lot and extended 10' beyond the right of way line.
- 5. 4" Land drain laterals to be constructed at the low corner of the lot and
- extended 10' beyond the right of way line. 4. Saw Cut Existing Asphalt to provide a smooth clean edge.
- 5. All Utility trenches within the Street right of way shall have a County
- approved imported granular backfill. 6. Thrust block all water line fittings.
- 7. All inlet grates shall be bicycle safe.
- 8. All fire hydrants and access roads shall be installed prior to any construction of any buildings.
- 9. All fire hydrants shall be placed with 4  $\frac{1}{2}$  inch connections facing the point of access for the Fire Department Apparatus.
- 10. Prior to the beginning of construction of any buildings, a fire flow test of new hydrants shall be conducted to verify the actual fire flow for this project. The Fire Prevention Division shall witness this test and shall be notified a minimum of 48 hours prior to the test.
- 11. Curb & gutter installed along 900 South Street will be set to ensure a 1.5% minimum/3.0% Maximum cross slope from edge of asphalt. Contractor to verify prior to construction of curb.
- 12. An excavation permit is required for all work done within the existing Right
- 13. A Storm Water Construction Activity Permit is required for any construction that disturbs more than 5000 Sq. Ft. or 200 Cubic Yards.
- 14. All improvements need to be either installed or escrowed prior to recording of the subdivision.
- 15. If construction activity will disturb more than an acre then a State SWPPP will be required. This includes the construction of the homes etc. on each
- 16. Private Roads that are less than 32 feet in width shall be posted with "NO PARKING FIRE LANE" on the West and South sides as indicated on the Grading and Drainage plan. (Roadways and signage shall comply with appendix D of the 2015 International Fire Code as adopted by Weber Fire District).

#### GENERAL UTILITY NOTES:

- 1. Coordinate all utility connections to building with plumbing plans and building
- 2. Verify depth and location of all existing utilities prior to constructing any new utility lines. Notify Civil Engineer of any discrepancies or conflicts prior to any connections being made.
- 3. All catch basin and inlet box grates are to be bicycle proof. 4. All inlet boxes located in curb and gutter are to be placed parallel to the
- curb and gutter and set under the frame and grate. Improperly placed boxes will be removed and replaced at no additional cost to the owner. Precast or cast in place boxes are acceptable.
- 5. Refer to the site electrical plan for details and locations of electrical lines, transformers and light poles.
- 6. Gas lines, telephone lines, and cable TV lines are not a part of these plans unless otherwise noted. 7. Water meters are to be installed per county standards and specifications. It
- will be the contractor's responsibility to install all items required. 8. Water lines, valves, fire hydrants, fittings etc. are to be constructed as shown.
- Contractor is responsible to construct any vertical adjustments necessary to clear sewer, storm drain or other utilities as necessary including valve boxes and hydrant spools to proper grade.
- 9. Field verify all existing and/or proposed Roof Drain/Roof Drain down spout connections to Storm Water System with Civil, Plumbing & Architectural plans.
- Notify Engineer of any discrepancies. 10. All gravity flow utility lines shall be installed prior to any pressurized utilities unless written permission is obtained from the engineer of record before construction begins.

## UTILITY PIPING MATERIALS:

All piping to be installed per manufacturers recommendations. Refer to project specifications for more detailed information regarding materials, installation, etc.

#### CULINARY SERVICE LATERALS

- 1. 3/4" to 2" diameter pipe copper tube ASTM B, Type K, Soft Temper
- 2. Over 2" diameter pipe AWWA C-900 Class 150 pipe

#### WATER MAIN LINES AND FIRE LINES

1. Pipe material as shown on utility plan view or to meet County standards.

## 1. All sewer piping to be Polyvinyl Chloride (PVC) sewer pipe, ASTM D 3034, Type PSM, SDR 35

- 1. 10" pipes or smaller Polyvinyl Chloride (PVC) sewer pipe, ASTM D3034, Type
- 2. 12" to 21" pipes Concrete Pipe, ASTM C14, Class III up to 13' of cover. For greater than 13' feet of cover, use reinforced concrete pipe and classes
- 3. 24" pipes or larger Reinforced Concrete Pipe, ASTM C76, Class III up to 13' of cover, Class IV for 13' to 21' of cover, Class V for 21' to 32' of cover, and Special Design for cover greater than 32 feet.


CAUTION NOTICE TO CONTRACTOR The contractor is specifically cautioned that the location and/or elevation of existing utilities as shown on these plans are based on records of the various utility companies and, where possible, measurements taken in the field. The information is not to be relied on as being exact or complete. The contractor must call the appropriate utility company at least 48 hours before any excavation to request exact field location of utilities. It shall be the responsibility of the contractor to relocate all existing utilities which conflict with the propose improvements shown on the plans.


PRIVATE ENGINEER'S NOTICE TO CONTRACTORS


The Contractor agrees that he shall assume sole and complete responsibility for job site conditions during the course of construction of this project, including safety of all persons and property: that this requirement shall apply continuously and not be limited t normal working hours, and that the contractor shall defend, indemnify, and hold the owner and the engineer harmless from any and all liability, real or alleged, in connection with the performance of work on this project, excepting for liability arising from the sole negligence of the owner or the engineer.

A PRUD Subdivision A part of Section 17, T6N, R2W, SLB&M, U.S. Survey Weber County, Utah May 2020

> FF = Lowest allowable livable Finished Floor Elevation unless approved by Geotechnical Engineer and County Engineer due to ground water table.







Roadway Section

2 — Minor & Major aterial shall be constructed with a 10" untreated base course & 3" bituminous surface course as required by the City Engineer.

3 - County Engineer has discretion to call for more

4 — Provide 4" Thickness of 3/4" or 1" gravel base course under sidewalk, driveway approaches and curb & gutter when subgrade is clay or C.B.R. is less than 10 or as directed by the County Engineer.

County Engineer may specify use of standard high back curb & gutter on collector & arterials.

1 - Maximum difference in elevation between curbs on opposite sides of street shall not exceed 1.0' \*2— On arterial streets the County Engineer will provide a pavement design. Location of sidewalk and rolled curb & gutter may vary on individual arterial streets per direction of the County Engineer.

Curb Wall Detail

NOT FOR CONSTRUCTION

6.0' Walking Path Detail

4238.10.

BENCHMARK

Brass Cap Section Monument located in the South

Quarter Corner of Section 17, T6N, R2W, SLB&M, U.S.

Survey 4" below surface grade with an elevation of



S O D 8

12 May, 2020

16N719 - AM

**3ΝΙ** ω4Σ

Legend

— ⋈ — — S — — G — IW — — SD — I — — SW — — P — — LD — ○ O


\* \*

--90--95.33TA


95.72TA

-R\_\_\_

W:\16N719 TERAKEE VILLAGE\Dwgs\16N719 - AM.dwg, 5/26/2020 9:27:48 AM, drew,




# South Street



NOT FOR CONSTRUCTION





Scale: 1" = 40' Horiz.

1" = 4' Vertical

Graphic Scale



*12 May, 2020* 

16N719 - AM

San. Sewer Manhole Water Manhole

Storm Drain Manhole

Catch Basins
Exist. Fire Hydrant
Fire Hydrant
Exist. Water Valve
Water Valve
Sanitary Sewer
Culinary Water
Gas Line
Irrigation Line
Storm Drain
Telephone Line
Secondary Waterline
Power Line
Land Drain
Power pole
Power pole w/guy
Light Pole
Fence
Flowline of ditch
Overhead Power line
Corrugated Metal Pipe
Concrete Pipe
Reinforced Concrete Pipe
Ductine

Reinforced Concrete Pipe RCP
Ductile Iron DI
Polyvinyl Chloride PVC
Top of Asphalt TA
Edge of Asphalt EA
Centerline CL
Flowline FL
Finish Floor FF
Top of Curb TC
Top of Wall TWL
Top of Wall TW
Top of Concrete TCN
Natural Ground NG
Finish Grade FG
Match Existing ME
Fire Department Connection FDC
Finish Grade 995.72TA
Exist. Grade 95.72TA
Ridge Line PVC

Existing Asphalt

Heavy Duty Asphalt


Existing Concrete

Spill Curb & Gutter


New Concrete

New Asphalt

Electrical Manhole



# Bucky Lane



PERMIT SET
NOT FOR CONSTRUCTION



efore you Dig butting underground lines. It's costly.

Call


12 May, 2020

SHEET NO.


akee

16N719 - AM

8




## Bucky Lane



NOT FOR CONSTRUCTION





rakee

*12 May, 2020* 



Legend

Electrical Manhole

Catch Basins
Exist. Fire Hydrant
Fire Hydrant
Exist. Water Valve
Water Valve
Sanitary Sewer
Culinary Water
Gas Line
Irrigation Line
Storm Drain
Telephone Line
Secondary Waterline
Power Line
Land Drain
Power pole w/guy
Light Pole
Fence
Flowline of ditch
Overhead Power line
Corrugated Metal Pipe
Concrete Pipe
Reinforced Concrete Pipe
Reinforced Concrete Pipe
Reinforced Concrete Pipe
Ductile Iron
Polyvinyl Chloride
PVC
Top of Asphalt
Edge of Asphalt
Edge of Asphalt
Edge of Asphalt
Finish Floor
Finish Floor
Finish Floor
Finish For Charles
Finish Floor
Finish Floor
Finish Grade
Match Existing
Fire Department Connection
FDC
Finish Grade
Exist. Contour
Finish Grade
Exist. Grade
Ridge Line

FU

FINITION
FINITIO

Existing Asphalt

Heavy Duty Asphalt

Existing Concrete

Spill Curb & Gutter

New Concrete

New Asphalt


— 90— -- 90--**95.337A** 95.72TA — R —


San. Sewer Manhole

Storm Drain Manhole

Electrical Manhole

Water Manhole








Avoid cutting underground utility lines. It's costly. *12 May, 2020* 

16N719 - AM

Street South



NOT FOR CONSTRUCTION

Legend

Existing Asphalt

Heavy Duty Asphalt

Existing Concrete

Spill Curb & Gutter

New Concrete

New Asphalt


— 90— --90-**95.33TA** 95.72TA — R—

San. Sewer Manhole


Storm Drain Manhole


Electrical Manhole

Water Manhole




# 800 South Street





INC



akee at

The

16N719 - AM

*12 May, 2020* 

Avoid cutting underground utility lines. It's costly.

Legend
(Note: All Items may not appear on drawing)

Electrical Manhole

Catch Basins

Exist. Fire Hydrant
Fire Hydrant
Exist. Water Valve
Water Valve
Sanitary Sewer
Culinary Water
Gas Line
Irrigation Line
Storm Drain
Telephone Line
Secondary Waterline
Power Line
Fire Line
Land Drain
Power pole w/guy
Light Pole
Fence
Flowline of ditch
Overhead Power line
Corrugated Metal Pipe
Concrete Pipe
Reinforced Concrete Pipe
Ductile Iron
Polyvinyl Chloride
Flowline
Finish Floor
Top of Asphalt
Edge of Asphalt
Centerline
Finish Floor
Top of Walk
Top of Concrete
Natural Ground
Natural Ground
Natural Ground
Finish Grade
Match Existing
Fire Department Connection
FDC
Finish Contour
Exist. Contour
Exist. Grade
Ridge Line

Existing Asphalt

Existing Asphalt

Heavy Duty Asphalt

Spill Curb & Gutter

Existing Concrete

New Concrete

New Asphalt


San. Sewer Manhole Water Manhole

Storm Drain Manhole

Electrical Manhole

Cleanout

NOT FOR CONSTRUCTION



# Scale: 1" = 40' Horiz. 1" = 4' Vertical 0 10 20 40 50 60 70 80 Graphic Scale

Legend
(Note: All Items may not appear on drawing)

San. Sewer Manhole

Water Manhole

Storm Drain Manhole

Cleanout

Electrical Manhole

Catch Basins

Exist. Fire Hydrant
Fire Hydrant

Exist. Water Valve

Water Valve

Sanitary Sewer

Culinary Water

Gas Line
Irrigation Line
Storm Drain

Telephone Line
Storm Drain

Telephone Line
Storm Drain

Telephone Line

Fire Line

Land Drain
Power pole
Power pole
Power pole
Power pole
Power pole W/guy
Light Pole
Fence
Fince
Flowline of ditch
Overhead Power line
Corrugated Metal Pipe
Concrete Pipe
Ductile Iron
Polyvinyl Chloride
PVC
Top of Asphalt
Edge of Asphalt
Edge of Asphalt
Centerline
Finish Floor
For of Walk
Top of Walk
Top of Walk
Top of Concrete
Natural Ground
Finish Grade
Match Existing
Fire Department Connection
FDC
Finish Contour
Exist. Contour
Finish Grade
Match Existing
Fire Department Connection
FDC
Finish Contour
Finish Grade
Match Existing
Fire Department Connection
FDC
Finish Contour
Finish Grade
Match Existing
Fire Department Connection
FDC
Finish Grade
Match Existing
FIRE
FINISH Grade
Match Existing
FIRE
FINISH Grade
Match Existing
FIRE
FINISH Grade
Match Existing
ME
FIRE
FINISH Grade
ME
FIRE
FINISH Gra

New Asphalt


Heavy Duty Asphalt

Existing Concrete

Spill Curb & Gutter

New Concrete

# 850 South Street



PERMIT SET
NOT FOR CONSTRUCTION



all before you Digold cutting underground lity lines. It's costly.

Call
Call
Call
12 May, 2

12 May, 2020


SHEET NO.


of 11

16N719 - AM

akee

INC






NOT FOR CONSTRUCTION






*12 May, 2020* 


16N719 - AM





Graphic Scale

# Buck Ditch



NOT FOR CONSTRUCTION



Avoid cutting underground utility lines. It's costly.

*12 May, 2020* 

9 16N719 - AM

Legend

San. Sewer Manhole

Storm Drain Manhole

Electrical Manhole

Catch Basins
Exist. Fire Hydrant
Fire Hydrant
Exist. Water Valve
Water Valve
Sanitary Sewer
Culinary Water
Gas Line
Irrigation Line
Storm Drain
Telephone Line
Secondary Waterline
Power Line
Fire Line
Land Drain
Power pole
Power pole w/guy
Light Pole
Fence
Flowline of ditch
Overhead Power line
Corrugated Metal Pipe
Concrete Pipe
Reinforced Concrete Pipe
Ductile Iron

Reinforced Concrete Pipe RCP
Ductile Iron DI
Polyvinyl Chloride PVC
Top of Asphalt TA
Edge of Asphalt EA
Centerline CL
Flowline FL
Finish Floor FF
Top of Curb TC
Top of Wall TWL
Top of Walk TW
Top of Concrete TCN
Natural Ground NG
Finish Grade FG
Match Existing ME
Fire Department Connection FDC
Finish Contour —90—
Exist. Contour —90—
Finish Grade 95.72TA
Ridge Line — R—

Existing Asphalt

Heavy Duty Asphalt

Spill Curb & Gutter

Existing Concrete


New Concrete

New Asphalt

—OHP— CMP CP RCP

— 90— -- 90— **95.337A** 95.72TA — R—

Electrical Manhole



Plan View Detail of Inlet / Outlet Structure

Reinforce Walls and Floor with #4 bars @ 12" O.C. (Both Directions).

S=1.0%

Conc. Apron 4" Thick (10'x10')

Const. Orifice Plat with 6.24" Ø Opening (See Detail)

Profile View Detail of Inlet / Outlet Structure

30" RCP SD

## Detention Pond

See Sheet 2


33


Top of Road 4238.00
Top of Water 4237.50
FL Pond 4234.00
Total Required Volume 37,245 cu. M.

Total Provided Volume 37,850 cu. ff.


1.12%

4235 35 235 For For





Orifice Plate Detail




33

Const. 2 2" Conduits for Irrigation

Control, Meter and Pipind

Plan View Detail of Inlet / Outlet Structure



Profile View Detail of Inlet / Outlet Structure

PERMIT SET
NOT FOR CONSTRUCTION



12 May, 2020
SHEET NO.

10 of 1

#### GENERAL GRADING NOTES: 1. All work shall be in accordance with the County Public Works Standard.

- 2. Cut slopes shall be no steeper than 2 horizontal to 1 vertical.
- Fill slopes shall be no steeper than 2 horizontal to 1 vertical. 4. Fills shall be compacted per the recommendations of the geotechnical report prepared for the project and shall be
- certified by the geotechnical engineer. 5. Areas to receive fill shall be properly prepared and approved by the County inspector and geotechnical Engineer prior to
- placing fill.
  6. Fills shall be benched into competent material as per specifications and geotechnical report. 7. All trench backfill shall be tested and certified by the site geotechnical engineer per the grading code.
- 8. A geotechnical engineer shall perform periodic inspections and submit a complete report and map upon completion of
- 9. The final compaction report and certification from the geotechnical engineer shall contain the type of field testing performed. Each test shall be identified with the method of obtaining the in-place density, whether sand cone or drive ring and shall be so noted for each test. Sufficient maximum density determinations shall be performed to verify the accuracy of the maximum density curves used by the field technician.
- 10. Dust shall be controlled by watering. 11. The location and protection of all utilities is the responsibility of the permitee.
- 12. Approved protective measures and temporary drainage provisions must be used to protect adjoining properties during the
- grading project.


  13. All public roadways must be cleared daily of all dirt, mud and debris deposited on them as a result of the grading operation. Cleaning is to be done to the satisfaction of the County engineer.
- 14. The site shall be cleared and grubbed of all vegetation and deleterious matter prior to grading. 15. The contractor shall provide shoring in accordance with OSHA requirements for trench walls.
- 16. Aggregate base shall be compacted per the geotechnical report prepared for the project. 17. Elevations shown on this plan are finish grades. Rough grades are the subgrades of the improvements shown hereon.


  18. The recommendations in the following Geotechnical Engineering Report by CMT Engineering Laboratories are included in the requirements of grading and site preparation.
- The report is titled "GEOTECHNICAL ENGINEERING STUDY" Address: About 4700 West 900 South, West Weber, Weber County, Utah CMT Project No.: 10241 Dated: October 2, 2018
- 19. As part of the construction documents, owner has provided contractor with a topographic survey performed by manual or aerial means. Such survey was prepared for project design purposes and is provided to the contractor as a courtesy. It is expressly understood that such survey may not accurately reflect existing topographic conditions.
- 20. Erosion Control: Protect all inlet boxes, catch basins, etc. with straw bales or other approved method to strain the storm water during construction. Protect surrounding properties and streets from site runoff with sandbags and earth berms.


## The Barn at Terakee Farms® No. 1

A PRUD Subdivision

A part of Section 17, T6N, R2W, SLB&M, U.S. Survey Weber County, Utah May 2020








- . Open face gutter shall be constructed where drainage is directed away from curb. 2. Open face gutter locations are indicated by shading and notes on site and grading
- 3. It is the responsibility of the surveyor/contractor to adjust top of curb grades at the time construction staking to ensure proper slope from existing asphalt into curb (1.0%
- Min 4.0% Max cross slope). 4. Refer to the typical details for a standard and open face curb and gutter for dimensions.
- 5. Transitions between open face and standard curb and gutter are to be smooth. Hand form these areas if necessary.

Contractor must maintain a running slope on Accessible routes no steeper than 5.0% (1:20). The cross slope for Accessible routs must be no steeper than 2.0% (1:50). All Accessible routes must have a minimum clear width of 36". If grades on plans do not meet this requirement notify Consultants immediately.

The Client, Contractor, and Subcontractor should immediately notify the Consultant of any conditions of the project that they believe do not comply with the current state of the



—6" Compacted Roadbase 12" Scarify and Compact Native Soil, Min 12" Depth

Concrete Pipe Reinforced Concrete Pipe San. Sewer Manhole Ductile Iron Water Manhole Polyvinyl Chloride Top of Asphalt Edge of Asphalt Storm Drain Manhole Cleanout Centerline Electrical Manhole Flowline Finish Floor Catch Basins Top of Curb Exist. Fire Hydrant Fire Hydrant Top of Walk Exist. Water Valve Top of Concrete Natural Ground Finish Grade Match Existing Culinary Water Fire Department Connection FDC
Finish Contour — 90— Gas Line Irrigation Line Storm Drain Exist. Contour Telephone Line Finish Grade Secondary Waterline Exist. Grade Power Line Fire Line Direction of Flow Land Drain Power pole Existing Asphalt Power pole w/guy Light Pole New Asphalt

Existing Concrete

New Concrete

Flowline of ditch Overhead Power line Corrugated Metal Pipe --90--95.33TA

95.72TA

Legend

(Note: All Items may not appear on drawing)

## PARKING NOTE

Private Roads that are less than 32 feet in width shall be posted with "NO PARKING FIRE LANE" on the West and South sides as indicated on the Grading and Drainage plan. (Roadways and signage shall comply with appendix D of the 2015 International Fire Code as adopted by Weber Fire District).

#### **BENCHMARK**

Brass Cap Section Monument located in the South Quarter Corner of Section 17, T6N, R2W, SLB&M, U.S. Survey 4" below surface grade with an elevation of

CAUTION NOTICE TO CONTRACTOR The contractor is specifically cautioned that the location and/or elevation of existing utilities as shown on these plans are based on records of the various utility companies and, where possible, measurements taken in the field. The information is not to be relied on as being exact or complete. The contractor must call the appropriate utility company at least 48 hours before any excavation to request exact field location of utilities. It shall be the responsibility of the contractor to relocate all existing utilities which

## PRIVATE ENGINEER'S NOTICE TO CONTRACTORS

conflict with the propose improvements shown on the plans.

The Contractor agrees that he shall assume sole and complete responsibility for job site conditions during the course of construction of this project, including safety of all persons and property: that this requirement shall apply continuously and not be limited to normal working hours; and that the contractor shall defend, indemnify, and hold the owner and the engineer harmless from any and all liability, real or alleged, in connection with the performance of work on this project, excepting for liability arising from the sole negligence of the owner or the engineer.


Call before you Dig
Avoid cutting underground
utility lines. It's costly.

W:\16N719 TERAKEE VILLAGE\Dwgs\16N719 - AP.dwg, 5/26/2020 9:30:27 AM, drew,

80

12 May, 2020

16N719 - AM



#### NARRATIVE

This Subdivision Plat was requested by Mr. Brad Blanch for the purpose of creating thirty-six (36) residential Lots and four (4) Open Space Parcels.

Brass Cap Monuments were found at the Southeast Corner the South Quarter Corner, the Southwest corner and the Center corner of Section 17, T6N, R2W, SLB&M

A line bearing North 89°05'07" West between the Southeast and South Quarter corner monuments was used as the Basis of Bearings.

deeds and honoring the historic fence line. The South Property line was established along the Section Line as called for in the Deeds. The North Right of way line for 900 South Street was established by offsetting the Section

The Northerly and Easterly Lines were established by comparing similar calls in adjoining

line 33' to the North. The East Right of way line of 4700 West Street (Remainder Parcel) was established by Offsetting the Section line as shown on the UDOT, right of way maps (FAP-155-A(4)\_4B09, B10, & B11).

The Westerly Line was created from a line to separate a future Phase of this development. Property Corners were monumented as depicted on this plat.

Once Curb and Gutter has been installed, Rivets will be set in the Top Back of Curb at the extensions of the Property Line (Not Perpendicular to the Road way).

#### BOUNDARY DESCRIPTION

A part of the Southeast Quarter of Section 17, Township 6 North, Range 2 West, Salt Lake Base and Meridian, U.S. Survey, Weber County, Utah, more particularly


Beginning at a point on the Northerly Right of Way Line of 900 South Street, said point being 1390.53 feet South 89°05'07" East along the Section Line from the South Quarter Corner of said Section 17 to the Easterly Line of the Terakee Farm Property; and running thence along said Easterly and Southerly Lines the following three (3) courses: (1) North 0°57'17" East 1073.74 feet, (2) North 89°05'07" West 95.00 feet and (3) North 0°56'37" East 250.33 feet to a point on an Existing Fence Line, said point also being the Southerly Line of the KN & LN LLC Property; thence along said Fence Line and Southerly Line South 88°53'33" East 651.21 feet to a point on an Existing Fence, said point also being the Westerly Line of the Dario & Mary R. Costesso Property; thence along said Fence Line and Westerly Line South 1°13'19" West 1321.80 feet to said Northerly Right of Way Line of said 900 South Street; thence along said Northerly Right of Way Line North 89°05'07" West 550.00 feet to the Easterly Line of said Terakee Farm Property and the Point of Beginning.

Contains 755.373 Sa. Ft. or 17.341 Acres

## The Barn at Terakee Farms No. 1

A PRUD Subdivision

A part of the Southeast Quarter of Section 17, T6N, R2W, SLB&M, U.S. Survey Weber County, Utah May 2020



## REMAINDER PARCEL DESCRIPTION

South Quarter Corner of Section 17, T6N, R2W, SLB&M, U.S. Survey

(Found 3" Brass Cap Monument, 4'

Date not legible at time of survey

2568.05

(WCS)

below road surface, In Poor Condition,

Elevation = 4238.10, used as Benchmark)


A part of the Southeast Quarter of Section 17, Township 6 North, Range 2 West, Salt Lake Base and Meridian, U.S. Survey, Weber County, Utah, more particularly described as follows:

Beginning at a point on the Quarter Section Line and the Northerly Right of Way Line of 900 South Street and the Easterly Right of Way Line of 4700 South Street, said point being 36.48 feet South 89°05'07" East along the Section Line from the South Quarter Corner of said Section 17; and running thence North 1°00'33" East 1328.21 feet along said Easterly Right of Way Line of 4700 West Street; thence South 88°53'33" East 1257.74 feet: thence South 0°56'43" East 250.33 feet; thence South 89°05'07" East 95.00 feet; thence South 0°57'17" West 1073.64 feet to the Northerly Right of Way Line of said 900 South Street; thence North 89°05'07" West 1354.04 feet along said Quarter Section Line and Northerly Right of Way Line to the Point of Beginning.

Contains 40.651 Acres, More or Less

#### BENCHMARK

Brass Cap Section Monument located in the South Quarter Corner of Section 17, T6N, R2W, SLB&M, U.S. Survey 4" below surface grade with an elevation of



#### AGRICULTURAL NOTE

Agriculture is the preferred use in the agriculture zones. Agricultural operations as specified in the Land Use Code for a particular zone are permitted at any time including the operation of farm machinery and no allowed agricultural use shall be subject to restrictions on the basis that it interferes with activities of future residents of this subdivision.

**ENGINEER:** Great Basin Engineering, Inc c/o Andy Hubbard, PLS 5746 South 1475 East Suite 200 Ogden, Utah 84405

DEVELOPER: Terakee Properties c/o Brad Blanch PO Box 14016 Ogden, Utah 84412



#### WEBER COUNTY PLANNING COMMISSION APPROVAL

This is to certify that this subdivision plat was duly approved by the Weber County Planning Commission. Signed this \_\_\_\_\_ day of \_

Chairman, Weber County Planning Comission

## WEBER COUNTY COMMISSION ACCEPTANCE

This is to certify that this subdivision plat, the dedication of streets and other public ways and financial guarantee of public improvements associated with this subdivision, thereon are hereby approved and accepted by the Commissioners of Weber County, Utah. Signed this \_\_\_\_\_, day of \_\_\_\_\_\_, 2020.

	Chairman,	Weber	County	Comission	
ttes	<i>t:</i>				
.,,					

## TAYLOR WEST WEBER WATER

This is to certify that this subdivision plat was duly approved by Taylor West Weber Water. Signed this \_\_\_\_\_ day of \_\_\_

Taylor West Weber Water

#### WEBER COUNTY ENGINEER

I hereby certify that the required public improvement standards and drawings for this subdivision conform with County standards and the amount of the financial quarantee is sufficient for the installation of these improvements.

Signed this \_\_\_\_\_ of \_\_\_\_

Weber County Engineer

## WEBER COUNTY ATTORNEY

I have examined the financial quarantee and other documents associated with this subdivision plat, and in my opinion they conform with the County Ordinance applicable thereto and now in force and Signed this \_\_\_\_\_ day of \_\_\_\_\_

Weber County Attorney

WEBER COUNTY SURVEYOR

I hereby certify that the Weber County Surveyor's Office has reviewed this plat for mathematical correctness, section corner data, and for harmony with lines and monument on record in County Offices. The approval of this plat by the Weber County Surveyor does not relieve the licensed Land Surveyor who executed this plat from the responsibilities and/or liabilities associated therewith. Signed this \_\_\_\_\_ day of \_\_\_\_

Weber County Surveyor

#### SURVEYOR'S CERTIFICATE

I, Andy Hubbard, do hereby certify that I am a Professional Land Surveyor in the State of Utah, and that I hold Certificate No. 6242920 in accordance with Title 58, Chapter 22, of the Professional Engineers and Professional Land Surveyors Licensing Act. I also certify that I have completed a survey of the property described hereon In accordance with Section 17-23-17 and that I have verified all measurements shown hereon this plat of The Barn at Terakee Farms No. 1 - A RRUD Subdivision in Weber County, Utah and that it has been correctly drawn to the designated scale and is a true and correct representation of the following description of lands included in said subdivision, based on data compiled from records in the Weber County Recorder's Office. Monuments have been found or placed as represented on this plat. I furthermore certify that all lots within this Subdivision hereby meet all current lot width and area

Signed this day of	, 2020
6242920	
License No.	Andy Hubbard

requirements of the Weber County Zoning Ordinance.

#### OWNERS DEDICATION

We the undersigned owners of the herein described tract of land, do hereby set apart and subdivide the same into lots as shown on the plat and name said tract The Barn at Terakee Farms No. 1 - A PRUD Subdivision and do hereby dedicate and grant to Weber County a perpetual right and easement on and over the Open Space parcels for agriculture preservation easements to guarantee to Weber County that the Open Space parcels remain open and undeveloped except for approved agricultural, recreational, Senior Assisted Living Center, and open space purposes except to be used and maintained by the owner of said parcel(s) for approved agricultural purposes, and also do grant and dedicate a perpetual right and easement over, upon and under the lands designated hereon as public utility easements, the same to be used for the maintenance and operation of public utility service line and storm drainage facilities, whichever is applicable as may be authorized by the governing authority, with no buildings or structures being erected within such easements.

We also dedicate and reserve unto themselves, their heirs, their grantees and assigns, a right-of-way to be used in common with all others within said Subdivision (and those adjoining Subdivisions that may be subdivided by the undersigned owners, their successors, or assigns) on, over and across all those portions or parts of said tract of land designated on said plat as Private Streets (Private rights-of-way) as access to the individual lots, to be maintained by Terakee Farms, Inc., their grantees, successors, or assigns.

We also do hereby dedicate, grant and convey to Terakee Farm, Inc. the Parcels referred to as Open Spaces A, B, C and D, and also dedicate and grant a perpetual right and easement over, upon and under the lands designated hereon as Open Spaces A, B, C and D, for Storm Water Detention, Landscaping, and Secondary Water facility purposes. The same to be used for the maintenance and operation of storm drainage facilities, Secondary Water facilities as applicable as may be authorized by the governing authority, with no residential buildings or structures being erected within such parcels except for that area designated as Senior Assisted Living Center Area, as shown hereon which is defined in the Codes, Covenants, and Restrictions (CC&R's) for this development.

Signed this	Day of	<u>,</u> 2020.
		– Terakee Properties LP –
		Brad Blanch — Owner
		PO Box 14016
		Ogden, UT 84412
		(801) 668-8565

State of Utah  County of } ss	
	ument was acknowledged before me this day of 10 by <u>Brad Blanch — Owner</u> ,
Residing At:	
Commission Number:	A Notary Public commissioned in Utah
Commission Expires:	

#### **NOTES**

1. 10' wide Public Utility Easement as indicated by dashed lines, except as otherwise shown.

2. All Lots with an "-A" Designation may have an ADU, which may be used for monthly rentals only when primary residence is owner occupied.

3. Agri-tourism is an approved use on agricultural lots.

4. All Property Corners will be set prior to recording of the Plat, Monuments and Nails in the curb will be set once improvements are completed allowing their installation.

5. A Geotechnical Report prepared by CMT Engineering Laboratories was provided to Weber County as part of this project.

Sheet	t 1 of 2
WEBER COUN	TY RECORDER
ENTRY NO	FEE PAID
	ED FOR RECORD A
RECORDED	, AT
IN BOOK_	OF OFFIC
RECORDS, PAGE FOR	RECORD
WEBER COUNT	TY RECORDER
BY:	
DEP	PUTY

16N719 - AP

(801) 394-4515

