

# Canless New Construction Remodel Selectable Integrated LED Recessed Trim Downlight 900 Lumens Wet Rated



- For new construction or remodel use
- For installation, use either preexisting hole or cut out hole - 1/2 in. or 5/8 in. drywall recommended
- Choose 4 color temperatures: 2700K Soft White, 3000K Warm White
- Dimmable - compatible dimmer list in Info & Guides section
- Operating temperature as low as minus 13°F to as high as 104°F
- Wet rated for showers and other wet locations
- IC rated for direct contact with insulation
- Dimensions: 6 in. W x 1-5/8 in. H - weight: 1 lb.
- Lasts 50,000-hours of continuous use
- 5-year warranty



Hover Image to Zoom

Internet #013803904 Model #13229Z-LED Store SKU #1005545803

#### Dimensions

Maximum Hanging Length (in.)	54.25	Product Depth (in.)	6.25 in
Product Height (in.)	21.75 in	Product Width (in.)	6.25 in

#### Details

Actual Color Temperature (K)	3000	Color Rendering Index (CRI)	92
Color Temperature	Soft White	Compatible Bulb Type	LED
Exterior Lighting Product Type	Outdoor Pendants	Fixture Color/Finish	Buckeye Bronze
Fixture Material	Aluminum	Glass/Lens Type	Seedy
Included	Downrod Included	Light Bulb Type Included	Integrated LED
Lumens	950	Mount Type	Hanging
Number of Bulbs Required	1	Number of Lights	1 Light
Outdoor Lighting Features	Dark Sky	Power Type	Hardwired
Product Size	Medium	Product Weight (lb.)	7.0 lb
Returnable	180-Day	Voltage Type	Line Voltage
Watt Equivalence	75		

Can lights will be on the eaves pointing down around the entire home.

Hanging light will be on both sides of the front door. Both sides of the garage and both sides of the sliding door in the back.

