



Staff Report to the Western Weber Planning Commission

Weber County Planning Division

Synopsis

Application Information

Application Request:	A public hearing to consider and take action on a request amend Weber County Code to require PUE's to be as specified by the County Engineer and/or Land Use Authority and to enable development along substandard streets under specific conditions.
Agenda Date:	Tuesday, May 12, 2020
Staff Report Date:	Tuesday, May 5, 2020
Applicant:	Weber County
File Number:	ZTA 2020-04

Staff Information

Report Presenter:	Charlie Ewert cewert@co.weber.ut.us (801) 399-8763
Report Reviewer:	RG

Applicable Ordinances

- § Sec 106-2-4 Lots
- § Sec 106-4-1 General Requirements

Legislative Decisions

Decision on this item is a legislative action. When the Planning Commission is acting on a legislative item it is acting as a recommending body to the County Commission. Legislative decisions have wide discretion. Examples of legislative actions are general plan, zoning map, and land use code amendments. Typically, the criterion for providing a recommendation on a legislative matter suggests a review for compatibility with the general plan and existing ordinances.

Summary and Background

Recent development in a cluster subdivision in Western Weber County has brought to our attention that requiring a ten foot public utility easement on every side lot line does not support the reduced sideyard setback of the cluster code. Further, we have found that a number of subdivision plat designers will place ten foot public utility easements along every lot line as their standard mode of operation. These arbitrary and unused easements often lead to problems for resulting landowners who cannot utilize the area in the easement. The attached proposal allows flexible public utility easement widths along with affirmative consent from the County Engineer or Land Use Authority (who is the planning commissions on all subdivisions except small subdivisions) for their placement.

Policy Analysis

The proposed ordinance draft is attached as Exhibits A and B. The following is an analysis of the proposal based on the existing general plan.

General plan. Neither the Ogden Valley General Plan nor the West Central Weber General Plan address public utility easements or substandard streets in the context of this proposal. It can be determined, however, that the proposal will have a positive effect on both plans, since both plans strongly advocate for clustering development onto smaller lots, and an easement on every lot line causes unnecessary hardship on the use of the land. The effect of allowing development to continue along a substandard street, provided a traffic engineer deems it safe, will decrease street impacts and stormwater runoff. Requiring a substandard road agreement will assist the county to obtain a standard street at some point in the future.

Ordinance. Requiring that the County maintain control over what and where public utility easements are required is necessary because, through plat dedication, the County becomes the owner of those easements. The majority of

the time, public utility entities want to locate only across the front of the lot. Side and rear easement may be necessary on a case by case basis given the uniqueness of specific subdivisions and the specific utility, but to enable a surveyor or engineer to arbitrarily place them in an arbitrary or impracticable location on a subdivision plat leads to the county inheriting a host unnecessary private land encumbrances.

Recommending additional development to occur on a substandard dead-end street is atypical in more urban environments. However, there are a number of long substandard dead-end streets in rural areas that exist today as an evolutionary effect of age-old wagon trails, and not as a deliberate and intentional result of new street construction. Thus the public street right of way construction standards have never been applied to many unincorporated streets, and rather, the county has only provided operations, maintenance, and occasional safety improvements. The current ordinance does not allow development along a substandard public street. The proposal will allow development to occur provided traffic safety and road capacity is not reduced to unacceptable levels. It also builds-in a method by which the County can ensure the street is brought to standard over time without significant cost to the general public.

Past Action on this Item

The Western Weber Planning Commission considered this item and offered staff direction in their April 14, 2020 work session.

The Ogden Valley Planning Commission considered this item and offered staff direction in their April 7, 2020 work session.

Noticing Compliance

A hearing for this item before the Planning Commission has been posted for public notice in compliance with UCA §17-27a-205 and UCA §17-27a-502 in the following manners:

- Posted on the County's Official Website
- Posted on the Utah Public Notice Website
- Published in a local newspaper

Staff Recommendation

Staff recommends that the Planning Commission offer a positive recommendation to the County Commission for file ZTA 2020-04, a proposal to require PUE's to be as specified by the County Engineer and to enable development along substandard streets under specific conditions.

This comes with the following findings:

1. That the proposal does not have negative effect on the general plans.
2. The proposal will not place unnecessary burden for offsite street improvements on any single land developer.
3. The proposal will ensure thoughtful and deliberate acquisition of public utility easements in a manner less impactful to land owners.
4. That the proposal is in the best interest of the health, safety, and welfare of the public.

Exhibits

- A. Proposed Ordinance Changes – Track Change Copy.
- B. Proposed Ordinance Changes – Clean Copy.

Revised May 5, 2020

1 [az](#) Title 106 Subdivisions

2 ...

3 Chapter 106-2 Subdivision Standards

4 ...

5 Sec 106-2-4 Lots

6 ...

7 (i) *Easements*. Lots shall have a ten-foot public utility easement abutting the public street right-
8 of-way and spanning the lot width, except that this easement is not required in zones that
9 allow ~~no a zero~~ front setback. Other public utility easements shall ~~only~~ be provided ~~whereif,~~
10 ~~and only if,~~ authorized ~~or required~~ by the County Engineer ~~or Land Use Authority, who shall~~
11 ~~specify the easement's location and width, with a minimum width no less than five feet. If the~~
12 ~~applicant cannot demonstrate that surface water runoff onto adjacent lots or parcels will not~~
13 ~~exceed historic runoff rates, the land use authority may require that a land drain easement be~~
14 ~~provided by the applicant. The land drain shall be installed as a part of the subdivision~~
15 ~~improvements. easements for drainage through the subdivision and adjoining property be~~
16 ~~provided by the applicant. Easements for water, sewer, drainage, power lines and other~~
17 ~~utilities shall be provided where required, and at a width specified, by the County Engineer,~~
18 ~~but never a width less than five feet. --~~

19

20 ...

21

22 Sec 106-4-1 General Requirements

23 ...

24 (h) New subdivisions with sole access from a terminal substandard public street ~~system, whether~~
25 ~~directly connected or connected via streets that meet county standard,~~ shall not be approved
26 until the substandard street is fully improved to county public work standards and adopted
27 right-of-way width.

28 (1) This requirement shall be waived if a traffic study, conducted by a qualified professional,
29 demonstrates that the existing substandard public street ~~system~~ from which the new
30 subdivision will gain access is adequate ~~and safe, or can be made adequate and safe with~~
31 ~~improvements from the applicant,~~ for the increased traffic demand of the new subdivision,
32 and if the Planning Director and County Engineer can mutually make the following
33 findings:

34 (1)a. That due to topographic or other environmental characteristics of the area, it is
35 unlikely that the terminal substandard street system will make a second connection to
36 the public street network within the next 10 years; ~~and~~

37 (1)b. That not providing a secondary connection to the public street network does not
38 conflict with a general plan, small area plan, master streets plan, or similar adopted
39 planning document; ~~and~~

40 (2) ~~In order for the provisions of (h)(1) to apply,~~ owners having interest in the ~~proposed~~
41 subdivision ~~have executed~~ shall execute a ~~deferral~~ substandard road agreement and notice

Commented [CE31]: Moved into new subparagraph.

Revised May 5, 2020

42 to new owners. The content of the substandard road agreement and notice shall be as
43 specified by the county. At a minimum, it shall:

44 a. require a deferral agreement that specifies that the owner or their successors and heirs
45 are responsible for their roughly proportionate share of improving the substandard
46 public street system at a time the county deems it necessary; ~~and~~

47 b. cause for the governing authority, at their option, to withhold any written protest filed
48 by the owner under the State Code's Assessment Area Act, provisions for local
49 districts, or any similar government revenue generation mechanism, from the final tally
50 of collected protests. ~~bind the owners and their successors and heirs to not file a~~
51 written protest as otherwise allowed in State Code under the creation of a special
52 assessment area, special improvement district~~Assessment Area Act, the provisions~~
53 ~~for local districts, or any similar government revenue generation mechanism, intended~~
54 ~~to improve the terminal fund improvements to the substandard public street system.~~
55 ~~This requirement applies regardless of whether the terminal substandard public street~~
56 ~~later makes a second connection to the public street network. The revenue generated~~
57 by the mechanism shall be:

58 1. limited to the actual value, adjusted for market changes over time, of improving the
59 substandard public street to the standards applicable at the time of the
60 agreement's execution; and

61 2. only reinvested into improving the substandard street to the standards applicable
62 at the time of the agreement's execution, or applied to the total cost of improving
63 the street to an updated or better standard; and

64 c. be recorded to the property at the time of subdivision recordation, or sooner.

65 (3) No precise mathematical calculation is required to determine the roughly proportionate
66 share of improving the substandard public street, as provided in Section 106-4-1(h)(2).
67 However, an individualized determination shall be conducted for each lot. In determining
68 what is roughly proportionate, the following guidelines apply:

69 a. The individualized determination is required to show that the established roughly
70 proportionate share is related in both nature and extent to the impact of the developed
71 lot.

72 b. For each lot, the following factors shall be considered to determine their relevance to
73 the calculation: the minimum lot width of the applicable zone, the actual lot width,
74 average daily distance travelled, number of actual trips, the uses on the lot, average
75 daily trips related to those uses, weight of a typical vehicle related to those uses,
76 longevity of current ownership and longevity of existing development or uses as they
77 relate to historical taxes paid, and any other consideration deemed necessary relative
78 to the lot's impact on the substandard street.

79 c. A lot owner may provide the county with a third-party study, conducted by a qualified
80 professional as defined in Section 101-1-7, to assist in determining the nature and
81 extent of the impact of the lot on the substandard street, or to analyze the financial
82 obligation of the lot owner, or both.

Formatted: Indent: Left: 0.75"

Commented [CE22]: Ogden Valley forwarded a positive recommendation for this text amendment, but asked the County Commission to pay particular attention to the way this paragraph was written, as it didn't sit comfortably with a number of them, but the majority were not ready to say it isn't needed.

I have rewritten this paragraph after their discussion to try to mitigate some of the discomfort. It is now reads less heavy handed in terms of a landowner's ability to file a protest, gives the governing authority more leniency, and limits the governing authority's scope on what can be assessed in one of these taxing areas and on what the additional tax can be spent. Hopefully this mitigates concerns that this provision can lead to the runaway government effect.

Commented [CE23]: New section desired by the Ogden Valley Planning Commission to help quantify what roughly proportionate means. "rough proportionality" has been tested through several court cases. There is no set method to calculate, but the governing authority needs to make the case that through individual development evaluations their determination of roughly proportionate needs to be related both in nature and extend to the impact of the existence of the development.

Revised May 5, 2020

1 **Title 106 Subdivisions**

2 ...

3 **Chapter 106-2 Subdivision Standards**

4 ...

5 **Sec 106-2-4 Lots**

6 ...

7 (i) *Easements.* Lots shall have a ten-foot public utility easement abutting the public street right-
8 of-way and spanning the lot width, except that this easement is not required in zones that
9 allow a zero front setback. Other public utility easements shall be provided if, and only if,
10 authorized or required by the County Engineer or Land Use Authority, who shall specify the
11 easement's location and width, with a minimum width no less than five feet. If the applicant
12 cannot demonstrate that surface water runoff onto adjacent lots or parcels will not exceed
13 historic runoff rates, the land use authority may require that a land drain easement be provided
14 by the applicant. The land drain shall be installed as a part of the subdivision improvements.

15 ...

16 ...

17 **Sec 106-4-1 General Requirements**

18 ...

19 (h) New subdivisions with sole access from a terminal substandard public street, whether directly
20 connected or connected via streets that meet county standard, shall not be approved until the
21 substandard street is fully improved to county public work standards and adopted right-of-way
22 width.

23 (1) This requirement shall be waived if a traffic study, conducted by a qualified professional,
24 demonstrates that the existing substandard public street from which the new subdivision
25 will gain access is adequate and safe, or can be made adequate and safe with
26 improvements from the applicant, for the increased traffic demand of the new subdivision,
27 and if the Planning Director and County Engineer can mutually make the following
28 findings:

29 a. That due to topographic or other environmental characteristics of the area, it is unlikely
30 that the terminal substandard street system will make a second connection to the
31 public street network within the next 10 years; and

32 b. That not providing a secondary connection to the public street network does not
33 conflict with a general plan, small area plan, master streets plan, or similar adopted
34 planning document.

35 (2) In order for the provisions of (h)(1) to apply, owners having interest in the proposed
36 subdivision shall execute a substandard road agreement and notice to new owners. The
37 content of the substandard road agreement and notice shall be as specified by the county.
38 At a minimum, it shall:

39 a. require a deferral agreement that specifies that the owner or their successors and heirs
40 are responsible for their roughly proportionate share of improving the substandard
41 public street system at a time the county deems it necessary;

Revised May 5, 2020

- 42 b. cause for the governing authority, at their option, to withhold any written protest filed
43 by the owner under the State Code's Assessment Area Act, provisions for local
44 districts, or any similar government revenue generation mechanism, from the final tally
45 of collected protests. . The revenue generated by the mechanism shall be:
- 46 1. limited to the actual value, adjusted for market changes over time, of improving the
47 substandard public street to the standards applicable at the time of the
48 agreement's execution; and
- 49 2. only reinvested into improving the substandard street to the standards applicable
50 at the time of the agreement's execution, or applied to the total cost of improving
51 the street to an updated or better standard; and
- 52 c. be recorded to the property at the time of subdivision recordation, or sooner.
- 53 (3) No precise mathematical calculation is required to determine the roughly proportionate
54 share of improving the substandard public street, as provided in Section 106-4-1(h)(2).
55 However, an individualized determination shall be conducted for each lot. In determining
56 what is roughly proportionate, the following guidelines apply:
- 57 a. The individualized determination is required to show that the established roughly
58 proportionate share is related in both nature and extent to the impact of the developed
59 lot.
- 60 b. For each lot, the following factors shall be considered to determine their relevance to
61 the calculation: the minimum lot width of the applicable zone, the actual lot width,
62 average daily distance travelled, number of actual trips, the uses on the lot, average
63 daily trips related to those uses, weight of a typical vehicle related to those uses,
64 longevity of current ownership and longevity of existing development or uses as they
65 relate to historical taxes paid, and any other consideration deemed necessary relative
66 to the lot's impact on the substandard street.
- 67 c. A lot owner may provide the county with a third-party study, conducted by a qualified
68 professional as defined in Section 101-1-7, to assist in determining the nature and
69 extent of the impact of the lot on the substandard street, or to analyze the financial
70 obligation of the lot owner, or both.