

Base Details

Building Size & Style

SR-600 - 10' wide by 10' long

Door

4' x 6'2" Single Shed Door, Left Hinge

Placement

Paint Selection

Base: Brick Dust, Trim: Southern

Breeze

Roof Selection

Golden Cedar 3 Tab

Drip Edge

White

Options Details

Vents

16"x8" Wall Vent - White

Jobsite/Installer Details

Do you plan to insulate this building after Tuff Shed installs it?

No

Is there a power outlet within 100 feet of installation location?

Yes

The building location must be level to properly install the building. How level is the install location?

Within 4" of level

Will there be 18" of unobstructed workspace around the perimeter of all four walls?

Yes

Can the installers park their pickup truck & trailer within approximately 200' of your installation site?

Yes

Substrate Shed will be installed on?


Not Anchored to Concrete with Shed Floor

UocuSigned by:

Signature: ron ahlstrom

Date: 5/26/2021

419001B0F01841C...



Sales Order

Location:	TOOELE #30 435-843-7530	Scheduled Date:	Pending
Factory Location:	SALT LAKE CITY #030 801-269-8833	Created Date:	05/21/2021
Factory Address:	5501 SOUTH 320 WEST SALT LAKE CITY, UT 84107	Customer:	ron ahlstrom p. (801) 230-5824 c. ronahlstrom@msn.com
Prepared by:	Denise Serrano 8014255506 dserrano@tuffshed.com	SF SO:	00605127
Special Instructions:		HD Store #:	
		Customer PO:	
		JDE SO:	1679119
Serial Number:		Ship to Address:	sourdough wilderness ranch 3465 n highway 39 huntsville, UT 84317 US

Item Description	Quantity
SR-600 10 x 10	1.00
PAINT SR-600 KR-600 10' WIDE	1.00
16"x8" Wall Vent	1.00

DocuSigned by:
ron ahlstrom
Customer Signature
41900180FD1641C...

5/26/2021
Date

Initials RA