LEGAL DESCRIPTION

SURVEYOR'S CERTIFICATE

BEGINNING AT A POINT THAT IS SOUTH 01°09'02" WEST 2,468.42 FEET AND EAST 2,031.16 FEET, FROM THE WEST QUARTER CORNER OF SECTION 5, TOWNSHIP 7 NORTH, RANGE I EAST, SALT LAKE BASE AND MERIDIAN; RUNNING THENCE NORTH 83°22'20" EAST 385.15 FEET TO THE SOUTHWESTERLY RIGHT OF WAY LINE OF SUMMIT PASS; THENCE ALONG SAID SOUTHWESTERLY RIGHT OF WAY LINE OF SUMMIT PASS THE FOLLOWING TEN (10) COURSES: 1) SOUTHERLY ALONG A 603.42 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT, (CHORD BEARS SOUTH 11°56'38" EAST A DISTANCE OF 99.48 FEET), THROUGH A CENTRAL ANGLE OF 09°27'25", A DISTANCE OF 99.60 FEET, 2) SOUTH 16°40'20" EAST 261.55 FEET, 3) SOUTHEASTERLY ALONG A 433.00 FOOT RADIUS TANGENT CURVE TO THE LEFT, (CHORD BEARS SOUTH 29°31'31" EAST A DISTANCE OF 192.64 FEET), THROUGH A CENTRAL ANGLE OF 25°42'21", A DISTANCE OF 194.27 FEET, 4) SOUTH 42°22'41" EAST 79.01 FEET, 5) SOUTHEASTERLY ALONG A 433.00 FOOT RADIUS TANGENT CURVE TO THE LEFT, (CHORD BEARS SOUTH 54°25'37" EAST A DISTANCE OF 180.78 FEET), THROUGH A CENTRAL ANGLE OF 24°05'53", A DISTANCE OF 182.11 FEET, 6) SOUTH 66°28'34" EAST 225.96 FEET, 7) SOUTHEASTERLY ALONG A 367.00 FOOT RADIUS TANGENT CURVE TO THE RIGHT, (CHORD BEARS SOUTH 57°28'49" EAST A DISTANCE OF 114.77 FEET), THROUGH A CENTRAL ANGLE OF 17°59'29", A DISTANCE OF 115.24 FEET, 8) SOUTH 48°29'04" EAST 89.38 FEET, 9) SOUTHEASTERLY ALONG A 433.00 FOOT RADIUS TANGENT CURVE TO THE LEFT, (CHORD BEARS SOUTH 66°06'41" EAST A DISTANCE OF 262.24 FEET), THROUGH A CENTRAL ANGLE OF 35°15'14", A DISTANCE OF 266.42 FEET AND 10) SOUTH 83°44'18" EAST 160.34 FEET; THENCE SOUTH 01°26'03" WEST 47.96 FEET; THENCE EASTERLY ALONG A 482.00 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT, (CHORD BEARS SOUTH 83°43'36" EAST A DISTANCE OF 203.87 FEET), THROUGH A CENTRAL ANGLE OF 24°25'07", A DISTANCE OF 205.42 FEET; THENCE NORTH 84°03'51" EAST 138.80 FEET; THENCE EASTERLY ALONG A 143.00 FOOT RADIUS TANGENT CURVE TO THE RIGHT, (CHORD BEARS NORTH 89°51'47" EAST A DISTANCE OF 28.90 FEET), THROUGH A CENTRAL ANGLE OF 11°35'53", A DISTANCE OF 28.95 FEET; THENCE NORTH 05°39'44" EAST 64.51 FEET TO SAID SOUTHWESTERLY RIGHT OF WAY LINE; THENCE ALONG SAID RIGHT OF WAY LINE THE FOLLOWING TWO (2) COURSES: 1) SOUTHEASTERLY ALONG A 217.00 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT, (CHORD BEARS SOUTH 31°41'30" EAST A DISTANCE OF 341.83 FEET), THROUGH A CENTRAL ANGLE OF 103°55'47", A DISTANCE OF 393.62 FEET AND 2) SOUTH 20°16'24" WEST 37.40 FEET TO THE NORTHERLY RIGHT OF WAY LINE OF SPRING PARK ROAD; THENCE ALONG SAID RIGHT OF WAY LINE OF SPRING PARK ROAD THE FOLLOWING TWENTY-THREE (23) COURSES: I) WESTERLY ALONG A 93.00 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT, (CHORD BEARS SOUTH 86°35'01" WEST A DISTANCE OF 37.32 FEET), THROUGH A CENTRAL ANGLE OF 23°09'03" A DISTANCE OF 37.58 FEET, 2) SOUTHWESTERLY ALONG A 93.00 FOOT RADIUS COMPOUND CURVE TO THE LEFT, (CHORD BEARS SOUTH 67°29'35" WEST A DISTANCE OF 24.33 FEET), THROUGH A CENTRAL ANGLE OF 15°01'49", A DISTANCE OF 24.40 FEET, 3) SOUTH 59°58'41" WEST 28.58 FEET, 4) SOUTH 59°58'41" WEST 23.81 FEET, 5) WESTERLY ALONG A 102.00 FOOT RADIUS TANGENT CURVE TO THE RIGHT, (CHORD BEARS NORTH 86°21'09" WEST A DISTANCE OF 113.10 FEET), THROUGH A CENTRAL ANGLE OF 67°20'21", A DISTANCE OF 119.88 FEET, 6) NORTH 52°40'58" WEST 59.72 FEET, 7) NORTHWESTERLY ALONG A 268.00 FOOT RADIUS TANGENT CURVE TO THE LEFT, (CHORD BEARS NORTH 65°16'53" WEST A DISTANCE OF 116.91 FEET), THROUGH A CENTRAL ANGLE OF 25°11'49", A DISTANCE OF 117.86 FEET, 8) NORTH 77°52'47" WEST 144.40 FEET, 9) WESTERLY ALONG A 268.00 FOOT RADIUS TANGENT CURVE TO THE LEFT, (CHORD BEARS SOUTH 89°14'55" WEST A DISTANCE OF 119.40 FEET), THROUGH A CENTRAL ANGLE OF 25°44'36", A DISTANCE OF 120.41 FEET, 10) SOUTH 76°22'37" WEST 117.26 FEET, 11) WESTERLY ALONG A 232.00 FOOT RADIUS TANGENT CURVE TO THE RIGHT, (CHORD BEARS SOUTH 88°58'58" WEST A DISTANCE OF 101.27 FEET), THROUGH A CENTRAL ANGLE OF 25°12'43", A DISTANCE OF 102.09 FEET, 12) NORTH 78°24'40" WEST 7.67 FEET, 13) NORTHWESTERLY ALONG A 18.00 FOOT RADIUS TANGENT CURVE TO THE RIGHT, (CHORD BEARS NORTH 50°04'54" WEST A DISTANCE OF 17.08 FEET), THROUGH A CENTRAL ANGLE OF 56°39'33", A DISTANCE OF 17.80 FEET, 14) SOUTHERLY ALONG A 47.50 FOOT RADIUS REVERSE CURVE TO THE LEFT, (CHORD BEARS SOUTH II°35'20" WEST A DISTANCE OF 52.21 FEET), THROUGH A CENTRAL ANGLE OF 293°19'06", A DISTANCE OF 243.17 FEET, 15) EASTERLY ALONG A 18.00 FOOT RADIUS REVERSE CURVE TO THE RIGHT, (CHORD BEARS NORTH 73°15'33" EAST A DISTANCE OF 17.08 FEET), THROUGH A CENTRAL ANGLE OF 56°39'33", A DISTANCE OF 17.80 FEET, 16) SOUTH 78°24'40" EAST 7.68 FEET, I7) SOUTHEASTERLY ALONG A 268.00 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT, (CHORD BEARS NORTH 88°59'01" EAST A DISTANCE OF 116.98 FEET), THROUGH A CENTRAL ANGLE OF 25°12'47", A DISTANCE OF 117.93 FEET, 18) NORTH 76°22'37" EAST 117.26 FEET, 19) EASTERLY ALONG A 232.00 FOOT RADIUS TANGENT CURVE TO THE RIGHT, (CHORD BEARS NORTH 89°14'55" EAST A DISTANCE OF 103.36 FEET), THROUGH A CENTRAL ANGLE OF 25°44'36", A DISTANCE OF 104.24 FEET, 20) SOUTH 77°52'47" EAST 144.40 FEET, 21) SOUTHEASTERLY ALONG A 232.00 FOOT RADIUS TANGENT CURVE TO THE RIGHT, (CHORD BEARS SOUTH 65°16'53" EAST A DISTANCE OF 101.21 FEET), THROUGH A CENTRAL ANGLE OF 25°11'49", A DISTANCE OF 102.03 FEET, 22) SOUTH 52°40'58" EAST 59.72 FEET AND 23) SOUTHEASTERLY ALONG A 138.00 FOOT RADIUS TANGENT CURVE TO THE LEFT, (CHORD BEARS SOUTH 62°13'30" EAST A DISTANCE OF 45.75 FEET), THROUGH A CENTRAL ANGLE OF 19°05'03", A DISTANCE OF 45.97 FEET; THENCE SOUTH 18°13'59" WEST 71.30 FEET; THENCE WEST 41.88 FEET; THENCE SOUTH 414.03 FEET; THENCE SOUTH 29°11'14" WEST 337.79 FEET; THENCE NORTH 88°18'57" WEST 1,941.65 FEET; THENCE NORTH 14°02'38" EAST 1,143.47 FEET; THENCE NORTH 35°56'05" WEST 538.55 FEET; THENCE NORTH 34°42'50" EAST 437.67 FEET; THENCE NORTH 22°00'21" EAST 196.22 FEET TO THE POINT OF BEGINNING.

RICHARD W. MILLER, REGISTERED LAND SURVEYOR, STATE OF UTAH, HOLDING LICENSE

DESCRIBED TRACT OF LAND AND THAT I HAVE SUBDIVIDED SAID TRACT OF LAND INTO

NUMBER 155641-2201, CERTIFY THAT I HAVE MADE A SURVEY OF THE FOLLOWING

CONTAINING 3,127,453 SQUARE FEET OR 71.796 ACRES.

NO.	BY	DATE	REVISIONS:
		0012 00 17	
l	TD TD	2013-09-17	PLAT NOTES & LEGAL DESCRIPTIONS

SUMMIT AT POWDER MOUNTAIN PHASE IA COVER SHEET, SIGNATURES, & VICINITY MAP

LOCATED IN SECTION I TOWNSHIP 7 NORTH, RANGE I EAST AND SECTIONS 6, 5 AND 8 OF TOWNSHIP 7 NORTH, RANGE 2 EAST, SALT LAKE BASE AND MERIDIAN, WEBER COUNTY, UTAH

> PLAT PREPARED FOR: SUMMIT MOUNTAIN HOLDING GROUP, LLC. 1355 NORTH 5900 EAST EDEN, UTAH 84310

SUMMIT EDEN ESTATES SUBDIVISION PLAT NOTES

- THIS PLAT IS SUBJECT TO THAT CERTAIN NEIGHBORHOOD DECLARATION OF COVENANTS, CONDITIONS, EASEMENTS AND RESTRICTIONS FOR SUMMIT EDEN ESTATES ("NEIGHBORHOOD DECLARATION") EXECUTED BY SMHG PHASE I, LLC ("DECLARANT") AS WELL AS THAT CERTAIN MASTER DECLARATION OF COVENANTS, CONDITIONS, EASEMENTS AND RESTRICTIONS FOR SUMMIT EDEN ("MASTER DECLARATION") THAT HAVE BEEN OR WILL BE RECORDED IN THE OFFICE OF THE WEBER COUNTY RECORDER WHICH SHALL SET FORTH THE RESTRICTIONS AND GENERAL PLAN OF IMPROVEMENT FOR THE PROPERTY DESCRIBED IN THIS PLAT. CAPITALIZED TERMS NOT OTHERWISE DEFINED IN THIS PLAT SHALL HAVE THE MEANINGS SET FORTH IN THE NEIGHBORHOOD DECLARATION OR MASTER DECLARATION.
- 2. PURSUANT TO THE NEIGHBORHOOD DECLARATION, THE SUMMIT EDEN ESTATES ASSOCIATION, INC., A UTAH NONPROFIT CORPORATION ("NEIGHBORHOOD ASSOCIATION") IS RESPONSIBLE FOR MAINTAINING ALL COMMON AREA, AND SHALL HAVE A PERPETUAL NON-EXCLUSIVE EASEMENT OVER THE NEIGHBORHOOD FOR SUCH MAINTENANCE PURPOSES AS FURTHER DESCRIBED IN THE NEIGHBORHOOD DECLARATION. SUCH RESPONSIBILITY AND EASEMENT MAY BE DELEGATED AND ASSIGNED TO THE SUMMIT EDEN OWNERS ASSOCIATION, INC., A UTAH NONPROFIT CORPORATION ("COMMUNITY ASSOCIATION").
- 3. DECLARANT HEREBY RESERVES FOR THE BENEFIT OF ITSELF, ITS SUCCESSORS AND ASSIGNS, THE RIGHT TO REALIGN AND ADJUST LOT BOUNDARY LINES IN ACCORDANCE WITH THE PROVISIONS OF THE NEIGHBORHOOD DECLARATION FOR PURPOSES OF PROPER CONFIGURATIONS OF ALL LOTS AS PERMITTED BY THE NEIGHBORHOOD DECLARATION. ALL OWNERS OF LOTS IN THE NEIGHBORHOOD AGREE THAT ANY SUCH LOT BOUNDARY LINE ADJUSTMENTS SHALL BE ACCOMPLISHED BY RECORDATION OF A DEED BY THE OWNERS OF THE AFFECTED LOTS, ADJUSTING LOT BOUNDARY LINES, AND THAT NO AMENDMENT TO THIS PLAT SHALL BE REQUIRED. UPON ANY SUCH ADJUSTMENT, ALL REQUIRED OWNERS SHALL EXECUTE A DEED UPON REQUEST OF DECLARANT AS PROVIDED BY THE NEIGHBORHOOD DECLARATION. NOTWITHSTANDING THE FOREGOING, IN THE EVENT AN AMENDMENT TO THIS PLAT IS REQUIRED BY WEBER COUNTY, EACH OWNER AGREES TO EXECUTE SUCH AMENDMENT
- 4. THE PROPERTY AS DEPICTED ON THIS PLAT IS SUBJECT TO THE RIGHTS OF DECLARANT AS DESCRIBED IN THE NEIGHBORHOOD DECLARATION, AND THE RIGHTS OF MASTER DEVELOPER AS DESCRIBED IN THE MASTER DECLARATION, AND DECLARANT AND MASTER DEVELOPER SHALL HAVE THE RIGHT TO EXERCISE ANY APPLICABLE RIGHTS PROVIDED FOR IN SAID DECLARATIONS, INCLUDING, WITHOUT LIMITATION, RESERVATION AND GRANTING OF CERTAIN EASEMENTS, REDUCING OR RELOCATING IMPROVEMENTS WITHIN THE COMMUNITY, ADDING ADDITIONAL FACILITIES AND MAKING SUCH OTHER DEVELOPMENT DECISIONS AND CHANGES AS DECLARANT OR MASTER DEVELOPER SHALL DETERMINE IN EACH OF THEIR SOLE AND
- 5. THE LOTS ARE SERVED BY PRIVATE WATER AND WASTEWATER LATERAL LINES. EACH OWNER SHALL BE RESPONSIBLE FOR THE MAINTENANCE AND REPLACEMENT OF ALL WATER

AND SANITARY SEWER LATERALS SERVING THE RESIDENCE ON SUCH OWNER'S LOT.

- 6. ALL UTILITIES WITHIN THE PROJECT SHALL BE UNDERGROUND. NOTWITHSTANDING DECLARANT'S GRANT OF BLANKET UTILITY EASEMENTS, DECLARANT RESERVES THE RIGHT TO RECORD ONE OR MORE INSTRUMENTS WHICH NARROW AND LIMIT SUCH GRANT OF UTILITY EASEMENT TO THE NORMAL EASEMENT WIDTH OF THE UTILITY IN THOSE SPECIFIC AREAS OF THE COMMON AREAS WHICH ACTUALLY CONTAIN THE UTILITY FACILITIES AS DESCRIBED IN SUCH INSTRUMENT AND FOR THE PURPOSES DESCRIBED THEREIN. SUCH RESERVED RIGHT IS SUBJECT TO THE UTILITY COMPANIES' RIGHTS THEN LOCATED UNDER THE REAL PROPERTY DEPICTED ON THIS PLAT.
- 7. DECLARANT HEREBY GRANTS TO THE UTILITY PROVIDERS IDENTIFIED BELOW AN EASEMENT OVER AND ACROSS ALL AREAS SHOWN HEREON AS PUBLIC UTILITY EASEMENTS FOR THE PURPOSE OF INSTALLING, MAINTAINING AND OPERATING EQUIPMENT AND FACILITIES ABOVE AND BELOW GROUND AS MAY BE NECESSARY OR DESIRABLE IN PROVIDING UTILITY SERVICES WITHIN AND WITHOUT THE LOTS, INCLUDING THE RIGHT OF ACCESS TO SUCH FACILITIES AND THE RIGHT TO REQUIRE REMOVAL OF ANY OBSTRUCTIONS INCLUDING STRUCTURES, TREES, AND VEGETATION THAT MAY HAVE BEEN PLACED WITHIN THE EASEMENTS. AT NO TIME MAY ANY PERMANENT STRUCTURES BE PLACED WITHIN THE PUBLIC UTILITY EASEMENTS WHICH INTERFERES WITH THE USE OF THE EASEMENTS WITHOUT THE PRIOR WRITTEN APPROVAL OF THE APPLICABLE UTILITY PROVIDERS. FOR PURPOSES HEREIN, UTILITY PROVIDERS SHALL INCLUDE WEBER COUNTY WITH RESPECT TO STORM AND DRAINAGE, POWDER MOUNTAIN WATER AND SEWER IMPROVEMENT DISTRICT WITH RESPECT TO SEWER AND WATER, ROCKY MOUNTAIN POWDER WITH RESPECT TO ELECTRICAL, CENTURY LINK WITH RESPECT TO COMMUNICATIONS FACILITIES, AND ANY OTHER PUBLIC UTILITY PROVIDER.
- 8. THIS PLAT ESTABLISHES COPPER CREST, SHOWN HEREON AS "ROAD PARCEL A," AS A LEGALLY RECOGNIZED AND PROPERLY SUBDIVIDED SEPARATE PARCEL OF REAL PROPERTY AND AS A PUBLIC UTILITY EASEMENT. HORIZON RUN IS A PRIVATE ROAD, TO BE OPERATED, MAINTAINED AND REPAIRED BY THE COMMUNITY ASSOCIATION FOR THE USE AND BENEFIT AND AT THE EXPENSE OF ITS MEMBERS IN ACCORDANCE WITH THE NEIGHBORHOOD DECLARATION AND MASTER DECLARATION. HORIZON RUN MAY BE RELOCATED BY DECLARANT AS DESCRIBED IN THE NEIGHBORHOOD DECLARATION. HORIZON RUN IS NOT A PUBLIC ROAD OR RIGHT OF WAY. THIS PLAT SHALL NOT BE DEEMED TO GRANT ANY RIGHTS IN THE PUBLIC TO USE HORIZON RUN OR CREATE ANY OBLIGATIONS ON THE PART OF WEBER COUNTY TO MAINTAIN OR REPAIR HORIZON RUN. ALL SUCH USE AND MAINTENANCE SHALL BE GOVERNED BY THE TERMS AND PROVISIONS OF THE NEIGHBORHOOD DECLARATION.
- 9. ALL PROPERTY CORNERS TO BE SET ALONG THE PERIMETER BOUNDARY AS SHOWN HEREON.
- 10. ALL COMMON WATER AND SEWER MAINS WITHIN THE COMMUNITY WILL BE OWNED AND MAINTAINED BY POWDER MOUNTAIN WATER SERVICE DISTRICT.
- II. AS FURTHER DESCRIBED IN THE MASTER DECLARATION, ALL LOTS, AND ALL RESIDENCES AND IMPROVEMENTS CONSTRUCTED THEREON, SHALL COMPLY WITH THE DESIGN GUIDE. NO CONSTRUCTION, INSTALLATION, OR OTHER WORK WHICH IN ANY WAY ALTERS THE APPEARANCE OF ANY PROPERTY OR LOT WITHIN THE PROJECT, OR ANY RESIDENCES OR IMPROVEMENTS LOCATED THEREON, SHALL BE MADE OR DONE WITHOUT COMPLIANCE WITH THE DESIGN GUIDE AS DESCRIBED IN THE MASTER DECLARATION.
- 12. DECLARANT RESERVES THE RIGHT TO UNILATERALLY AMEND THE PLAT, WITHOUT THE CONSENT OF THE AFFECTED OWNER, AT ANY TIME AND FROM TIME TO TIME IF SUCH AMENDMENT IS NECESSARY TO SATISFY THE REQUIREMENTS OF ANY GOVERNMENTAL AUTHORITY, TO CORRECT MISTAKES, REMOVE/CLARIFY AMBIGUITIES OR FOR ANY OTHER PURPOSE SO LONG AS SUCH AMENDMENT TO THE PLAT DOES NOT MATERIALLY ADVERSELY AFFECT TITLE TO ANY PROPERTY.

SURVEY NARRATIVE:

WEBER COUNTY ATTORNEY

HAVE EXAMINED THE FINANCIAL GUARANTEE AND OTHER

ORDINANCE APPLICABLE THERETO AND NOW IN FORCE AND

SIGNED THIS _____ DAY OF _____, 20____.

IN MY OPINION THEY CONFORM WITH THE COUNTY

AFFECT.

I-THIS SURVEY WAS SUBDIVIDE THE AFORESAID TRACT OF LAND INTO LOTS, STREETS,

PARCELS, AND EASEMENTS AS SHOWN HEREON AND AS DIRECTED BY THE CLIENT

DOCUMENTS ASSOCIATED WITH THIS SUBDIVISION PLAT AND | REVIEWED THIS PLAT FOR MATHEMATICAL CORRECTNESS, SECTION CORNER

COUNTY SURVEYOR

2-THE BASIS OF BEARINGS FOR THIS PLAT IS NORTH 89°55'51" WEST BETWEEN THE NORTHEAST CORNER OF SECTION I, TOWNSHIP 7 NORTH, RANGE I EAST, SALT LAKE BASE AND MERIDIAN AND A FOUND WEBER COUNTY LINE MONUMENT SET BY THE WEBER COUNTY SURVEYOR'S OFFICE.

WEBER COUNTY SURVEYOR

DATA AND FOR HARMONY WITH LINES AND MONUMENTS ON RECORD IN THE

EXICUTED THIS PLAT FROM RESPONSBILITES AN/OR LIABILITIES ASSOCIATED

COUNTY OFFICES. THE APPROVAL OF THIS PLAT BY THE WEBER COUNTY

SURVEYORS DOES NOT RELIEVE THE LICENSED LAND SURVEYOR WHO

THEREWITH. SIGNED THIS _____ DAY OF _____, 20 ____.

I HEREBY CERTIFY THAT THE WEBER COUNTY SURVEYOR'S OFFICE HAS

SUMMIT EDEN ESTATES SUBDIVISION PLAT NOTES

13. DECLARANT HEREBY RESERVES TO ITSELF A BLANKET EASEMENT ACROSS ALL LOTS AND PARCELS, EXCLUDING THE BUILDING ENVELOPES, FOR CONSTRUCTING AND MAINTAINING HIKING AND BIKING TRAILS ("TRAIL EASEMENT"). THE EXACT LOCATION OF THE TRAILS MAY BE DESIGNATED, ADDED TO, DELETED, OR MODIFIED BY DECLARANT WITHOUT AN AMENDMENT TO THIS PLAT AS MORE FULLY DESCRIBED IN THE NEIGHBORHOOD DECLARATION. DECLARANT HEREBY GRANTS TO THE NEIGHBORHOOD ASSOCIATION, COMMUNITY ASSOCIATION, AND THEIR MEMBERS AN EASEMENT FOR USE AND ENJOYMENT OF THE TRAIL EASEMENT, IN THE AS-CONSTRUCTION LOCATIONS, IN ACCORDANCE WITH ANY RULES AND REGULATIONS ADOPTED BY DECLARANT

14. DECLARANT HEREBY RESERVES TO ITSELF A BLANKET EASEMENT ACROSS ALL LOTS AND PARCELS, EXCLUDING THE BUILDING ENVELOPES, FOR CONSTRUCTING AND MAINTAINING SKI TRAILS AND OTHER SKI IMPROVEMENTS ("SKI EASEMENT"). DECLARANT MAY DESIGNATE, DEFINE, LOCATE, RELOCATE, AND MODIFY THE EXACT LOCATION OF THE SKI EASEMENT WITHOUT AN AMENDMENT TO THIS PLAT AS MORE FULLY DESCRIBED IN THE NEIGHBORHOOD DECLARATION. DECLARANT HEREBY GRANTS AN EASEMENT IN FAVOR OF THE NEIGHBORHOOD ASSOCIATION, COMMUNITY ASSOCIATION, AND THEIR MEMBERS FOR USE AND ENJOYMENT OF THE SKI EASEMENT IN ACCORDANCE WITH ANY RULES AND REGULATIONS ADOPTED BY

15. DECLARANT HEREBY RESERVES TO ITSELF A TEMPORARY EASEMENT ALONG EACH SIDE OF THE ROADS SHOWN HEREON IN A WIDTH AS DEEMED NECESSARY BY WEBER COUNTY AND CONSISTENT WITH THE ROAD DEDICATION PLAT FOR SUMMIT PASS AND SPRING PARK ("SLOPE EASEMENT") AS MORE FULLY DESCRIBED IN THE NEIGHBORHOOD DECLARATION. SUCH SLOPE EASEMENT IS FOR THE BENEFIT OF DECLARANT, ITS EMPLOYEES, AND CONTRACTORS, FOR THE PURPOSE OF STABILIZING, CUTTING SLOPES, AND PERFORMING OTHER CONSTRUCTION AND MAINTENANCE TO PREVENT EROSION ALONG THE PRIVATE ROADS. THE PORTION OF THE SLOPE EASEMENT ON EACH LOT SHALL AUTOMATICALLY TERMINATE AT SUCH TIME AS A CERTIFICATE OF OCCUPANCY IS ISSUED FOR A RESIDENTIAL BUILDING CONSTRUCTED ON SUCH

6. DECLARANT HEREBY RESERVES TO ITSELF A BLANKET EASEMENT AND RIGHT ON, OVER, UNDER AND ACROSS ROAD PARCEL A FOR THE CONSTRUCTION, MAINTENANCE, AND OPERATION OF TUNNELS, BRIDGES AND/OR SKI LIFTS OVER AND UNDER THE ROAD. DECLARANT MAY CONVEY, TRANSFER, OR ASSIGN ITS RIGHTS WITH RESPECT TO SUCH EASEMENT.

17. CERTAIN PARCELS MAY BE DESIGNATED HEREON AS "OPEN SPACE." HOWEVER, NOTWITHSTANDING SUCH DESIGNATION, THE PERMITTED USES AND ANY APPLICABLE RESTRICTIONS FOR SUCH PARCELS SHALL BE AS SET FORTH IN THE NEIGHBORHOOD DECLARATION AND MASTER DECLARATION. DECLARANT RESERVES THE RIGHT TO BUILD FACILITIES AND AMENITIES WITHIN ANY AREA DESIGNATED AS OPEN SPACE, AND RESERVES THE RIGHT TO AMEND, RELOCATE, REDUCE, OR OTHERWISE CHANGE THE AREAS DESIGNATED AS OPEN SPACE SO LONG AS THE DESIGNATED OPEN SPACE COMPLIES WITH THE OPEN SPACE REQUIREMENTS IMPOSED BY WEBER COUNTY.

18. DECLARANT GIVES NOTICE THAT THE LOTS SHOWN HEREON ARE IN A SKI RESORT AREA ("SKI RESORT") IN WHICH HEAVY SNOW FALLS, WIND PATTERNS, AND OTHER CONDITIONS HAVE THE POTENTIAL TO CAUSE AVALANCHES IN CERTAIN AREAS. NO STUDIES HAVE BEEN CONDUCTED TO DETERMINE WHETHER ANY OF THE LOTS OR BUILDING ENVELOPES SHOWN HEREON ARE WITHIN POTENTIAL AVALANCHE INFLUENCE AND AVALANCHE CONTROL ZONES. CERTAIN AREAS WITHIN THE SKI RESORT MAY BE SUBJECT TO AVALANCHE CONTROLS BY THE OPERATOR OF THE SKI RESORT AND SUCH CONTROL PROCEDURES MAY INVOLVE THE USE OF EXPLOSIVE CHARGES AND MAY TRIGGER AVALANCHES AS WELL AS OCCASIONAL ROAD, DRIVEWAY, AND SKI TRAIL CLOSURES. DECLARANT MAKES NO REPRESENTATION WITH RESPECT TO THE OPERATIONS OF THE SKI RESORT OR THE POTENTIAL RISKS OR HAZARDS ASSOCIATED WITH AVALANCHES OR AVALANCHE CONTROL. EACH OWNER OF A LOT SHOULD CONDUCT ITS OWN STUDIES PRIOR TO CONSTRUCTING ANY IMPROVEMENTS ON A LOT

19.. DECLARANT HEREBY GRANTS AN ACCESS EASEMENT OVER LOT 4IR FOR A PRIVATE DRIVEWAY FOR THE USE AND BENEFIT AND AT THE EXPENSE OF THE OWNER OF LOT 42R AS MAY BE NECESSARY FOR ACCESS TO SUCH LOT, IN ACCORDANCE WITH THE TERMS AND PROVISIONS OF THE NEIGHBORHOOD DECLARATION AND MASTER DECLARATION. UPON CONSTRUCTION OF THE PRIVATE DRIVEWAY, THE LOCATION OF THE ACCESS EASEMENT SHALL BE LIMITED TO THE AS-BUILT LOCATION OF SUCH PRIVATE DRIVEWAY.

WEBER COUNTY ENGINEER

SUBDIVISION CONFORM WITH COUNTY STANDARDS AND THE

AMOUNT OF THE FINANCIAL GUARANTEE IS SUFFICIENT FOR

HEREBY CERTIFY THAT THE REQUIRED PUBLIC

THE INSTALLATION OF THESE IMPROVEMENTS.


SIGNATURE

MPROVEMENT STANDARDS AND DRAWINGS FOR THIS

SIGNED THIS _____ DAY OF _____, 20____.

VICINITY MAP

N.T.S.



SUMMIT EDEN ESTATES OWNER'S DEDICATION:

SMHG PHASE I, LLC ("DECLARANT"), AS THE OWNER OF THE HEREIN DESCRIBED TRACT OF LAND, DOES HEREBY SET APART AND SUBDIVIDE THE SAME INTO LOTS AND PARCELS AS SHOWN HERON AND NAME SAID TRACT, TO BE KNOWN AS SUMMIT EDEN ESTATES, AND DOES HEREBY:

- PRIVATE STREETS, ACCESS, RIGHTS-OF-WAY. DEDICATE AND RESERVE UNTO DECLARANT, ITS HEIRS, GRANTEES AND ASSIGNS, A RIGHT-OF-WAY TO BE USED IN COMMON WITH ALL OTHERS WITHIN SAID SUBDIVISION (AND THOSE ADJOINING SUBDIVISIONS THAT MAY BE SUBDIVIDED BY THE UNDERSIGNED OWNER, ITS SUCCESSORS OR ASSIGNS) ON, OVER AND ACROSS ALL THOSE PORTIONS OR PARTS OF SAID TRACT OF LAND DESIGNATED ON SAID PLAT AS PRIVATE STREETS AS ACCESS TO THE INDIVIDUAL LOTS, TO BE MAINTAINED BY SUMMIT EDEN ESTATES ASSOCIATION, INC., A UTAH NONPROFIT CORPORATION ("NEIGHBORHOOD ASSOCIATION"), WHOSE MEMBERSHIP CONSISTS OF DECLARANT AND THE OWNERS OF THE LOTS DEPICTED HEREON.
- PUBLIC UTILITY AND DRAINAGE EASEMENTS. GRANT AND DEDICATE A PERPETUAL RIGHT AND EASEMENT OVER, UPON AND UNDER THE LANDS DESIGNATED HEREOF AS PUBLIC UTILITY, STORM WATER DETENTION PONDS AND DRAINAGE EASEMENTS, THE SAME TO BE USED FOR THE INSTALLATION MAINTENANCE AND OPERATION OF PUBLIC UTILITY SERVICE LINE, STORM DRAINAGE FACILITIES, OR FOR THE PERPETUAL PRESERVATION OF WATER CHANNELS IN THEIR NATURAL STATE WHICHEVER IS APPLICABLE AS MAY BE AUTHORIZED BY THE GOVERNING AUTHORITY, WITH NO BUILDINGS OR STRUCTURES BEING ERECTED WITHIN SUCH EASEMENTS.
- PRIVATE EASEMENTS. GRANT AND DEDICATE THOSE CERTAIN EASEMENTS DESCRIBED IN NOTES 7, 13, 14, 15, AND 16 OF THIS PLAT. SUCH NOTES AND THE RESERVATION AND GRANT OF EASEMENTS DESCRIBED THEREIN ARE INCORPORATED HEREIN BY REFERENCE. . [DRAFTING NOTE: UPDATE CROSS REFERENCES TO PLAT NOTES FOR EACH PHASE.]

IN WITNESS WHEREOF, DECLARANT HAS EXECUTED THIS OWNER'S DEDICATION AS OF

SMHG F	PHASE I,	LLC,	A	 LIMITED	LIABILITY	COMPANY
BY: NAME: _						

THE FOREGOING INSTRUMENT WAS ACKNOWLEDGED BEFORE ME THIS ___ DAY OF __, 2013 BY _____ OF SMHG PHASE I, LLC, A _____ LIMITED LIABILITY COMPANY.

> NOTARY PUBLIC MY COMMISSION EXPIRES: _____ RESIDING IN: _____

ACKNOWLEDGEMENT:

THIS IS TO CERTIFY THAT THIS SUBDIVISION PLAT WA DULY THIS IS TO CERTIFY THAT THIS SUBDIVISION PLAT, THE

WEBER COUNTY PLANNING COMMISSION APPROVAL

APPROVED BY THE WEBER COUNTY PLANNING COMMISSION

ON THE DAY OF _______, 20_____.

CHAIRMAN-WEBER COUNTY PLANNING COMMISSION

State of Utah } County of S.S	Э̂.	
The foregoing instr	ument was acknowledged before me this	day
of	<u>A.D., 2</u> 0 , by	
who is the	of	
My commission expires:	Residing at:	

WEBER COUNTY COMMISSION ACCEPTANCE

NOLTE VERTIC	CALFIVE
5217 SOUTH STATE STREET, SUITE 300 801.743.1300 TEL 801.743.0300 FAX	MURRAY, UT 8410 WWW.NOLTE.COI
RECORDED	#


RECORDED #
STATE OF UTAH, COUNTY OF WEBER, RECORDED AND FILED AT THE
REQUEST OF:
ENTRY NO:


DEDICATION OF STREETS AND OTHER PUBLIC WAYS AND	ENTRY NO:
FINANCIAL GUARANTEE OF PUBLIC IMPROVEMENTS	DATE: TIME:
ASSOCIATED WITH THIS SUBDIVISION THEREON ARE HEREBY	DAGE.
APPROVED AND ACCEPTED BY THE COMMISSIONERS OF	BOOK:PAGE:
WEBER COUNTY, UTAH	
THIS, 20	FEE \$

WEBER COUNTY	, UTAH		
THIS	DAY OF	 , 20_	
	_	_	

CHAIRMAN, WEBER COUNTY COMMISSION

WEBER COUNTY RECORDER







SUMMIT AT POWDER MOUNTAIN PHASE IC

LOCATED IN THE SOUTH HALF OF SECTION 5 AND THE NORTH HALF OF SECTION 8, T 7N, R 2E, SLBM., WEBER COUNTY, UTAH.

L190

L191

L192

L193

L194

L195

L196 L197

L198

L199

L200

L201

L202

L203

L204

L205

L206

L207

L208

LINE TABLE							
LINE LENGTH DIRECTION							
L150	76.37'	S 16°40'20" E					
L151	150.90'	S 16°40'20" E					
LI52	34.27'	S 16°40'20" E					
L153	79.01'	N 42°22'41" W					
L154	52.33'	N 66°28'34" W					
L155	165.001	N 66°28'34" W					
L156	8.63'	N 66°28'34" W					
L157	46.14'	N 48°29'04" W					
L158	43.24'	N 48°29'04" W					
L159	93.74'	S 81°19'28" E					
L160	93.74'	N 81°19'28" W					
L161	57.11'	S 81°19'28" E					
L162	36.62'	S 81°19'28" E					
L163	64.70'	S 70°13'16" E					
L164	64.70'	N 70°13'16" W					
L165	32.06'	S 70°13'16" E					
L166	32.64'	S 70°13'16" E					
L167	32.71'	N 84°03'51" E					
L168	138.80'	S 84°03'51" W					
L169	40.00'	N 84°03'51" E					

		SECTIO	8 N				
LINE TABLE							
LINE	LENGTH	DIRECTION					
L170	40.00'	N 84°03'51" E					
LI7I	26.09'	N 84°03'51" E					
LI72	11.111	N 7°22′50″ W					
L173	18. <i>00</i> 1	N 7°22′50″ W					
L174	22.00'	N 7°22′50″ W					
L175	20.00'	N 7°22′50″ W					
L176	20.00'	N 7°22′50″ W					
L177	102.391	N 7°22'50" W					
L178	16.001	N 7°22'50" W					
L179	20.00'	S 7°22'50" E					
L180	4.861	S 7°22'50" E					
LI8I	0.59'	S 17°14'09" E					
L182	4.92'	S 7°22'50" E					
L183	12.59'	N 17°14'09" W					
L184	16.001	N 7°22'50" W					
L185	34.381	S 59°58'41" W					
L186	59.72'	N 52°40'58" W					
L187	27.89'	N 77°52'47" W					
L188	37.37'	N 77°52'47" W					
L189	60.00'	N 77°52'47" W					

1 2 2 2 7	LDI I., NEDE	 ,	OTATI.	
LINE T		LINE T	ABLE	
LENGTH	DIRECTION	LINE	LENGTH	DIRECTION
19.14'	N 77°52'47" W	L359	48.651	N 33°31'24"
33.20'	S 76°22'37" W	L360	81.49'	N 16°46'15"
36.54'	5 76°22'37" W	L361	27.23'	S 81°19'28"
47.52'	5 76°22'37" W	L363	75.91'	S 12°35'17"
5.04'	N 78°24'40" W	L364	54.44'	N 85°55'50"
5.04'	S 78°24'40" E	L365	65.35'	S 6°50'25"
117.261	N 76°22'37" E	L366	65.65'	N 85°55'50"
46.57'	S 77°52'47" E	L367	74.42'	N 12°35'17"
61.71'	S 77°52'47" E	L369	1.01	S 70°13'16"
36.121	S 77°52'47" E	L370	24.54'	N 70°13'16"
1.68'	S 52°40'58" E	L371	60.94'	S 6°50'25"
58.04'	S 52°40'58" E	L372	26.67'	N 83°09'35'
111.93'	S 52°26'14" W	L373	43.33'	N 12°07'13"
126.69'	N 76°28'35" W	L374	29.59'	N 77°52'47'
128.381	N 16°46'15" E	L375	41.88'	N 12°07'13"
97.33'	S 11°35'20" W	L377	40.50'	S 12°34'07"
116.81	N 26°45'20" E	L378	33.56'	N 77°52'47"
37.40'	N 20°16'24" E	L379	40.421	N 12°34'07"
24.00'	N 7°22'50" W	L381	41.46'	S 8°08'39"
18.001	N 7°22'50" W	L386	52.88'	S 0°42'17"

T,	ABLE	LINE TABLE			LINE TABLE		ABLE
Ή	DIRECTION	LINE	LENGTH	DIRECTION	LINE	LENGTH	DIRECTION
	N 33°31'24" W	L335	77.71'	S 42°22'41" E	L210	20.00'	N 7°22'50" W
	N 16°46'15" E	L337	23.19'	N 66°28'34" W	L211	19.481	N 7°22'50" W
	S 81°19'28" E	L339	104.60'	S 58°07'34" W	L240	160.34'	N 83°44'18" W
	S 12°35'17" W	L341	98.62'	N 39°06'53" E	L243	31.051	N 84°03'51" E
	N 85°55'50" W	L342	69.25'	N 45°30'01" W	L244	9.02'	N 84°03'51" E
	S 6°50'25" E	L343	29.44'	N 66°28'34" W	L245	37.44'	S 77°52'47" E
	N 85°55'50" W	L344	103.821	S 39°06'53" W	L246	30.21	N 83°09'35" E
	N 12°35'17" E	L345	103.41'	S 66°28'34" E	L317	90.00'	N 77°34'14" E
	S 70°13'16" E	L346	77.48'	N 37°24'48" E	L319	50.61	S 16°40'20" E
	N 70°13'16" W	L347	1.98'	N 66°28'34" W	L320	90.02'	S 74°24'41" W
	S 6°50'25" E	L348	111.74'	S 37°24'48" W	L321	48.91'	N 16°40'20" W
	N 83°09'35" E	L349	101.301	S 52°04'52" E	L323	90.39'	S 68°00'36" W
	N 12°07'13" E	L350	121.941	N 37°55'08" E	L324	100.24	N 16°40'20" W
	N 77°52'47" W	L351	58.82'	S 56°28'36" W	L325	90.021	N 74°24'41" E
	N 12°07'13" E	L352	81.94'	N 52°04'52" W	L326	90.16'	S 16°40'20" E
	S 12°34'07" W	L353	82.50'	N 37°55'08" E	L327	80.34'	S 52°14'21" W
	N 77°52'47" W	L354	1.91'	5 48°29'04" E	L329	80.14'	N 68°00'36" E
	N 12°34'07" E	L355	65.66'	N 56°28'36" E	L331	90.17'	N 40°25'04" E
	5 8°08'39" W	L357	63.48'	S 16°46'15" W	L333	70.451	N 42°22'41" W
	S 0°42'17" E	L358	72.69'	N 76°28'35" W	L334	90.29'	S 52°14'21" W

	LINE T	ABLE		LINE T	ABLE		LINE T	ABLE
LINE	LENGTH	DIRECTION	LINE	LENGTH	DIRECTION	LINE	LENGTH	DIRECTION
L387	2.65'	S 84°03'51" W	L409	21.09'	N 84°03'51" E	L447	42.68'	N 77°52'47" V
L388	32.17'	N 77°52'47" W	L411	50.03'	S 2°51'57" W	L448	65.08'	N 8°11'08" E
L389	47.29'	N 3°43'II" E	L428	50.30'	N 8°47'27" E	L450	41.57'	S 77°52'47" E
L390	34.37'	S 84°03'51" W	L429	27.92'	S 77°52'47" E	L451	65.00'	S 12°07'13" W
L391	51.96'	N 0°42'17" W	L430	50.00'	S 12°07'13" W	L452	51.24'	N 77°52'47" V
L393	50.151	S 5°07'44" E	L431	14.14'	N 77°52'47" W	L453	65.00'	S 12°07'13" W
L394	30.77'	S 84°03'51" W	L433	50.01'	S 8°47'27" W	L454	45.32'	S 77°52'47" E
L395	50.01'	N 5°07'44" W	L434	50.01'	N 1°26'42" E	L455	65.27 ¹	N 17°19'26" E
L397	27.71	N 84°03'51" E	L435	50.01'	S 1°26'42" W	L456	31.55'	N 77°52'47" h
L398	50.00'	S 5°56'09" E	L436	50.01'	N 5°54'02" W	L457	65.27'	S 17°19'26" W
L399	30.00'	S 84°03'51" W	L437	50.01'	S 5°54'02" E	L458	55.64'	S 77°52'47" E
L400	50.00'	N 5°56'09" W	L438	50.01'	N 13°14'46" W	L459	64.01'	N 20°16'39" E
L401	30.00'	N 84°03'51" E	L439	50.00'	N 13°14'46" W	L460	64.46'	N 20°16'39" E
L402	50.00'	S 5°56'09" E	L440	25.33'	S 76°22'37" W	L462	70.16'	5 37°19'02" W
L403	30.00'	S 84°03'51" W	L441	50.00'	S 13°37'23" E	L463	39.51'	N 52°40'58" h
L404	50.00'	N 5°56'09" W	L442	25.00'	N 76°22'37" E	L464	70.19'	N 37°19'02" E
L405	30.00'	N 84°03'51" E	L443	50.00'	N 13°37'23" W	L465	48.04'	S 52°40'58" E
L406	50.00'	S 5°56'09" E	L444	26.54'	S 76°22'37" W	L466	70.19'	5 37°19'02" h
L407	24.08'	S 84°03'51" W	L445	50.00'	S 13°37'23" E	L467	48.04'	N 52°40'58" h
L408	50.00'	N 5°56'09" W	L446	26.54'	N 76°22'37" E	L468	26.75'	N 52°40'58" M

	1000 0 128 EAA					
O GA	100 00 120 1 50 1 30 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				LINE T	ABLE
\	010 005 18 61. Q	\		LINE	LENGTH	DIRECTION
LOT 57A	112 30 AC	\	\	L469	70.27'	N 37°19'02" E
St.	N82°37'10"E 68.86		\	L471	57.51'	S 18°13'59" W
12.00	LOT 92 1,378 SQ. FT.	$ar{ar{\omega}}$	\	L472	36.53'	N 90°00'00" W
/ -20 SO. 11.	1,378 AC 0.032 AC 0.032 AC	289.31		L473	7.67'	S 78°24'40" E
	C217 N82.3710 E			L474	30.101	S 78°24'40" E
N82°37'10"E 49.78' 18.00'	713 SQ. FT. 0.010			L475	30.20'	S 13°37'23" E
LOT 57B	713 SQ. FT. 0.016 OPEN SPACE N82°37'10"E 69.33'			L476	27.70'	S 89°52'57" W
a cal AC	: / / / / . ót a0 / / / ()			L477	3.30'	S 78°24'40" E
37'10"E 75.00"	0.032			L580	51.67'	N 85°55'50" W
350 SQ. FT	0 18///////		1	L581	42.52'	N 76°22'37" E
0.031 AC 2°37'10"E 75.00'	N82°37'10"E 67.15' 00 LOT 89B LOT 89B 00 N81 SQ. FT.			L582	78.81'	S 10°59'59" W
2°37′10″E 75.00 LOT 59 LOT 59 ,650 SQ. FT.	70 10 10 027 AC		C69	L583	80.98'	N 10°59'59" E
0.037 AC	0.027 AC N82°37′10″E 63.78″		1	L584	88.18 ¹	S 11°35'20" W
82°37'10"E 75.00	m Ir LOT OF FT.			L585	87.24'	N 11°35'20" E
LOT 60A FOO SQ. FT.	7 0 202710"E 56.76			L586	61.21'	S 11°35′20″ W
0.034 75 00'			1	L587	68.21'	N 26°45'20" E
N82°37'10"E 33'10"E 35'10"E 35'10"E 35'10"E 35'10"E 35	0.020 AC		/	L588	60.59'	N 54°33'35" W
1,500 034 AC	7110"F 50.34"			L589	67.00'	S 39°25'43" W
1100° 37'10"E 75.00"	$C = -1///C267 \rightarrow 0$			L590	54.34'	S 1°51'41" W
LOT GIA.	10/ L01 01-4/	<i>-</i>	/	L591	64.50'	N 39°32'48" E
N82°37'10"E 75.00'	0.036 AC N	7				
1,200 SQ. FT.	E L181- CS C219		/			
N92°37'10"E 75.001 L180	7					
10T 62		//				

CARCO PUBLIC PON

	LINE T	ABLE
LINE	LENGTH	DIRECTION
L592	64.39'	N 54°33'35" W
L593	59.01'	S 49°20'31" W
L594	49.86'	S 0°07'03" E
L595	56.06'	N 88°44'21" E
L596	73.86'	S 41°27'32" W
L597	67.89'	N 0°07'03" W
L598	71.64'	N 76°22'37" E
L659	60.21'	N 35°26'25" E
L660	92.49'	N 54°33'35" W
L661	62.181	S 26°45'20" W
L662	57.51'	N 81°21'59" E
L663	17.44'	S 2°50'09" E
L664	39.89'	N 74°44'51" W
L665	62.17'	N 88°32'16" W
L666	41.141	S 10°01'28" W
L667	41.821	S 67°41'09" W
L668	35.51'	N 81°56'14" W
L669	51.04'	5 6°10'33" W
L670	42.461	S 53°43'28" W
L671	69.38'	S 25°20'45" W

LINE TABLE						
LINE	LENGTH	DIRECTION				
L726	18.001	S 7°22'50" E				
L727	18.001	S 7°22'50" E				
L728	18.001	S 7°22'50" E				
L729	16.001	N 7°22'50" W				
L730	20.00'	N 7°22'50" W				
L731	16.001	N 7°22'50" W				
L732	20.00'	N 7°22'50" W				
L733	46.051	N 7°22'50" W				
L735	74.82'	S 78°43'54" E				
L736	60.62'	N 84°03'51" E				

CURVE TABLE									
CURVE	LENGTH	RADIUS	LONG CHORD	LENGTH					
C179	99.60'	603.42'	S 11°56'38" E	99.48'					
C180	159.37'	433.00'	S 27°13'00" E	158.47'					
C181	34.89'	433.00'	S 40°04'10" E	34.88'					
C182	54.44'	433.00'	S 45°58'49" E	54.41'					
C183	127.67'	433.00'	S 58°01'45" E	127.21					
C184	115.24 ¹	367.00'	N 57°28'49" W	114.77'					
C185	88.081	433.00'	S 54°18'44" E	87.93'					
C186	120.431	75.00'	N 35°19'21" W	107.901					
C187	58.961	433.00'	S 64°02'26" E	58.91'					
C188	58.92'	93.00'	S 15°22'27" E	57.94'					
C189	120.431	75.00'	N 35°19'21" W	107.901					
C190	25.681	18. <i>00</i> 1	S 10°23'05" E	23.55'					
C191	29.92'	57.00'	S 66°17'14" E	29.58'					
C192	77.59'	93.00'	S 57°25'26" E	75.36'					
C193	26.09'	382.00'	N 79°22'05" W	26.08'					
C194	81.00'	418.00'	N 75°46'22" W	80.88'					
C195	77.52'	400.00'	N 75°46'22" W	77.39'					
C196	47.94'	382.00'	N 73°49'00" W	47.91'					
C197	10.90'	482.00'	S 70°52'09" E	10.90'					
C198	25.19'	518.00'	S 71°36'51" E	25.18 ¹					

	C	CURVE -	TABLE			C	CURVE -	TABLE	
CURVE	LENGTH	RADIUS	LONG CHORD	LENGTH	CURVE	LENGTH	RADIUS	LONG CHORD	LENGTH
C199	40.00'	518.00'	S 75°13'09" E	39.99'	C220	12.47'	143.00'	S 18°56'31" E	12.47'
C200	40.00'	518.00'	5 79°38'37" E	39.99'	C221	30.151	102.00'	N 68°26'45" E	30.04'
C201	40.00'	518.00'	S 84°04'05" E	39.99'	C222	89.73'	102.00'	S 77°53'04" E	86.86'
C202	224.40'	500.00'	N 83°04'43" W	222.52'	C223	28.58'	268.00'	N 55°44'15" W	28.56'
C203	40.00'	518.00'	S 88°29'33" E	39.99'	C224	45.00 ¹	268.00'	N 63°36'10" W	44.95'
C204	40.00'	518.00'	N 87°05'00" E	39.99'	C225	35.831	268.00'	N 72°14'36" W	35.80'
C205	7.29'	518.00'	N 84°28'03" E	7.29'	C226	8.45'	268.00'	N 76°58'36" W	8.45'
C206	16.44'	107.001	S 88°27'54" W	16.421	C227	I5.57 ¹	268.00 ¹	N 79°32'40" W	15.57'
C207	112.501	143.001	N 61°48'04" W	109.621	C228	34.361	268.00 ¹	N 84°52'56" W	34.34'
C208	93.68'	107.001	N 62°03'10" W	90.721	C229	34.361	268.00 ¹	S 87°46'20" W	34.34'
C209	193.201	125.001	N 51°39'30" W	174.531	C230	34.361	268.00'	S 80°25'36" W	34.34'
C210	48.361	107.001	S 24°01'21" E	47.951	C23I	1.761	268.00¹	5 76°33'55" W	1.76'
C211	6.90'	107.001	5 9°13'38" E	6.90'	C232	47.07'	232.00 ¹	N 82°11'23" E	46.991
C212	27.07'	22.82'	S 26°17'55" W	25.51	C233	55.01	232.001	S 85°12'16" E	54.88'
C213	22.33'	18.001	S 52°46'24" E	20.92'	C234	3.24'	23.001	5 74°22'26" E	3.24 ¹
C215	22.70'	132.001	S 12°18'30" E	22.68'	C235	18.61	23.001	S 47°09'15" E	18.11'
C216	25.80'	150.001	N 12°18'30" W	25.77'	C236	56.14'	47.50'	N 57°49'52" W	52.93'
C217	4.53'	143.00'	S 8°17'14" E	4.53'	C237	63.60 ¹	47.50 ¹	S 49°56′56″ W	58.961
C218	18.09'	143.00'	S 12°49'07" E	18.081	C238	90.351	47.50 ¹	5 42°54'09" E	77.33'
C219	10.501	93.00'	N 85°04'34" W	10.501	C239	29.40'	47.50'	N 64°52'40" E	28.93'
			FARIE					± 4 5 1 5	

LEGEND	
	BOUNDARY LINE
	LOT LINE
	SECTION LINE
	QUARTER SECTION LINE
·	COUNTY LINE
	ADJOINER DEED LINES
	AREA TIE LINES
\bigoplus	CALCULATED SECTION CORNER AS NOTED
\(\rightarrow \)	SECTION CORNER AS NOTED
0	SET 5/8" X 2' REBAR WITH PLASTIC CAP
	BUILDABLE AREA
	EASEMENT

		CURVE 7	TABLE	
CURVE	LENGTH	RADIUS	LONG CHORD	LENGT
C394	27.18'	278.00¹	S 81°12'44" E	27.17'
C395	5.59'	227.001	S 78°35'05" E	5.58'
C396	27.321	227.001	N 74°25'56" W	27.30'
C401	59.19'	227.001	S 60°59'28" E	59.02'
C402	37.63'	143.001	S 62°13'30" E	37.52

CURVE	LENGTH	RADIUS	LONG CHORD	LENGTH
C240	21.85'	23.00'	S 74°22'08" W	21.04'
C241	45.50'	268.00'	5 83°16'30" E	45.45'
C242	72.43'	268.00'	N 84°07'09" E	72.21'
C243	88.31'	232.00'	S 87°16′53″ W	87.78'
C244	15.93'	232.00'	N 79°50'49" W	15.931
C245	33.03'	232.00'	N 73°48'04" W	33. <i>00</i> 1
C246	69.00'	232.001	N 61°12'10" W	68.74 ¹
C247	45.97'	138.001	S 62°13'30" E	45.75 ¹
C248	16.06'	143.001	5 24°39'25" E	16.051
C249	16.021	143.001	S 31°04'57" E	16.01
C250	12.41	143.001	S 36°46'41" E	12.41
C251	31.87'	217.00 ¹	N 38°23'22" W	31.841
C252	16.031	217.00 ¹	N 32°04'01" W	16.021
C253	16.01	217.00 ¹	N 27°50'17" W	16.00'
C254	38.19'	217.00 ¹	N 20°40'57" W	38.141
C255	18.10 ¹	217.00 ¹	N 13°15'02" W	18.091
C256	24.01'	217.00 ¹	N 7°41'27" W	24.00'
C258	20.101	217.00 ¹	N 1°52'02" W	20.09'
C259	18.321	217.00'	N 3°12'16" E	18.31
C260	25.02'	217.001	N 8°55'33" E	25.01'

CURVE TABLE

					,		
		CURVE -	TABLE				
CURVE	LENGTH	RADIUS	LONG CHORD	LENGTH		CURVE	LENG
C265	17.25'	217.00'	N 14°30'21" E	17.24'		C355	29.94
C267	13.22'	217.001	N 18°31'41" E	13.221		C356	30.30
C285	119.381	433.00'	S 75°50'23" E	119.00'		C358	30.30
C286	155.51	217.00 ¹	N 63°07'35" W	152.20¹		C363	30.39
C327	47.65'	643.42'	S 14°33'03" E	47.64'		C364	2.37
C328	54.31'	733.42'	N 14°33'03" W	54.30 ¹		C365	10.67
C329	130.93	533. <i>00</i> '	N 25°52'50" W	130.60		C369	10.86
C330	108.89	453. <i>00</i> 1	S 25°10'25" E	108.631		C370	31.41
C33I	26.94'	453. <i>00</i> 1	N 44°04'54" W	26.931		C372	25.00
C332	38.261	543. <i>00</i> 1	S 44°23'48" E	38.25 ¹		C375	31.41
C333	58.84'	463.00'	N 62°50'07" W	58.80'		C377	25.00
C334	115.67'	558. <i>00</i> '	S 60°11'51" E	115.461		C379	31.41
C335	101.241	327.001	N 57°36'24" W	100.841		C381	25.00
C340	11.79'	453. <i>00</i> 1	S 56°24'35" E	11.79 ¹		C384	39.75
C341	41.09'	123.001	S 9°50'06" E	40.90'		C385	49.86
C346	68.55'	453. <i>00</i> 1	S 52°49'12" E	68.49'		C386	7.03
C347	70.881	103.001	S 61°36'39" E	69.49'		C390	57.84
C348	20.74'	377.00'	S 79°44'53" E	20.74		C391	59.81
C349	42.31'	377.00'	S 73°26'12" E	42.29'		C392	25.48
C350	20.84'	523.00 ¹	N 71°21'45" W	20.83		C393	7.91'


			CURVE -	TABLE	
TH	CURVE	LENGTH	RADIUS	LONG CHORD	LENGTH
4'	C355	29.94'	523.00¹	S 75°14'37" E	29.94'
2'	C356	30.39'	523.00¹	5 79°38'37" E	30.381
0'	C358	30.39'	523.00'	5 88°29'33" E	30.381
20'	C363	30.39'	523.00'	N 87°05'00" E	30.381
4'	C364	2.37'	523.00'	N 84°11'37" E	2.37'
0'	C365	10.67'	102.001	N 87°03'36" E	10.66'
0'	C369	10.861	273.00'	N 79°01'11" W	10.861
3'	C370	31.41'	323.00'	S 84°52'56" E	31.40'
3'	C372	25.00'	273.00'	N 84°52'56" W	24.99'
5'	C375	31.41'	323.00'	N 87°46'20" E	31.40'
0'	C377	25.00'	273.00'	S 87°46'20" W	24.99'
6'	C379	31.41'	323.00'	N 80°25'36" E	31.40'
4'	C381	25.00'	273.00'	S 80°25'36" W	24.99'
٦'	C384	39.75'	227.001	N 81°23'38" E	39.70'
0'	C385	49.86'	227.00'	S 84°42'12" E	49.76'
9'	C386	7.03'	13.001	S 37°14'54" E	6.95'
9'	C390	57.84'	52.50'	S 53°18'50" E	54.96'
4'	C39I	59.81'	52.50'	S 43°26'33" E	56.63'
9'	C392	25.48'	57.50'	N 57°37'30" E	25.27'
3'	C393	7.91'	8.00'	N 73°15'33" E	7.59'

SUMMIT	ΑT	POWDER	MOUNTAIN	PHASE	ID			
LOTS 57-62 \$								
LINE & CURVE TABLES								

PARCEL F 8,638 SQ. FT. 0.1981 AC (OPEN SPACE)

LOCATED IN SECTION 8 OF TOWNSHIP 7 NORTH, RANGE 2 EAST, SALT LAKE BASE AND MERIDÍAN, WEBER COUNTY, UTAH

	NO.	BY	DATE	REVISIONS:
_				
Œ				
	1	TD	2013-09-17	PLAT NOTES # LEGAL DESCRIPTIONS
			·	



Sheet 5 of

NOLTE VERTICALFIVE

REQUEST OF:_ FEE \$ 5217 SOUTH STATE STREET, SUITE 300 MURRAY, UT 84107 WEBER COUNTY RECORDER 801.743.1300 TEL 801.743.0300 FAX WWW.NOLTE.COM

RECORDED #

STATE OF UTAH, COUNTY OF WEBER, RECORDED AND FILED AT THE