

LITTLE MOUNTAIN SERVICE AREA DISTRICT (LMSA) WASTEWATER WILL-SERVE LETTER

October 30, 2023 Weber County Planning Office 2380 Washington Blvd #240, Ogden Utah 84401

SUBJECT: Will-Serve Letter (Conditional, pending annexation)

At the request of Pat Burns, the LMSA board of Directors has reviewed an application for will-serve for the Longhorn Estates subdivision. This project is currently not located in the LMSA sanitary sewer service district, but is currently being evaluated for annexation.

- 1. LMSA has the capacity to treat the sanitary sewer flow from this subdivision.
- 2. If any connection is made directly into LMSA's line, the connection must be inspected by LMSA while the work is being done. A minimum of 48-hour notice for inspection shall be given to LMSA prior to any work associated with the connection commencing.
- 3. LMSA will not take ownership or responsibility for the condition, ownership or maintenance of the proposed lateral sewer lines (gravity or pressure) or on site system that will be installed to serve this subdivision.
- 4. The connection of any sump pumps (or similar type pumps) to the sanitary sewer system is prohibited during or after construction. LMSA's Wastewater Control Rules and Regulations state:
- 5. Prohibited Discharge into Sanitary Sewer. No person shall discharge or cause or make a connection which would allow to be discharged any storm water, surface water, groundwater, roof water runoff or subsurface drainage to any sanitary sewer.
- 6. The entire parcel of property to be served will need to be annexed into the District prior to any connection to the District's line. This annexation must be complete before the sale of any lots in the subdivision.
- 7. Impact fees will need to be paid to LMSA no later than the issuance of any building permits.

If you have any further questions or need additional information, please let us know. Best Regards,

Stephanie Russell

Little Mountain Service Area, Board Manager

CC: John Price, LMSA Board Chair