



**PERMIT TO CONSTRUCT AN ONSITE WASTEWATER TREATMENT SYSTEM  
ISSUED BY THE WEBER-MORGAN HEALTH DEPARTMENT**

477 23rd Street, OGDEN, UTAH 84401



Permit No.: W101034

Issued: May 9, 2014

Expires: May 9, 2015

This is to certify that **SHAWN ARRINGTON** is hereby issued a permit to install an onsite wastewater treatment system for the property with the Property Identification Number **10-043-0064** with the following specifications and provisions:

Approximate construction site address: **7895 W 900 S, OGDEN**

Lot: **1** of the subdivision in **Weber** county Utah.

Water supply will be provided by: **WEST WARREN-WARREN I.D.**.

Type of System will be **MOUND** with an absorption area of **2156** Sq. Ft.

Septic tank capacity must be at least **1000** gallons. System is designed for a **3** bedroom home.

Maximum depth of trench bottoms must be limited to **0** inches from original ground surface.

**\*\*\* IMPORTANT - PLEASE READ CAREFULLY \*\*\***

**SIZED FOR A MAXIMUM WATER USAGE OF 450GPD (3 BEDROOMS)  
MAXIMUM DEPTH TO BOTTOM OF THE TRENCH FROM ORIGINAL GRADE IS 0"  
MAINTAIN 100 FOOT SEPARATION FROM ALL OPEN WATER  
INSTALL ACCORDING TO CONSTRUCTION PLANS REVIEWED BY THIS OFFICE  
WATER TIGHTNESS TEST REQUIRED, TANKS MUST BE FULL AT TIME OF INSPECTION  
DO NOT BACKFILL TANKS OR OTHER COMPONENTS WITHOUT INSPECTION  
SYSTEM MUST BE INSTALLED BY A LEVEL 2 STATE CERTIFIED INSTALLER  
YEARLY OPERATION AND MAINTENANCE REQUIRED BY A LEVEL 3 STATE CERTIFIED INSTALLER**

Please provide the permit number and address when requesting the final inspection or any additional information regarding this system.  
Final inspection to be completed prior to any backfilling of installed system.

This permit may be revoked or altered if the site is found to be in a flood hazard or other geologic hazard area. This permit is based on minimum design standards, and in no case does it guarantee against the failure of the installed system. The performance of the installed system is affected by many other factors, such as operation, maintenance, wastewater contents, etc., not addressed by the standards.

*Michelle Gladwell*